WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

A1

(51) International Patent Classification ⁶:

C07C 237/44, 311/21, 335/22, 229/64,
233/80, 235/56, 237/40, 255/58, 275/40,
279/28, 311/08, 311/13, 311/29, 311/44,
311/46, 311/48, 323/63, 327/48, 335/20,
C07D 213/75, 215/36, 233/84, 263/04,
277/36, 307/52, 319/08, 319/18, 333/18,
333/34, 409/12, A61K 31/165, 31/17,
31/18

(11) International Publication Number:

WO 99/32433

(43) International Publication Date:

1 July 1999 (01.07.99)

(21) International Application Number:

PCT/US98/24688

(22) International Filing Date:

20 November 1998 (20.11.98)

(30) Priority Data:

K W A

60/068,604

23 December 1997 (23.12.97) US

(71) Applicant (for all designated States except US):
WARNER-LAMBERT COMPANY [US/US]; 201
Tabor Road, Morris Plains, NJ 07950 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): CONNOR, David,
Thomas [US/US]; 2453 Antietam, Ann Arbor, MI 48105
(US). ROARK, William, Howard [US/US]; 2810 Gladstone
Avenue, Ann Arbor, MI 48104 (US). SEXTON, Karen
[US/US]; 1009 Westford Street #19, Lowell, MA 01851
(US). SORENSON, Roderick, Joseph [US/US]; 2820
Briarcliff, Ann Arbor, MI 48105 (US).

(74) Agents: RYAN, M., Andrea; Warner-Lambert Company, 201 Tabor Road, Morris Plains, NJ 07950 (US) et al.

(81) Designated States: AL, AU, BA, BB, BG, BR, CA, CN, CU, CZ, EE, GE, HR, HU, ID, IL, IS, JP, KP, KR, LC, LK, LR, LT, LV, MG, MK, MN, MX, NO, NZ, PL, RO, SG, SI, SK, SL, TR, TT, UA, US, UZ, VN, YU, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published

With international search report.

(54) Title: THIOUREA AND BENZAMIDE COMPOUNDS, COMPOSITIONS AND METHODS OF TREATING OR PREVENTING INFLAMMATORY DISEASES AND ATHEROSCLEROSIS

$$\begin{array}{c}
R^{b} \\
R^{a} \\
Y \\
Q
\end{array}$$

$$\begin{array}{c}
R^{c} \\
X - R^{c} \\
R^{d} \\
(1)$$

(57) Abstract

The present invention provides compounds of formula (I). The present invention also provides methods of treating or preventing inflammation or atherosclerosis, and a pharmaceutical composition that contains a compound of formula (I).

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	Fl	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
	Barbados	GH	Ghana	MG	Madagascar	T.)	Tajikistan
BB	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BE	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BF		HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BG	Bulgaria	IE	Ireland	MN	Mongolia	UA	Ukraine
ВJ	Benin	IL	Israel	MR	Mauritania	UG	Uganda
BR	Brazil	18	Iceland	MW	Malawi	US	United States of America
BY	Belarus	IT	Italy	MX	Mexico	· UZ	Uzbekistan
CA	Canada	JP	лагу Јарал	NE	Niger	VN	Viet Nam
CF	Central African Republic	-	•	NL	Netherlands	YU	Yugoslavia
CG	Congo	KE	Kenya	NO	Norway	zw	Zimbabwe
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand		
CI	Côte d'Ivoire	KP	Democratic People's	PL	Poland		
CM	Cameroon		Republic of Korea	PT	Portugal		
CN	China	KR	Republic of Korea		Romania		
CU	Cuba	KZ	Kazakstan	RO	Russian Federation		
CZ	Czech Republic	LC	Saint Lucia	RU			
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

WO 99/32433 PCT/US98/24688

-1-

THIOUREA AND BENZAMIDE COMPOUNDS, COMPOSITIONS AND METHODS OF TREATING OR PREVENTING INFLAMMATORY DISEASES AND ATHEROSCLEROSIS

FIELD OF THE INVENTION

5

10

The present invention relates to compounds that can be used to treat or prevent inflammatory diseases or atherosclerosis. The present invention also relates to pharmaceutical compositions that can be used to prevent or treat inflammatory diseases or atherosclerosis, and to methods of treating and preventing inflammatory diseases or atherosclerosis. In particular, the compounds of the present invention are inhibitors of the enzyme 15-lipoxygenase and are inhibitors of monocyte chemotaxis.

BACKGROUND OF THE INVENTION

15

Atherosclerosis is a multifactorial disease characterized by excessive intracellular lipid deposition in macrophages, leading to the formation of foam cells. The accumulation of lipid-loaded foam cells in the subendothelial space leads to formation of fatty streaks, which are the early atherosclerotic lesions. Oxidative modifications of lipids, specifically low-density lipoprotein, has been implicated as a major process in foam-cell formation.

20

Lipoxygenases are nonheme iron-containing enzymes that catalyze the oxygenation of certain polyunsaturated fatty acids such as lipoproteins. Several different lipoxygenase enzymes are known, each having a characteristic oxidation action. One specific lipoxygenase, namely 15-lipoxygenase (15-LO), has been detected in atherosclerotic lesions in mammals, specifically rabbit and man. The enzyme, in addition to its role in oxidative modification of lipoproteins, is important in the inflammatory reaction in the atherosclerotic lesion. Indeed, 15-LO has been shown to be induced in human monocytes by the cytokine IL-4, which is known to be implicated in the inflammatory process.

25

Inhibitors of 15-LO are especially useful to prevent and treat inflammatory diseases such as asthma, psoriasis, arthritis, and atherosclerosis. While there are several lipoxygenase enzymes, specific inhibition of 15-LO is important in the inflammatory and atherosclerosis process. A characteristic feature of atherosclerosis is the accumulation of cholesterol ester engorged foam cells. Foam cells are derived from circulating monocytes that invade artery walls in response to hypercholesterolemia, and mature into tissue macrophages. The enzyme 15-LO has been implicated in inflammatory disorders and in the origin and recruitment of foam cells (See Harats, et al., <u>Trends Cardiovasc. Med.</u>, 1995;5(1):29-36). This enzyme is capable of oxidizing esterified polyenoic fatty acids, such as those found in phospholipids. Treatment of experimental animals with antioxidants which reduced hydroperoxides produced by 15-LO has been shown to retard the progression of atherosclerotic lesions. For example, Sendobry, et al., <u>British Journal of Pharmacology</u>, 1997;120:1199-1206 show suppression of atherogenesis in rabbits fed a high-fat diet and treated with a 15-LO inhibitor.

SUMMARY OF THE INVENTION

The present invention provides compounds having the Formula I

$$\begin{array}{c}
R^{b} \\
R^{a} \\
\downarrow \\
Q
\end{array}$$

$$\begin{array}{c}
R^{c} \\
X \\
R^{d}
\end{array}$$

$$\begin{array}{c}
R^{e} \\
Q
\end{array}$$

5

10

15

$$\begin{array}{c} O \\ II \\ -S-N- \end{array}, or \quad -CH=CH-C \\ II \quad I \\ O \quad R' \end{array} \quad ; \quad$$

5 each n is independently 0 to 3;

WO 99/32433 PCT/US98/24688

$$\begin{array}{c} OH \\ -\overset{1}{C} - (CH_2)_n \\ + & -\overset{1}{C} - (CH_2)_n \\ -\overset{1}{C} - (CH_2)_n \\ - & -\overset{1}{C} -$$

heteroaryl, substituted heteroaryl, -NR'R', or cycloalkyl;

each R' is independently hydrogen or C₁-C₆ alkyl;

5

$$R^e$$
 is R^9 R^8 , C_1 - C_{18} alkyl, heteroaryl, substituted

heteroaryl, naphthyl, benzyl, or dansyl;

each of R¹, R², R³, R⁴, R⁵, R⁷, R⁸, R⁹, R^a, R^b, R^c, and R^d are independently hydrogen, -OC₁-C₆ alkyl, -SC₁-C₆ alkyl, halogen, C₁-C₆ alkyl, -OH, -CF₃, -NO₂, -CN, -CO₂H, -OCF₃, -CO₂C₁-C₆ alkyl, -SO₃H, -SO₃-alkali metal, -NH₂, -NHC₁-C₆ alkyl,

10

15

20

25

30


-SO3 alkali metal, -CN, -CH2-halogen, CH2-CH2



$$O$$
 CH_3


heteroaryl, substituted heteroaryl, aryl, substituted aryl, cycloalkyl, substituted cycloalkyl, heterocycloalkyl, substituted

heterocycloalkyl, benzoyl, CC₁-C₆ alkyl,



Q is not C₁-C₆ alkyl; further provided that when X is -CNH- and Y is -NH, R^b is not -OH; further provided that when X and Y are O

that when Y is -NHC-, and X is -NHCO-, Re and Q are not both aryl; further provided that when Y is -SO₂NH- or



di- or tri-substituted phenyl; further provided that when Y is



Q is not unsubstituted aryl.

In a preferred embodiment of the compounds of Formula I, X is -N-. | R'

In another preferred embodiment of the compounds of Formula I, R' is hydrogen or methyl.

In another preferred embodiment of the compounds of Formula I, X is -O-.

In another preferred embodiment of the compounds of Formula I, X is -N-C-N-.

20

25

In another preferred embodiment of the compounds of Formula I, R' is hydrogen.

In another preferred embodiment of the compounds of Formula I, R^c is ${\tt -OCH_3}$, hydrogen, ${\tt -OCH_2CH_3}$, halogen, ${\tt -S-methyl}$, or ${\tt -OCF_3}$.

In another preferred embodiment of the compounds of Formula I, Y is -C-N-, CH₂-CH₂-, -N-C-N-, or -N-C-

In another preferred embodiment of the compounds of Formula I, X is

30 -N- $(CH_2)_{n}$ -.

R'
In another preferred embodiment of the compounds of Formula I, Y is
-C-N-

35 || || O R'

10

In another preferred embodiment of the compounds of Formula I, R^c is hydrogen, hydroxy, $-OC_1$ - C_6 alkyl, halogen, C_1 - C_6 alkyl, $-SC_1$ - C_6 alkyl, $-CF_3$, or $-OCF_3$.

Also provided is a method of treating or preventing atherosclerosis, the method comprising administering to a patient having atherosclerosis or at risk of having atherosclerosis a therapeutically effective amount of a compound of Formula I

$$\begin{array}{c}
R^{b} \\
R^{a} \\
X \\
Q
\end{array}$$

$$\begin{array}{c}
R^{c} \\
X \\
R^{d} \\
\end{array}$$

$$\begin{array}{c}
R^{e} \\
Q
\end{array}$$

each n is independently 0 to 3;

5

10

$$(CH_2)_n$$
 $\stackrel{O}{=}$ S - , $-SO_2$ $-(CH_2)_n$ - , or $-(CH_2)_n$ - SO_2 - ;

-9-

Q is
$$C_1$$
- C_6 alkyl, R^4 R^5

heteroaryl, substituted heteroaryl, -NR'R', or cycloalkyl; each R' is independently hydrogen or C₁-C₆ alkyl;

$$R^{e}$$
 is R^{6} R^{8} , C_{1} - C_{18} alkyl, heteroaryl, substituted

5


heteroaryl, naphthyl, benzyl, or dansyl;

each of R¹, R², R³, R⁴, R⁵, R⁷, R⁸, R⁹, R¹⁰, R^a, R^b, R^c, and R^d are independently hydrogen, -OC₁-C₆ alkyl, -SC₁-C₆ alkyl, halogen, C₁-C₆ alkyl, -OH, -CF₃, -NO₂, -CN, -CO₂H, -OCF₃, -CO₂C₁-C₆ alkyl, -SO₃H, -SO₃-alkali metal, -NH₂, -NHC₁-C₆ alkyl,

10

O O $\|\cdot\|$ -N(CC₁-C₆ alkyl)₂, -OCC₁-C₆ alkyl, -CO₂C₁-C₆ alkyl, -SO₃H, -SO₃ alkali metal, -CN, -CH₂-halogen, CH₂-CH₂

15



heteroaryl, substituted heteroaryl, aryl, substituted aryl, cycloalkyl, substituted cycloalkyl, heterocycloalkyl, substituted

WO 99/32433 PCT/US98/24688

5

10

15

-NR'R', or the pharmaceutically acceptable salts thereof.

Also provided is a method of treating or preventing inflammation, the method comprising administering to a patient having inflammation or at risk of having inflammation a therapeutically effective amount of a compound of Formula I

$$\begin{array}{c|c}
R^{b} & R^{c} \\
\hline
R^{a} & 3^{2} & R^{d} \\
\hline
R^{a} & Y \\
Q
\end{array}$$

wherein X is
$$\begin{array}{c} -N- \\ \downarrow \\ R' \end{array}$$
 , $\begin{array}{c} -O- \\ \uparrow \end{array}$, $\begin{array}{c} -N-C-N- \\ \downarrow \parallel \\ R' \end{array}$, $\begin{array}{c} -N-C-N- \\ \downarrow \parallel \\ R' \end{array}$,

$$\begin{array}{c} O & OH \\ \parallel & \parallel \\ -S-N- & OF \\ \parallel & \parallel \\ O & R' \end{array} , CH=CH-C- \\ \parallel & \parallel \\ H \end{array} ;$$

each n is independently 0 to 3;

$$-s - (CH_2)_n$$
 , $-(CH_2)_n - s -$, $-C - 0$, $-O - C -$,

$$-\text{COCH}_{2} - , -\text{CH}_{2} \text{OC} - , -\text{S} - (\text{CH}_{2})_{n} - .$$

5

10

15

$$(CH_2)_n$$
 $-S$, $-SO_2$ $-(CH_2)_n$, or $-(CH_2)_n$ $-SO_2$;

Q is
$$C_1$$
- C_6 alkyl, R^4
 R^5

heteroaryl, substituted heteroaryl, -NR'R', or cycloalkyl; each R' is independently hydrogen or C₁-C₈ alkyl;

$$R^{e}$$
 is R^{6} R^{7} R^{8} , C_{1} - C_{18} alkyl, heteroaryl, substituted

heteroaryl, naphthyl, benzyl, or dansyl;

each of R^1 , R^2 , R^3 , R^4 , R^5 , R^7 , R^8 , R^9 , R^{10} , R^a , R^b , R^c , and R^d are independently hydrogen, -OC₁-C₆ alkyl, -SC₁-C₆ alkyl, halogen, C₁-C₆ alkyl, -OH. -CF₃, -NO₂, -CN, -CO₂H, -OCF₃, -CO₂C₁-C₆ alkyl, -SO₃H, -SO₃-alkali metal, -NH₂, -NHC₁-C₆ alkyl,

O O
$$\parallel$$
 \parallel -N(CC₁-C₆ alkyl)₂, -OCC₁-C₆ alkyl, -CO₂C₁-C₆ alkyl, -SO₃H, -SO₃ alkali metal, -CN, -CH₂-halogen, CH₂-CH₂ \parallel \parallel O O

heteroaryl, substituted heteroaryl, aryl, substituted aryl, cycloalkyl, substituted cycloalkyl, heterocycloalkyl, substituted

heterocycloalkyl, benzoyl, CC1-C6 alkyl,

O O
$$\parallel$$
 \parallel -OCH, -OCC₁-C₆ alkyl, -SO₃H, -SO₃NR'R', -CHO, -SO₂NH₂, or

-NR'R', or the pharmaceutically acceptable salts thereof.

10 The present invention provides a pharmaceutically acceptable composition comprising a compound of Formula I.

> Also provided is a method of inhibiting 15-lipoxygenase, the method comprising administering to a patient in need of 15-lipoxygenase inhibition a 15-lipoxygenase inhibiting amount of a compound of Formula I

> > 1

15

5

$$\begin{array}{c|c} O & OH \\ -S-N- & \text{or} & -CH=CH-\overset{!}{C}- \\ \parallel & \parallel & \parallel \\ O & R' & H \end{array} ;$$

each n is independently 0 to 3;

5
$$Y_{is} \stackrel{N-}{=} , \stackrel{-C-N-}{=} , \stackrel{-N-C-}{=} , \stackrel{-CH_2CH_2-}{=} ,$$
 $X_{is} \stackrel{N-}{=} , \stackrel{-C-N-}{=} , \stackrel{-N-C-}{=} , \stackrel{-CH_2CH_2-}{=} ,$

$$-s - (CH_2)_n$$
, $-(CH_2)_n - s -$, $-C - o$, $-o - c -$,

-15-

$$-\operatorname{COCH}_{2}^{-} \cdot -\operatorname{CH}_{2}^{0} \operatorname{CC}^{-} \cdot -\operatorname{S}^{0} - (\operatorname{CH}_{2})_{n}^{-} \cdot$$

$$(CH_2)_n$$
 $-S - \cdot -SO_2 - (CH_2)_n$, or $-(CH_2)_n - SO_2 - \cdot \cdot$

Q is
$$C_1$$
- C_6 alkyl, R^4
 R^5

heteroaryl, substituted heteroaryl, -NR'R', or cycloalkyl;

5 each R' is independently hydrogen or C₁-C₆ alkyl;

$$R^{e}$$
 is R^{6} R^{8} , C_{1} - C_{18} alkyl, heteroaryl, substituted

heteroaryl, naphthyl, benzyl, or dansyl;

each of R^1 , R^2 , R^3 , R^4 , R^5 , R^6 , R^7 , R^8 , R^9 , R^{10} , R^a , R^b , R^c , and R^d are independently hydrogen, -OC₁-C₆ alkyl, -SC₁-C₆ alkyl, halogen, C₁-C₆ alkyl, -OH, -CF₃, -NO₂, -CN, -CO₂H, -OCF₃, -CO₂C₁-C₆ alkyl,

10

heteroaryl, substituted heteroaryl, aryl, substituted aryl, cycloalkyl, substituted cycloalkyl, heterocycloalkyl, substituted

15 O || heterocycloalkyl, benzoyl, CC₁-C₆ alkyl,

-NR'R', or the pharmaceutically acceptable salts thereof.

Also provided is a method of inhibiting the chemotaxis of monocytes, the method comprising administering to a patient in need of inhibition of chemotaxis of monocytes, a monocyte chemotaxis inhibiting amount of a compound of Formula I

$$\begin{array}{c|c}
R^{b} & R^{c} \\
\hline
R^{a} & A^{c} & R^{d} \\
\hline
R^{a} & Y & R^{d} \\
\hline
Q & & & & \\
\end{array}$$

wherein X is
$$-N-$$
, $-O-$, $-S-$, $-N-C-N-$, $\begin{vmatrix} & & & & & & \\ & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & \\ & & & & \\ & & & & \\ & & \\ & & \\ & & & \\ & & & \\ & & \\ & & & \\ & & \\ &$

WO 99/32433 PCT/US98/24688

each n is independently 0 to 3;

10

$$-s - (CH_2)_n$$
 , $-(CH_2)_n - s -$, $-C-0$, $-0-C-$,

$$\begin{array}{c} \overset{O}{\parallel} & \overset{O}{\longrightarrow} & \overset{O}{\longrightarrow} \\ -\text{COCH}_2 - \cdot & -\text{CH}_2\text{OC} - \cdot & -\text{S} - (\text{CH}_2)_n - \cdot \end{array} ,$$

$$(CH_2)_n$$
 $-S - \cdot -SO_2 - (CH_2)_n$, or $-(CH_2)_n - SO_2$;

15

Q is
$$C_1$$
- C_6 alkyl, R^4
 R^5

heteroaryl, substituted heteroaryl, -NR'R', or cycloalkyl; each R' is independently hydrogen or C₁-C₆ alkyl;

$$R^{e}$$
 is R^{6} R^{7} R^{8} , C_{1} - C_{18} alkyl, heteroaryl, substituted

heteroaryl, naphthyl, benzyl, or dansyl;

each of R¹, R², R³, R⁴, R⁵, R⁷, R⁸, R⁹, R¹⁰, R^a, R^b, R^c, and R^d are independently hydrogen, -OC₁-C₆ alkyl, -SC₁-C₆ alkyl, halogen, C₁-C₆ alkyl, -OH, -CF₃, -NO₂, -CN, -CO₂H, -OCF₃, -CO₂C₁-C₆ alkyl, -SO₃H, -SO₃-alkali metal, -NH₂, -NHC₁-C₆ alkyl,

O O O O NOCC1-C6 alkyl)2, -OCC1-C6 alkyl, -CO2C1-C6 alkyl, -SO3H, -SO3 alkali metal, -CN, -CH2-halogen, CH2-CH2

0 0 | |

$$CH_3$$

heteroaryl, substituted heteroaryl, aryl, substituted aryl, cycloalkyl, substituted cycloalkyl, heterocycloalkyl, substituted

20 O
$$\parallel$$
 heterocycloalkyl, benzoyl, CC1-C6 alkyl,

10

15

20

-NR'R', and the pharmaceutically acceptable salts thereof.

Also provided by the present invention are compounds having the Formula II

II

wherein

 R^e is phenyl, pyridyl, or substituted phenyl having 1 to 5 substituents selected from halogen, C_1 - C_6 alkyl, OC_1 - C_6 alkyl, $-CF_3$, or -OH;

B is hydrogen, OC₁-C₆ alkyl, halogen, C₁-C₆ alkyl, -SC₁-C₆ alkyl, -OCF₃, or -OH;

Q is phenyl, pyridyl, or substituted phenyl having from 1 to 5 substituents selected from halogen, -OC₁-C₆ alkyl, oxazolinyl, -CF₃, NO₂,

In a preferred embodiment of the compounds of Formula II, B is -OCH3 or -OCF3.

In a preferred embodiment of the compounds of Formula II, Re is substituted phenyl.


In a preferred embodiment of the compounds of Formula II,

In a preferred embodiment of the compounds of Formula II, B is -OCH3,

O

or -OCF3; Re is substituted phenyl and Y is -CNH-.

Also provided are compounds having the Formula III



Ш

wherein

Re is pyridyl, or phenyl that is substituted with from 1 to 5 substituents selected from halogen, -CF₃, -NO₂, benzoyl, -SO₃ alkali metal,

10

5

$$C_1$$
- C_6 alkyl, -OC₁- C_6 alkyl, -CN, -COOH, CC₁- C_6 alkyl, -SO₃H, O
-OCF₃, -COC₁- C_6 alkyl, -SO₂NH₂, N(C₁- C_6 alkyl)₂, or -SONH₂;

15

B is OC₁-C₆ alkyl, hydrogen, halogen, or C₁-C₆ alkyl;

20

Q is phenyl, pyridyl, or phenyl substituted with 1 to 5 substituents selected from halogen, -OC₁-C₆ alkyl, halogen, or C₁-C₆ alkyl, or the pharmaceutically acceptable salts thereof.

25

In a preferred embodiment of the compounds of Formula III, Re is substituted phenyl.

In a preferred embodiment of the compounds of Formula III, B is -OCH₃ or -OCF₃, or fluorine.

In a preferred embodiment of the compounds of Formula III,

In a preferred embodiment of the compounds of Formula III, Re is

O O | Substituted phenyl, B is -OCH₃, -OCF₃, and Y is -CNH- or -NHC-.

Also provided are compounds having the Formula IV

$$\begin{array}{c}
B \\
X - R^e \\
Y \\
Q
\end{array}$$
IV

wherein

10

B is -OC₁-C₆ alkyl, hydrogen, or -OH;

Re is phenyl, pyridyl, or phenyl substituted with 1 to 5 substituents selected from halogen, -OC₁-C₆ alkyl, -OH, -NH₂, -NHC₁-C₆

V

5

15

Q is phenyl, pyridyl, or substituted phenyl, wherein the substituted phenyl may contain 1 to 5 substituents selected from those listed for Re, or the pharmaceutically acceptable salts thereof.

In a preferred embodiment of the compounds of Formula IV, Re is substituted phenyl.

In a preferred embodiment of the compounds of Formula IV, B is -OCH3.

In a preferred embodiment of the compounds of Formula IV, X is -NHCH₂-.

In a preferred embodiment of the compounds of Formula IV,

10 O O | | | | | | | | | | | Y is -CNH-, or -NHC-.

In a preferred embodiment of the compounds of Formula IV, Re is

O O But the substituted phenyl; B is -OCH3, X is -NHCH2-; and Y is -CNH- or -NHC-.

Also provided are compounds having the Formula V

B is -OC₁-C₆ alkyl or halogen;

A is phenyl, C₁-C₁₈ alkyl, pyridyl, quinolinyl substituted phenyl,
thiazolyl, substituted thiazolyl, substituted pyridyl, substituted
quinolinyl, imidazolyl, substituted imidazolyl, naphthyl, substituted
naphthyl, benzyl, thienyl, substituted thienyl, isoxazolyl, or
substituted isoxazolyl, wherein the substituents are selected from
halogen,

O \parallel -OC₁-C₆ alkyl, -NO₂, C₁-C₆ alkyl, -CF₃, -NHCCH₃, -CO₂H,

-23O
-NH2, -NHC1-C6 alkyl, -N(C1-C6alkyl)2, -CN, or -CH2-halogen;
O
O
O
S
S
S
|
|
|
|
|
|
Y is -CNH-, -NHC-, NHCNH, -CNH-, -NHC-, -CH2NH-, or -NH2CH-;
and

C is phenyl or substituted phenyl, pyridyl or substituted pyridyl, wherein the substituents are as described for A, or the pharmaceutically acceptable salts thereof.

In a preferred embodiment of the compounds of Formula V, A is C_1 - C_{18} alkyl, substituted phenyl, or thienyl.

In a preferred embodiment of the compounds of Formula V, B is -OCH₃ or halogen.

In a preferred embodiment of the compounds of Formula V,

5

10

15

20

In a preferred embodiment of the compounds of Formula V, A is C_1 - C_{18} alkyl, substituted phenyl or thienyl; B is -OCF3 or halogen; and

Also provided is a method of treating or preventing atherosclerosis, the
method comprising administering to a patient having atherosclerosis or at risk of
having atherosclerosis a therapeutically effective amount of a compound of
Formula VI

$$R^{1}$$
 Q
 R^{4}
 R^{3}
 R^{3}
 R^{3}

wherein Q is

10

15

20

25

each R⁵ is independently hydrogen or C₁-C₆ alkyl;

R¹, R², R³, and R⁴ are independently hydrogen, -SC₁-C₆ alkyl, -OCF₃,

-OH, halogen, -CF₃, -NO₂, -COOR⁵, -SO₃NR⁵R⁵, -CHO,

-OC₁-C₆ alkyl, -NR⁵R⁵, C₁-C₆ alkyl, heteroaryl, substituted heteroaryl, aryl, substituted aryl, cycloalkyl, substituted cycloalkyl, heterocycloalkyl, substituted heterocycloalkyl, or the pharmaceutically acceptable salts thereof.

Also provided is a method of treating or preventing inflammation, the method comprising administering to a patient having inflammation or at risk of having inflammation a therapeutically effective amount of a compound of Formula VI

$$R^2$$
 NH_2 R^3 VI

wherein Q is

each R⁵ is independently hydrogen or C₁-C₆ alkyl;

 R^1 , R^2 , R^3 , and R^4 are independently hydrogen, -SC₁-C₆ alkyl, -OH, halogen, -CF₃, -NO₂, -COOR⁵, -SO₃NR⁵R⁵, -CHO, -OCF₃, -OC₁-C₆ alkyl, -NR⁵R⁵, C₁-C₆ alkyl, heteroaryl, substituted heteroaryl, aryl, substituted aryl, cycloalkyl, substituted cycloalkyl, heterocycloalkyl, substituted heterocycloalkyl, or the pharmaceutically acceptable salts thereof.

Also provided is a method of inhibiting 15-lipoxygenase, the method comprising administering to a patient in need of 15-lipoxygenase inhibition a 15-lipoxygenase inhibiting amount of a compound of Formula VI

$$R^{1}$$
 Q
 R^{1}
 R^{3}
 R^{3}
 R^{4}

5 wherein Q is

each R⁵ is independently hydrogen or C₁-C₆ alkyl;

10 R¹, R², R³, and R⁴ are independently hydrogen, -SC₁-C₆ alkyl, -OH, halogen, -CF₃, -NO₂, -COOR⁵, -SO₃NR⁵R⁵, -CHO, -OCF₃, -OC₁-C₆ alkyl, -NR⁵R⁵, C₁-C₆ alkyl, heteroaryl, substituted heteroaryl, aryl, substituted aryl, cycloalkyl, substituted cycloalkyl, heterocycloalkyl, substituted heterocycloalkyl, or the pharmaceutically acceptable salts thereof.

Also provided is a method of inhibiting the chemotaxis of monocytes, the method comprising administering to a patient in need of inhibition of chemotaxis of monocytes a chemotaxis inhibiting amount of a compound of Formula VI

$$R^2$$
 NH_2 R^3 VI

wherein Q is

each \mathbb{R}^5 is independently hydrogen or $\mathbb{C}_1\text{-}\mathbb{C}_6$ alkyl;

25

R¹, R², R³, and R⁴ are independently hydrogen, -SC₁-C₆ alkyl, -OH, halogen, -CF₃, -NO₂, -COOR⁵, -SO₃NR⁵R⁵, -CHO, -OCF₃, -OC₁-C₆ alkyl, -NR⁵R⁵, C₁-C₆ alkyl, heteroaryl, substituted heteroaryl, aryl, substituted aryl, cycloalkyl, substituted cycloalkyl, heterocycloalkyl, substituted heterocycloalkyl, or the pharmaceutically acceptable salts thereof.

The present invention also provides compounds having the Formula VII

$$X - R^{Z}$$
VII

wherein

10 S

X is -CH₂NHCNH-, -NHSO₂-, -CH₂NHSO₂-, -NHSO₂CH₂-,

O S O O

S O O

-NHC-CH-, -NHCH₂CH₂-, -NHCNHC-, -NHC-,

OAc

N-CN O

N-CN O

N-CN O

N-CN O

N-CN O

OH

R^z is phenyl or phenyl substituted with from 1 to 5 substituents selected from halogen or -CF₃; or

X and R^z are -N(SO₂-3,5-dichlorophenyl)₂, or the pharmaceutically acceptable salts thereof.

The present invention also provides compounds having the Formula VIII

WO 99/32433 PCT/US98/24688

wherein

5

10

15

20

25

R^z is phenyl, pyridyl, or phenyl substituted with from 1 to 5 substituents wherein the substituents are selected from halogen, pyridyl, or -CO₂C₁-C₆ alkyl.

Also provided is a method of treating or preventing atherosclerosis, the method comprising administering to a patient having atherosclerosis or at risk of having atherosclerosis a therapeutically effective amount of a compound of Formula II.

Also provided is a method of treating or preventing inflammation, the method comprising administering to a patient having inflammation or at risk of having inflammation a therapeutically effective amount of a compound of Formula II.

Also provided is a method of inhibiting 15-lipoxygenase, the method comprising administering to a patient in need of 15-lipoxygenase inhibition a 15-lipoxygenase inhibiting amount of a compound of Formula II.

Also provided is a method of inhibiting the chemotaxis of monocytes, the method comprising administering to a patient in need of inhibition of chemotaxis of monocytes a chemotaxis inhibiting amount of a compound of Formula II.

The present invention provides a pharmaceutically acceptable composition comprising a compound of Formula II.

Also provided is a method of treating or preventing atherosclerosis, the method comprising administering to a patient having atherosclerosis or at risk of having atherosclerosis a therapeutically effective amount of a compound of Formula III.

PCT/US98/24688

Also provided is a method of treating or preventing inflammation, the method comprising administering to a patient having inflammation or at risk of having inflammation a therapeutically effective amount of a compound of Formula III.

5

Also provided is a method of inhibiting 15-lipoxygenase, the method comprising administering to a patient in need of 15-lipoxygenase inhibition a 15-lipoxygenase inhibiting amount of a compound of Formula III.

Also provided is a method of inhibiting the chemotaxis of monocytes, the method comprising administering to a patient in need of inhibition of chemotaxis of monocytes a chemotaxis inhibiting amount of a compound of Formula III.

10

The present invention also provides a pharmaceutically acceptable composition comprising a compound of Formula III.

15

Also provided is a method of treating or preventing atherosclerosis, the method comprising administering to a patient having atherosclerosis or at risk of having atherosclerosis a therapeutically effective amount of a compound of Formula IV.

Also provided is a method of treating or preventing inflammation, the method comprising administering to a patient having inflammation or at risk of having inflammation a therapeutically effective amount of a compound of Formula IV.

20

Also provided is a method of inhibiting 15-lipoxygenase, the method comprising administering to a patient in need of 15-lipoxygenase inhibition a 15-lipoxygenase inhibiting amount of a compound of Formula IV.

25

Also provided is a method of inhibiting the chemotaxis of monocytes, the method comprising administering to a patient in need of inhibition of chemotaxis of monocytes a chemotaxis inhibiting amount of a compound of Formula IV.

The present invention provides a pharmaceutically acceptable composition comprising a compound of Formula IV.

30

Also provided is a method of treating or preventing atherosclerosis, the method comprising administering to a patient having atherosclerosis or at risk of having atherosclerosis a therapeutically effective amount of a compound of Formula V.

WO 99/32433 PCT/US98/24688

Also provided is a method of treating or preventing inflammation, the method comprising administering to a patient having inflammation or at risk of having inflammation a therapeutically effective amount of a compound of Formula V.

5

Also provided is a method of inhibiting 15-lipoxygenase, the method comprising administering to a patient in need of 15-lipoxygenase inhibition a 15-lipoxygenase inhibiting amount of a compound of Formula V.

Also provided is a method of inhibiting the chemotaxis of monocytes, the method comprising administering to a patient in need of inhibition of chemotaxis of monocytes a chemotaxis inhibiting amount of a compound of Formula V.

10

The present invention also provides a pharmaceutically acceptable composition comprising a compound of Formula V.

Also provided is a method of treating or preventing atherosclerosis, the method comprising administering to a patient having atherosclerosis or at risk of having atherosclerosis a therapeutically effective amount of a compound of Formula VII.

15

Also provided is a method of treating or preventing inflammation, the method comprising administering to a patient having inflammation or at risk of having inflammation a therapeutically effective amount of a compound of Formula VII.

20

Also provided is a method of inhibiting 15-lipoxygenase, the method comprising administering to a patient in need of 15-lipoxygenase inhibition a 15-lipoxygenase inhibiting amount of a compound of Formula VII.

25

Also provided is a method of inhibiting the chemotaxis of monocytes, the method comprising administering to a patient in need of inhibition of chemotaxis of monocytes a chemotaxis inhibiting amount of a compound of Formula VII.

The present invention also provides a pharmaceutically acceptable composition comprising a compound of Formula VII.

30

Also provided is a method of treating or preventing atherosclerosis, the method comprising administering to a patient having atherosclerosis or at risk of having atherosclerosis a therapeutically effective amount of a compound of Formula VIII.

Also provided is a method of treating or preventing inflammation, the method comprising administering to a patient having inflammation or at risk of having inflammation a therapeutically effective amount of a compound of Formula VIII.

5

Also provided is a method of inhibiting 15-lipoxygenase, the method comprising administering to a patient in need of 15-lipoxygenase inhibition a 15-lipoxygenase inhibiting amount of a compound of Formula VIII.

Also provided is a method of inhibiting the chemotaxis of monocytes, the method comprising administering to a patient in need of inhibition of chemotaxis of monocytes a chemotaxis inhibiting amount of a compound of Formula VIII.

10

The present invention provides a pharmaceutically acceptable composition comprising a compound of Formula VIII.

The present invention provides the compounds:

3-Amino-4-methoxy-N-(3,4-dichlorophenyl)-benzamide;

15

3-(3-Trifluoromethyl-phenylamino)-4-methoxy-N-(4-fluorophenyl)-benzamide;

3-[3-(3,5-Dichlorophenyl)-thioureido]-4-methoxy-N-phenyl-benzamide;

4-[3-(2-Methoxy-5-phenylcarbamoyl-phenyl)-thioureido]-benzoic acid;

4-Methoxy-N-phenyl-3-(3-pyridin-3-yl-thioureido)-benzamide;

20

3-[3-(3,5-Dichlorophenyl)-thioureido]-N-(4-fluorophenyl)-4-methoxy-benzamide;

3-(3,5-Dichloro-benzenesulfonylamino)-4-methoxy-N-phenyl-benzamide; or

3-Methanesulfonylamino-4-methoxy-N-(3,4-dichlorophenyl)-benzamide.

The present invention provides the compounds:

3-Amino-4-methoxy-N-(4-chlorophenyl)-benzamide;

3-Amino-4-methoxy-N-(3,4-dimethylphenyl)-benzamide;

3-Amino-4-methoxy-N-(4-methylphenyl)-benzamide;

3-Amino-4-methoxy-N-(4-fluorophenyl)-benzamide;

30 3-Amino-4-fluoro-N-phenyl-benzamide; or

3-Amino-4-ethoxy-N-phenyl-benzamide.

The present invention provides the compounds:

- 3-Amino-4-methoxy-N-(3,5-dimethylphenyl)-benzamide;
- 3-Amino-4-methoxy-N-(3-chloro-4-methylphenyl)-benzamide;
- 3-Amino-4-methoxy-N-(2,4-difluorophenyl)-benzamide;
- 3-Amino-4-methoxy-N-(3,4-difluorophenyl)-benzamide;
 - 3-Amino-4-methoxy-N-(3-chlorophenyl)-benzamide;
 - 3-Amino-4-ethyl-N-phenyl-benzamide;
 - 3-Amino-4-ethyl-N-(3,4-dichlorophenyl)-benzamide:
 - 3-Amino-4-ethyl-N-(3,4-difluorophenyl)-benzamide; or
- 10 3-Amino-4-methylsulfanyl-N-phenyl-benzamide.

The present invention provides the compounds:

- N-(3-Amino-4-methoxyphenyl)-benzamide:
- 3,4-Dichloro-N-(3-amino-4-fluorophenyl)-benzamide;
- 3,4-Dichloro-N-(3-amino-4-methoxy-phenyl)-benzamide:
- 3-Phenylamino-N-phenyl-benzamide;
 - 3-(3,5-Dichloro-phenylamino)-N-phenyl-benzamide;
 - 3-(2-Methoxy-phenylamino)-N-phenyl-benzamide;
 - 4-Methoxy-3-phenylamino-N-phenyl-benzamide;
 - 3-(2-Methoxy-phenylamino)-4-methoxy-N-phenyl-benzamide: or
- 20 3-(3-Trifluoromethyl-phenylamino)-4-methoxy-N-phenyl-benzamide.

The present invention provides the compounds:

- 3-(3-Chloro-phenylamino)-4-methoxy-N-phenyl-benzamide:
- 3-(3-Methyl-phenylamino)-4-methoxy-N-phenyl-benzamide;
- 3-(3-Nitro-phenylamino)-4-methoxy-N-phenyl-benzamide;
- 25 3-(4-Methyl-phenylamino)-4-methoxy-N-phenyl-benzamide;
 - 3-(3,5-Dichloro-phenylamino)-4-methoxy-N-phenyl-benzamide;
 - 3-(3,5-Dimethyl-phenylamino)-4-methoxy-N-phenyl-benzamide;
 - 3-Phenylamino-4-fluoro-N-phenyl-benzamide;
 - 3-Phenylamino-4-methyl-N-phenyl-benzamide; or
- 30 3-Phenylamino-4-methoxy-N-(4-fluorophenyl)-benzamide.

The present invention provides the compounds:

- 4-Ethyl-3-(3-trifluoromethyl-phenylamino)-N-phenyl-benzamide;
- 4-Ethoxy-3-(3-trifluoromethyl-phenylamino)-N-phenyl-benzamide;
- 4-Methylsulfanyl-3-(3-trifluoromethyl-phenylamino)-N-phenyl-
- 5 benzamide;

10

25

- 3-[4-(4,4-Dimethyl-4,5-dihydro-oxazol-2-yl)-phenylamino]-4-methoxy-N-phenyl-benzamide;
 - 4-Methoxy-3-(3-trifluoromethyl-phenylamino)-N-(3-pyridyl)-benzamide,
 - 4-Methoxy-3-(3,5-dimethyl-phenylamino)-N-(4-fluorophenyl)-benzamide;
- 4-Methoxy-3-(3-trifluoromethyl-phenylamino)-N-(3,4-dichlorophenyl)-benzamide;
- 4-Methoxy-3-(3-trifluoromethyl-phenylamino)-N-(3,4-difluorophenyl)-benzamide;
 - N-[3-(Phenylamino)-4-methoxy-phenyl]-benzamide; or
- 15 3-Benzylamino-4-methoxy-N-phenyl-benzamide.

The present invention provides the compounds:

- 3-(3,5-Dichloro-benzylamino)-4-methoxy-N-phenyl-benzamide;
- 3-(3,4-Dimethoxy-benzylamino)-4-methoxy-N-phenyl-benzamide;
- 3-Phenoxy-N-phenyl-benzamide,
- 20 3-Phenoxy-4-methoxy-N-phenyl-benzamide;
 - 3-(Phenylamino)-4-methoxy-benzoic acid, phenyl ester;
 - 4-Hydroxy-3-(3,5-dichloro-phenylamino)-N-phenyl-benzamide;
 - 3-(3,5-Dichloro-phenylamino)-4-hydroxy-N-(4-methoxyphenyl)-benzamide;
 - 3-(3,5-Dichloro-phenylamino)-4-hydroxy-N-(4-methylphenyl)-benzamide; or
 - 3-(3,5-Dichloro-phenylamino)-4-hydroxy-N-(3-hydroxy-4-methoxyphenyl)-benzamide.

The present invention provides the compounds:

- 30 3-[3-(3-Chlorophenyl)-thioureido]-4-methoxy-N-phenyl-benzamide;
 - 4-Methoxy-N-phenyl-3-(3-phenyl-thioureido)-benzamide;

4-Methoxy-N-phenyl-3-[3-(4-trifluoromethyl-phenyl)-thioureido]benzamide; 3-[3-(4-tert-Butyl-phenyl)-thioureido]-4-methoxy-N-phenyl-benzamide; 3-[3-(4-Chlorophenyl)-thioureido]-4-methoxy-N-phenyl-benzamide: 5 3-[3-(3-Nitrophenyl)-thioureido]-4-methoxy-N-phenyl-benzamide; 4-Methoxy-N-phenyl-3-(3-benzovl-thioureido)-benzamide: 4-Methoxy-N-phenyl-3-[3-(2,3,5,6-tetrafluoro-phenyl)-thioureido]benzamide; 4-Methoxy-N-phenyl-3-(-3-p-tolyl-thioureido)-benzamide; or 10 3-[3-(3,5-Dichlorophenyl)-thioureido]-N-phenyl-benzamide. The present invention provides the compounds: 3-[3-(3,5-Dichlorophenyl)-thioureido]-4-methyl-N-phenyl-benzamide; 3-[3-(3,4-Dimethoxyphenyl)-thioureido]-4-methoxy-N-phenyl-benzamide; 3-[3-(4-Chloro-3-trifluoromethylphenyl)-thioureido]-4-methoxy-N-15 phenyl-benzamide; 3-[3-(3-Cyanophenyl)-thioureido]-4-methoxy-N-phenyl-benzamide: 3-[3-(3-Acetyl-phenyl)-thioureido]-4-methoxy-N-phenyl-benzamide: 3-[3-(4-Chloro-3-nitrophenyl)-thioureido]-4-methoxy-N-phenylbenzamide; 20 3-[3-(4-Fluorophenyl)-thioureido]-4-methoxy-N-phenyl-benzamide: 3-[3-(3,5-Dichlorophenyl)-thioureido]-4-methoxy-N-(4-methoxy-phenyl)benzamide; or 3-[3-(3,5-Dichlorophenyl)-thioureido]-4-ethoxy-N-phenyl-benzamide. The present invention provides the compounds: 25 4-[3-(2-Methoxy-5-phenylcarbamoyl-phenyl)-thioureido]-benzenesulfonic acid; 4-Methoxy-3-[3-(4-methoxy-phenyl)-thioureido]-N-phenyl-benzamide: 4-Methoxy-N-phenyl-3-[3-(3-trifluoromethyl-phenyl)-thioureido]benzamide; 30 3-[3-(3,4-Dichlorophenyl)-thioureido]-4-methoxy-N-phenyl-benzamide:

urea; N-{3-[3-(3,5-Dichlorophenyl)-thioureido]-4-methoxy-phenyl}-benzamide; 4-Methoxy-3-[3-(4-nitrophenyl)-thioureido]-N-phenyl-benzamide; 3-[3-(3,5-Bis-trifluoromethylphenyl)-thioureido]-4-methoxy-N-phenyl-5 benzamide; or 4-Methoxy-N-phenyl-3-[3-(4-sulfamoyl-phenyl)-thioureido]-benzamide. The present invention provides the compounds: N-(4-Chlorophenyl)-3-[3-(3,5-dichlorophenyl)-thioureido]-4-methoxy-10 benzamide; 3-[3-(4-Dimethylaminophenyl)-thioureido]-4-methoxy-N-phenylbenzamide; 3-[3-(3,5-Dichlorophenyl)-thioureido]-4-methoxy-N-p-tolyl-benzamide; 4-Methoxy-N-phenyl-3-(3-m-tolyl-thioureido)-benzamide; 3-[3-(3,5-Dichlorophenyl)-thioureido]-4-fluoro-N-phenyl-benzamide; 15 N-(3,4-Dichlorophenyl)-3-[3-(3,5-dichlorophenyl)-thioureido]-4-methoxybenzamide; 4-Methoxy-N-phenyl-3-(3-o-tolyl-thioureido)-benzamide; 3-[3-(3,5-Dimethylphenyl)-thioureido]-4-methoxy-N-phenyl-benzamide; 20 or 3-[3-(3,4-Dichlorophenyl)-thioureido]-4-methoxy-N-pyridin-3-ylbenzamide. The present invention provides the compounds: 5-[3-(3,5-Dichlorophenyl)-thioureido]-2-fluoro-N-phenyl-benzamide; N-(3,4-Dimethylphenyl)-4-methoxy-3-(3-m-tolyl-thioureido)-benzamide; 25 N-(3,5-Dimethylphenyl)-4-methoxy-3-(3-m-tolyl-thioureido)-benzamide; N-(3-Chloro-4-methylphenyl)-3-[3-(3,5-dichlorophenyl)-thioureido]-4-methoxy-benzamide; N-(3,4-Dichlorophenyl)-4-methoxy-3-[3-(4-sulfamoyl-phenyl)thioureido]-benzamide; 30

- 3-[3-(3,5-Dichlorophenyl)-thioureido]-4-methylsulfanyl-N-phenylbenzamide; 3-[3-(3,5-Dichlorophenyl)-thioureido]-N-(3,4-difluoro-phenyl)-4-methoxy-benzamide; 5 N-(3-Chlorophenyl)-3-[3-(4-fluorophenyl)-thioureido]-4-methoxybenzamide: 3-[3-(3,5-Dichlorophenyl)-thioureido]-4-methoxy-N-phenylbenzenesulfonamide; or 4-Ethyl-N-phenyl-3-[3-(3-trifluoromethylphenyl)-thioureido]-benzamide. 10 The present invention provides the compounds: 4-Ethyl-N-(3,4-difluorophenyl)-3-[3-(3-trifluoromethyl-phenyl)thioureido]-benzamide; 3-{3-[2-Methoxy-5-(pyridin-3-ylcarbamoyl)-phenyl]-thioureido}-benzoic acid; 15 3-[3-(2-Methoxy-5-phenylcarbamoyl-phenyl)-thioureido]-benzoic acid; 3,4-Dichloro-N-{4-fluoro-3-[3-(3-trifluoromethylphenyl)-thioureido]phenyl}-benzamide; 3,4-Dichloro-N-{3-[3-(3,5-dichlorophenyl)-thioureido]-4-methoxyphenyl}-benzamide: 20 3-(3,5-Dichloro-benzenesulfonylamino)-4-methoxy-N-(3,4-difluorophenyl)-benzamide; 3-(3,5-Dichloro-benzenesulfonylamino)-4-methoxy-N-(3,4-dichlorophenyl)-benzamide; or 3-Benzenesulfonylamino-4-methoxy-N-phenyl-benzamide. The present invention provides the compounds:
- 25
 - 3-(4-Methoxy-benzenesulfonylamino)-4-methoxy-N-phenyl-benzamide;
 - 3-(3-Nitro-benzenesulfonylamino)-4-methoxy-N-phenyl-benzamide;
 - 3-(3-Chloro-benzenesulfonylamino)-4-methoxy-N-phenyl-benzamide;
 - 3-(4-Methyl-benzenesulfonylamino)-4-methoxy-N-phenyl-benzamide;
- 30 3-(4-Fluoro-benzenesulfonylamino)-4-methoxy-N-phenyl-benzamide;

PCT/US98/24688

5

10

15

20

25

30

-36-3-(4,5-Dibromo-thiophene-2-sulfonylamino)-4-methoxy-N-phenylbenzamide; 3-(2-Chloro-benzenesulfonylamino)-4-methoxy-N-phenyl-benzamide; 3-(4-Trifluoromethyl-benzenesulfonylamino)-4-methoxy-N-phenylbenzamide; 3-(Butane-1-sulfonylamino)-4-methoxy-N-phenyl-benzamide; or 3-(Quinoline-8-sulfonylamino)-4-methoxy-N-phenyl-benzamide. The present invention provides the compounds: 3-(2-Acetylamino-4-methyl-thiazole-5-sulfonylamino)-4-methoxy-Nphenyl-benzamide; 3-(2,5-Dichloro-thìophene-3-sulfonylamino)-4-methoxy-N-phenylbenzamide; 3-(Naphthalene-1-sulfonylamino)-4-methoxy-N-phenyl-benzamide; 3-Ethanesulfonylamino-4-methoxy-N-phenyl-benzamide; 3-Phenylmethanesulfonylamino-4-methoxy-N-phenyl-benzamide; 3-(3,4-Dichloro-benzenesulfonylamino)-4-methoxy-N-phenyl-benzamide; 3-(2,4-Difluoro-benzenesulfonylamino)-4-methoxy-N-phenyl-benzamide; 3-(Toluene-3-sulfonylamino)-4-methoxy-N-phenyl-benzamide; 3-(4-Acetylamino-benzenesulfonylamino)-4-methoxy-N-phenylbenzamide; 3-(Naphthalene-2-sulfonylamino)-4-methoxy-N-phenyl-benzamide; 3-(1-Methyl-1H-imidazole-4-sulfonylamino)-4-methoxy-N-phenylbenzamide; 3-(Thiophene-2-sulfonylamino)-4-methoxy-N-phenyl-benzamide; 3-(5-Dimethylamino-naphthalene-1-sulfonylamino)-4-methoxy-N-phenylbenzamide; 2-Methoxy-5-phenylcarbamoyl-carbonic acid-phenyl ester phenyl ester; or 4-Hydroxy-3-phenylamino-N-phenyl-benzamide.

The present invention provides the compounds:

3-(3-Amino-4-methoxy-benzoylamino)-benzoic acid ethyl ester; 3-(3-Amino-4-methoxy-benzoylamino)-benzoic acid methyl ester;

- 3,4-Difluoro-N-(3-amino-4-methoxy-phenyl)-benzamide:
- 3,4-Difluoro-N-(3-amino-4-fluoro-phenyl)-benzamide;
- 1-(3-Amino-4-methoxy-phenyl)-3-(3,4-dichloro-phenyl)-urea;
- 3-(4-Fluoro-phenylamino)-4-methoxy-N-phenyl-benzamide; or
- 3-(3,5-Dichloro-phenylamino)-4-methoxy-N-(4-fluoro-phenyl)-benzamide.

The present invention provides the compounds:

5

10

15

20

- 3-(4-Fluoro-phenylamino)-4-methoxy-N-(4-fluoro-phenyl)-benzamide;
- 3-[4-Methoxy-3-(3-trifluoromethyl-phenylamino)-benzoylamino]-benzoic acid methyl ester;
- 3-[4-Methoxy-3-(3-trifluoromethyl-phenylamino)-benzoylamino]-benzoic acid ethyl ester;
- 4-Trifluoromethoxy-3-(3-trifluoromethyl-phenylamino)-N-phenylbenzamide;
- 4-Trifluoromethoxy-3-(3-trifluoromethyl-phenylamino)-N-(4-fluorophenyl)-benzamide;
 - 3,4-Dichloro-N-[4-methoxy-3-(3-trifluoromethyl-phenylamino)-phenyl]-benzamide;
 - 3-[3-(2-Methoxy-5-phenylcarbamoyl-phenyl)-thioureido]-benzoic acid methyl ester;
 - 3-{3-[5-(3,4-Diffuoro-phenylcarbamoyl)-2-methoxy-phenyl]-thioureido}-benzoic acid;
 - 3-[3-(3,5-Dichloro-phenyl)-thioureido]-4-trifluoromethoxy-N-(4-fluoro-phenyl)-benzamide; or
- 25 3-[3-(3-trifluoromethyl-phenyl)-thioureido]-4-trifluoromethoxy-N-(4-fluoro-phenyl)-benzamide.

The present invention provides the compounds:

- 4-{3-[5-(3,4-Difluoro-phenylcarbamoyl)-2-methoxy-phenyl]-thioureido}-benzenesulfonic acid;
- 30 4-{3-[5-(4-Fluoro-phenylcarbamoyl)-2-methoxy-phenyl]-thioureido}-benzoic acid;

10

15

20

25

30

- 3-{3-[5-(4-Fluoro-phenylcarbamoyl)-2-methoxy-phenyl]-thioureido}-benzoic acid;
- 4-{3-[5-(3,4-Difluoro-benzoylamino)-2-methoxy-phenyl]-thioureido}-benzoic acid;
- 3-{3-[5-(3,4-Difluoro-benzoylamino)-2-methoxy-phenyl]-thioureido}-benzoic acid;
- N-{3-[3-(3,5-Dichloro-phenyl)-thioureido]-4-fluoro-phenyl}-3,4-difluoro-benzamide;
- 1-(3,4-Dichloro-phenyl)-3-{3-[3-(3,5-dichloro-phenyl)-thioureido]-4-methoxy-phenyl}-urea;
- 3-(3-{5-[3-(3,4-Dichloro-phenyl)-ureido]-2-methoxy-phenyl}-thioureido)-benzoic acid methyl ester;
- 3-(3-{5-[3-(3,4-Dichloro-phenyl)-ureido]-2-methoxy-phenyl}-thioureido)-benzoic acid; or
- 1-{3-[3-(3,5-Bis-trifluoromethyl-phenyl)-thioureido]-4-methoxy-phenyl}-3-(3,4-dichloro-phenyl)-urea.

The present invention provides the compounds:

- 1-{3-[3-(4-Chloro-3-nitro-phenyl)-thioureido]-4-methoxy-phenyl}-3-(3,4-dichloro-phenyl)-urea;
- 3-[3-(3,5-Dichloro-phenyl)-thioureido]-4-methoxy-benzoic acid benzyl ester;
 - 3-(Dodecane-1-sulfonylamino)-4-methoxy-N-phenyl-benzamide;
 - 4-Methoxy-3-(octane-1-sulfonylamino)-N-phenyl-benzamide;
 - 3-(Decane-1-sulfonylamino)-4-methoxy-N-phenyl-benzamide;
 - 3-(3-Nitro-benzenesufonylamino)-4-methoxy-N-(3,4-difluoro-phenyl)-benzamide;
 - 3,5-Dichloro-N-{5-[3-(3,4-dichloro-phenyl)-ureido]-2-methoxy-phenyl}-benzenesulfonamide;
 - 3-(1-Methylethyl-1-sulfonylamino)-4-methoxy-N-phenyl-benzamide;
 - 4-(2-Methoxy-5-phenylcarbamoyl-phenylsulfamoyl)-benzoic acid; or
 - 3-(Octadecane-1-sulfonylamino)-4-methoxy-N-phenyl-benzamide.

The present invention provides the compounds:

- 3-(3-Amino-benzenesulfonylamino)-4-methoxy-N-(3,4-difluoro-phenyl)-benzamide;
- 4-Methoxy-3-(4-nitro-benzenesulfonylamino)-N-(3,4-difluoro-phenyl)-benzamide;
 - 3-(4-Cyano-benzenesulfonylamino)-4-methoxy-N-(3,4-difluoro-phenyl)-benzamide:
 - 4-Methoxy-3-(4-nitro-benzenesulfonylamino)-N-phenyl-benzamide:
 - 3-(3-Cyano-benzenesulfonylamino)-4-methoxy-N-(4-fluoro-phenyl)-
- 10 benzamide;

5

25

- 4-Methoxy-3-(3-nitro-benzenesulfonylamino)-N-(4-fluoro-phenyl)-benzamide;
- 4-Methoxy-3-(4-nitro-benzenesulfonylamino)-N-(4-fluoro-phenyl)-benzamide;
- 3-(4-Cyano-benzenesulfonylamino)-4-methoxy-N-phenyl-benzamide;
 - 3-(4-Cyano-benzenesulfonylamino)-4-methoxy-N-(4-fluoro-phenyl)-benzamide; or
 - 3-(Dodecane-1-sulfonylamino)-4-methoxy-N-(3,4-dichloro-phenyl)-benzamide.
- The present invention provides the compounds:
 - 3-(3-Cyano-benzenesulfonylamino)-4-methoxy-N-phenyl-benzamide;
 - 3,4-Dichloro-N-[4-methoxy-3-(4-methoxy-benzenesulfonylamino)-phenyl]-benzamide;
 - 3,4-Dichloro-N-[4-methoxy-3-(toluene-4-sulfonylamino)-phenyl]-benzamide:
 - 3,4-Difluoro-N-[4-methoxy-3-(3-amino-benzenesulfonylamino)-phenyl]-benzamide;
 - 3,4-Difluoro-N-[4-methoxy-3-(4-amino-benzenesulfonylamino)-phenyl]-benzamide;
- 30 3,4-Difluoro-N-[4-methoxy-3-(1-dodecane-sulfonylamino)-phenyl]-benzamide;

3,4-Difluoro-N-[4-methoxy-3-(chloromethyl-sulfonylamino)-phenyl]benzamide; 3,4-Difluoro-N-[4-methoxy-3-(4-nitro-benzenesulfonylamino)-phenyl]benzamide; 3,4-Difluoro-N-[4-methoxy-3-(3-nitro-benzenesulfonylamino)-phenyl]benzamide; or 3,4-Difluoro-N-[3-(4-cyano-benzenesulfonylamino)-4-methoxy-phenyl]benzamide. The present invention provides the compounds: 3.4-Difluoro-N-[3-(3-cyano-benzenesulfonylamino)-4-methoxy-phenyl]-10 benzamide; 3,4-Difluoro-N-[4-fluoro-3-(thiophene-2-sulfonylamino)-phenyl]benzamide; Thiophene-2-sulfonic acid {5-[3-(3,4-dichloro-phenyl)-ureido]-2methoxy-phenyl}-amide; 15 3-(3.5-Dichloro-benzenesulfonylamino)-4-methoxy-N-phenylthiobenzamide; 3,5-Dichloro-N-(2-methoxy-5-phenylaminomethyl-phenyl)benzenesulfonamide; 3-(3-Hydroxy-benzylamino)-4-methoxy-N-(3,4-difluoro-phenyl)-20 benzamide; 3-(4-Diethylamino-benzylamino)-4-methoxy-N-phenyl-benzamide; 3-(3-Fluoro-benzylamino)-4-methoxy-N-(3,4-difluoro-phenyl)-benzamide; 3-(3-Hydroxy-benzylamino)-4-methoxy-N-phenyl-benzamide; or 25 4-Methoxy-3-(3-fluoro-benzylamino)-N-phenyl-benzamide. The present invention provides the compounds: 4-Methoxy-3-(3-nitro-benzylamino)-N-phenyl-benzamide, 4-Methoxy-3-(4-methoxy-benzylamino)-N-phenyl-benzamide; 4-Methoxy-3-[(naphthalen-1-ylmethyl)-amino]-N-phenyl-benzamide; 4-Methoxy-3-(3,5--dimethyl-benzylamino)-N-phenyl-benzamide; 30

3-(2,3-Difluoro-benzylamino)-4-methoxy-N-phenyl-benzamide;

Acetic acid 4-[(2-methoxy-5-phenylcarbamoyl-phenylamino)-methyl]phenyl ester; 4-[(2-Methoxy-5-phenylcarbamoyl-phenylamino)-methyl]-benzoic acid methyl ester; 5 3-[(Furan-3-ylmethyl)-amino]-4-methoxy-N-phenyl-benzamide; 4-Methoxy-3-(2-methyl-benzylamino)-N-phenyl-benzamide; or 4-Methoxy-3-(4-fluoro-benzylamino)-N-phenyl-benzamide. The present invention provides the compounds: 3-(4-Hydroxy-3-nitro-benzylamino)-4-methoxy-N-phenyl-benzamide; 10 3-(4-Diethylamino-benzylamino)-4-methoxy-N-(3,4-difluoro-phenyl)benzamide; 3-Benzylamino-4-methoxy-N-(3,4-difluoro-phenyl)-benzamide; 3-(3-Hydroxy-4-nitro-benzylamino)-4-methoxy-N-phenyl-benzamide; 3-(3-Cyano-benzylamino)-4-methoxy-N-phenyl-benzamide; 15 3-{[5-(3,4-Difluoro-phenylcarbamoyl)-2-methoxy-phenylamino]-methyl}benzoic acid; 3-(3-Chloro-benzylamino)-4-methoxy-N-phenyl-benzamide: 3-(4-tert-Butyl-benzylamino)-4-methoxy-N-phenyl-benzamide; 3-(4-Cyano-benzylamino)-4-methoxy-N-phenyl-benzamide; or 20 4-{[5-(3,4-Difluoro-phenylcarbamoyl)-2-methoxy-phenylamino]-methyl}benzoic acid. The present invention provides the compounds: 4-Methoxy-3-(4-propoxy-benzylamino)-N-phenyl-benzamide; 3-[(Biphenyl-4-ylmethyl)-amino]-4-methoxy-N-phenyl-benzamide; 25 4-Methoxy-3-(4-methyl-benzylamino)-N-phenyl-benzamide; 4-Methoxy-3-(2-methoxy-benzylamino)-N-phenyl-benzamide: 3-(4-Butyl-benzylamino)-4-methoxy-N-phenyl-benzamide: 3-(3-Fluoro-benzylamino)-4-methoxy-N-(3,4-dichloro-phenyl)benzamide; 30 3-[(2-Methoxy-5-phenylcarbamoyl-phenylamino)-methyl]-benzoic acid; 3-(3,4-Dimethyl-benzylamino)-4-methoxy-N-phenyl-benzamide;

- 3-(4-Isopropyl-benzylamino)-4-methoxy-N-phenyl-benzamide; or
- 3,4-Dichloro-N-[3-(3-fluoro-benzylamino)-4-methoxy-phenyl]-benzamide.

The present invention provides the compounds:

3,4-Difluoro-N-[3-(3-hydroxy-benzylamino)-4-methoxy-phenyl]-

5 benzamide;

10

15

20

25

3-{[5-(3,4-Difluoro-benzoylamino)-2-methoxy-phenylamino]-methyl}-benzoic acid;

3-[3-(3,5-Dichloro-phenyl)-thioureidomethyl]-4-methoxy-N-phenyl-benzamide;

3-(3,5-Dichloro-benzenesulfonylamino)-4-methoxy-N-phenyl-benzamide;

3-[(3,5-Dichloro-benzenesulfonylamino)-methyl]-4-methoxy-N-phenylbenzamide,

4-Methoxy-3-phenylmethanesulfonylamino-N-phenyl-benzamide;

3-[Bis[(3,5-dichlorophenyl)sulfonyl]amino]-4-methoxy-N-phenyl-

benzamide;

(2-Methoxy-5-phenylcarbamoyl-phenylcarbamoyl)-acetic acid phenylmethyl ester;

4-Methoxy-N-phenyl-3-[2-(3-trifluoromethyl-phenyl)-ethylamino]-benzamide; or

4-Methoxy-3-[3-(3-nitro-phenyl)-thioureido]-N-phenyl-benzamide.

The present invention provides the compounds:

3-[(3,5-Dichlorobenzoyl)amino]-4-methyl-N-phenyl-benzamide;

3-[[(Cyanoimino)[(3,5-dichlorophenyl)amino]methyl]amino]-4-methoxy-N-phenyl-benzamide;

3-(2-Hydroxy-2-phenyl-acetylamino)-4-methoxy-N-phenyl-benzamide;

4-Methoxy-3-[(thiophen-2-ylmethyl)-amino]-N-(3,4-difluoro-phenyl)-benzamide;

4-Methoxy-3-[(thiophen-2-ylmethyl)-amino]-N-phenyl-benzamide;

4-Methoxy-3-[(thiophen-2-ylmethyl)-amino]-N-(4-fluoro-phenyl)-

30 benzamide;

15

20

- 4-Methoxy-3-[(thiophen-2-ylmethyl)-amino]-N-(3,4-dichloro-phenyl)-benzamide;
 - 4-Methoxy-3-[(thiophen-2-ylmethyl)-amino]-N-pyridin-3-yl-benzamide;
- 4-{4-Methoxy-3-[(thiophen-2-ylmethyl)-amino]-benzoylamino}-benzoic acid ethyl ester;
- 3,4-Dichloro-N-{4-methoxy-3-[(thiophen-2-ylmethyl)-amino]-phenyl}-benzamide; or
- 3,4-Difluoro-N-{4-methoxy-3-[(thiophen-2-ylmethyl)-amino]-phenyl}-benzamide.
- The present invention provides the compounds:
 - 3-[(Benzo[1,3]dioxol-5-ylmethyl)-amino]-4-methoxy-N-phenylbenzamide;
 - 4-Methoxy-3-(3,5-difluoro-benzylamino)-N-phenyl-benzamide;
 - 3-(4-Dimethylamino-benzylamino)-4-methoxy-N-phenyl-benzamide;
 - 4-Methoxy-3-(3-trifluoromethyl-benzylamino)-N-phenyl-benzamide;
 - 4-Methoxy-3-(2-fluoro-benzylamino)-N-phenyl-benzamide;
 - N-{3-[(2,3-Dihydro-benzo[1,4]dioxin-6-ylmethyl)-amino]-4-methoxy-phenyl}-benzamide;
 - 3-(4-Hydroxy-benzylamino)-4-methoxy-N-phenyl-benzamide;
 - 4-Methoxy-3-(3-methyl-benzylamino)-N-phenyl-benzamide; or
 - 3-(3,4-Difluoro-benzylamino)-4-methoxy-N-phenyl-benzamide.

The present invention provides the compounds:

- 3-[(Pyridin-3-ylmethyl)-amino]-4-methoxy-N-phenyl-benzamide;
- 3-[(Pyridin-3-ylmethyl)-amino]-4-methoxy-N-(3,4-difluoro-phenyl)-
- 25 benzamide:
 - 3-[(Pyridin-3-ylmethyl)-amino]-4-methoxy-N-(3,4-dichloro-phenyl)-benzamide;
 - 4-[(2-Methoxy-5-phenylcarbamoyl-phenylamino)-methyl]-benzoic acid:
 - 3,4-Difluoro-N-{[3-(pyridin-3-ylmethyl)-amino]-4-methoxy-phenyl}-
- 30 benzamide; or
 - 3-(3-Acetylamino-phenylamino)-4-methoxy-N-phenyl-benzamide.

DETAILED DESCRIPTION OF THE INVENTION

The term "alkyl" means a straight or branched chain hydrocarbon.

Representative examples of alkyl groups are methyl, ethyl, propyl, isopropyl, isobutyl, butyl, tert-butyl, sec-butyl, pentyl, and hexyl. Preferably the alkyl group contains from 1 to 6 carbon atoms.

The term "alkoxy" means an alkyl group attached to an oxygen atom.

Representative examples of alkoxy groups include methoxy, ethoxy, tert-butoxy, propoxy, and isobutoxy.

The term "halogen" includes chlorine, fluorine, bromine, and iodine.

The term "alkenyl" means a branched or straight chain hydrocarbon having one or more carbon-carbon double bond.

The term "aryl" means an aromatic hydrocarbon. Representative examples of aryl groups include phenyl and naphthyl.

The term "heteroatom" includes oxygen, nitrogen, and sulfur.

The term "heteroaryl" means an aryl group wherein one or more carbon atom of the aromatic hydrocarbon has been replaced with a heteroatom. Examples of heteroaryl radicals include, but are not limited to, pyridyl, imidazolyl, pyrrolyl, thienyl, furyl, pyranyl, pyrimidinyl, pyridazinyl, indolyl, quinolyl, naphthyridinyl, and isoxazolyl.

The term "cycloalkyl" means a cyclic hydrocarbon. Examples of cycloalkyl groups include cyclopropyl, cyclobutyl, cyclopentyl, and cyclohexyl.

The term "substituted" means that the base organic radical has one or more substituents. For example, substituted cyclohexyl means a cyclohexyl radical that has one or more substituents. Substituents include, but are not limited to, halogen, C₁-C₈ alkyl, -CN, CF₃, -NO₂, -NH₂, -NHC₁-C₈alkyl, -N(C₁-C₈alkyl)₂, -OC₁-C₈ alkyl, and -OH.

The term "heterocycle" means a cycloalkyl group wherein one or more atom is replaced with a heteroatom. Examples of heterocycles include, but are not limited to, pyrrolidinyl, piperidinyl, and piperazinyl.

The symbol "-" means a bond.

10

5

15

20

25

30

-45-

The term "patient" means all animals including humans. Examples of patients include humans, cows, dogs, cats, goats, sheep, and pigs.

Those skilled in the art are easily able to identify patients having atherosclerosis and inflammation.

A therapeutically effective amount is an amount of a compound of the present invention that when administered to a patient ameliorates a symptom of atherosclerosis or inflammation.

The compounds of the present invention can be administered to a patient either alone or as part of a pharmaceutical composition. The compositions can be administered to patients either orally, rectally, parenterally (intravenously, intramuscularly, or subcutaneously), intracisternally, intravaginally, intraperitoneally, intravesically, locally (powders, ointments or drops), or as a buccal or nasal spray.

Compositions suitable for parenteral injection may comprise physiologically acceptable sterile aqueous or nonaqueous solutions, dispersions, suspensions or emulsions and sterile powders for reconstitution into sterile injectable solutions or dispersions. Examples of suitable aqueous and nonaqueous carriers, diluents, solvents, or vehicles include water, ethanol, polyols (propyleneglycol, polyethyleneglycol, glycerol, and the like), suitable mixtures thereof, vegetable oils (such as olive oil), and injectable organic esters such as ethyl oleate. Proper fluidity can be maintained, for example, by the use of a coating such as lecithin, by the maintenance of the required particle size in the case of dispersions and by the use of surfactants.

These compositions may also contain adjuvants such as preserving, wetting, emulsifying, and dispensing agents. Prevention of the action of microorganisms can be ensured by various antibacterial and antifungal agents, for example, parabens, chlorobutanol, phenol, sorbic acid, and the like. It may also be desirable to include isotonic agents, for example sugars, sodium chloride, and the like. Prolonged absorption of the injectable pharmaceutical form can be brought about by the use of agents delaying absorption, for example, aluminum monostearate and gelatin.

Solid dosage forms for oral administration include capsules, tablets, pills, powders, and granules. In such solid dosage forms, the active compound is

10

5

15

20

25

30

10

15

20

admixed with at least one inert customary excipient (or carrier) such as sodium citrate or dicalcium phosphate or (a) fillers or extenders, as for example, starches, lactose, sucrose, glucose, mannitol and silicic acid, (b) binders, as for example, carboxymethylcellulose, alginates, gelatin, polyvinylpyrrolidone, sucrose, and acacia, (c) humectants, as for example, glycerol, (d) disintegrating agents, as for example, agar-agar, calcium carbonate, potato or tapioca starch, alginic acid, certain complex silicates, and sodium carbonate, (e) solution retarders, as for example paraffin, (f) absorption accelerators, as for example, quaternary ammonium compounds, (g) wetting agents, as for example, cetyl alcohol and glycerol monostearate, (h) adsorbents, as for example, kaolin and bentonite, and (i) lubricants, as for example, talc, calcium stearate, magnesium stearate, solid polyethylene glycols, sodium lauryl sulfate, or mixtures thereof. In the case of capsules, tablets, and pills, the dosage forms may also comprise buffering agents.

Solid compositions of a similar type may also be employed as fillers in soft- and hard-filled gelatin capsules using such excipients as lactose or milk sugar as well as high molecular weight polyethyleneglycols, and the like.

Solid dosage forms such as tablets, dragees, capsules, pills, and granules can be prepared with coatings and shells, such as enteric coatings and others well-known in the art. They may contain opacifying agents, and can also be of such composition that they release the active compound or compounds in a certain part of the intestinal tract in a delayed manner. Examples of embedding compositions which can be used are polymeric substances and waxes. The active compounds can also be in micro-encapsulated form, if appropriate, with one or more of the above-mentioned excipients.

25

30

Liquid dosage forms for oral administration include pharmaceutically acceptable emulsions, solutions, suspensions, syrups, and elixirs. In addition to the active compounds, the liquid dosage forms may contain inert diluents commonly used in the art, such as water or other solvents, solubilizing agents and emulsifiers, as for example, ethyl alcohol, isopropyl alcohol, ethyl carbonate, ethyl acetate, benzyl alcohol, benzyl benzoate, propyleneglycol, 1,3-butyleneglycol, dimethylformamide, oils, in particular, cottonseed oil, groundnut oil, corn germ oil, olive oil, castor oil and sesame oil, glycerol, tetrahydrofurfuryl alcohol,

-47-

polyethyleneglycols and fatty acid esters of sorbitan or mixtures of these substances, and the like.

Besides such inert diluents, the composition can also include adjuvants, such as wetting agents, emulsifying and suspending agents, sweetening, flavoring, and perfuming agents.

Suspensions, in addition to the active compounds, may contain suspending agents, as for example, ethoxylated isostearyl alcohols, polyoxyethylene sorbitol and sorbitan esters, microcrystalline cellulose, aluminum metahydroxide, bentonite, agar-agar and tragacanth, or mixtures of these substances, and the like.

10

5

Compositions for rectal administrations are preferably suppositories which can be prepared by mixing the compounds of the present invention with suitable nonirritating excipients or carriers such as cocoa butter, polyethyleneglycol or a suppository wax, which are solid at ordinary temperatures but liquid at body temperature and therefore, melt in the rectum or vaginal cavity and release the active component.

15

Dosage forms for topical administration of a compound of this invention include ointments, powders, sprays, and inhalants. The active component is admixed under sterile conditions with a physiologically acceptable carrier and any preservatives, buffers, or propellants as may be required. Ophthalmic formulations, eye ointments, powders, and solutions are also contemplated as being within the scope of this invention.

20

25

30

The term "pharmaceutically acceptable salts, esters, amides, and prodrugs" as used herein refers to those carboxylate salts, amino acid addition salts, esters, amides, and prodrugs of the compounds of the present invention which are, within the scope of sound medical judgment, suitable for use in contact with the tissues of patients without undue toxicity, irritation, allergic response, and the like, commensurate with a reasonable benefit/risk ratio, and effective for their intended use, as well as the zwitterionic forms, where possible, of the compounds of the invention. The term salts refers to the relatively nontoxic, inorganic and organic acid addition salts of compounds of the present invention. These salts can be prepared in situ during the final isolation and purification of the compounds or by separately reacting the purified compound in its free base form with a suitable organic or inorganic acid and isolating the salt thus formed. Representative salts

10

15

20

25

30

include the hydrobromide, hydrochloride, sulfate, bisulfate, nitrate, acetate, oxalate, valerate, oleate, palmitate, stearate, laurate, borate, benzoate, lactate, phosphate, tosylate, citrate, maleate, fumarate, succinate, tartrate, naphthylate mesylate, glucoheptonate, lactiobionate and laurylsulphonate salts and the like. These may include cations based on the alkali and alkaline earth metals, such as sodium, lithium, potassium, calcium, magnesium, and the like, as well as nontoxic ammonium, quaternary ammonium and amine cations including, but not limited to ammonium, tetramethylammonium, tetraethylammonium, methylamine, dimethylamine, trimethylamine, triethylamine, ethylamine, and the like. (See, for example, S.M. Berge, et al., Pharmaceutical Salts, J. Pharm. Sci., 1977;66:1-19, which is incorporated herein by reference).

Examples of pharmaceutically acceptable, nontoxic esters of the compounds of this invention include C₁-C₆ alkyl esters wherein the alkyl group is a straight or branched chain. Acceptable esters also include C₅-C₇ cycloalkyl esters as well as arylalkyl esters such as, but not limited to benzyl. C₁-C₄ alkyl esters are preferred. Esters of the compounds of the present invention may be prepared according to conventional methods.

Examples of pharmaceutically acceptable, nontoxic amides of the compounds of this invention include amides derived from ammonia, primary C_1 - C_6 alkyl amines and secondary C_1 - C_6 dialkyl amines wherein the alkyl groups are straight or branched chain. In the case of secondary amines the amine may also be in the form of a 5- or 6-membered heterocycle containing one nitrogen atom. Amides derived from ammonia, C_1 - C_3 alkyl primary amines and C_1 - C_2 dialkyl secondary amines are preferred. Amides of the compounds of the invention may be prepared according to conventional methods.

The term "prodrug" refers to compounds that are rapidly transformed in vivo to yield the parent compound of the above formulae, for example, by hydrolysis in blood. A thorough discussion is provided in T. Higuchi and V. Stella, Pro-drugs as Novel Delivery Systems, Vol. 14 of the A.C.S. Symposium Series, and in *Bioreversible Carriers in Drug Design*, ed. Edward B. Roche, American Pharmaceutical Association and Pergamon Press, 1987, both of which are incorporated herein by reference.

-49-

In addition, the compounds of the present invention can exist in unsolvated as well as solvated forms with pharmaceutically acceptable solvents such as water, ethanol and the like. In general, the solvated forms are considered equivalent to the unsolvated forms for the purposes of the present invention.

5

The compounds of the present invention can exist in different stereoisometric forms by virtue of the presence of asymmetric centers in the compounds. It is contemplated that all stereoisometric forms of the compounds as well as mixtures thereof, including racemic mixtures, form part of this invention.

10

The compounds of the present invention can be administered to a patient at dosage levels in the range of about 0.1 to about 1,000 mg per day. For a normal human adult having a body weight of about 70 kg, a dosage in the range of about 0.01 to about 100 mg per kg of body weight per day is preferable. The specific dosage used, however, can vary. For example, the dosage can depend on a numbers of factors including the requirements of the patient, the severity of the condition being treated, and the pharmacological activity of the compound being used. The determination of optimum dosages for a particular patient is well known to those skilled in the art.

15

The scope of the present invention includes compounds that are synthesized by standard techniques used organic synthesis and known to those skilled in the art, including combinatorial chemistry, or by biological mechanisms, including digestion and metabolism.

20

The examples presented below are intended to illustrate particular embodiments of the invention and are not intended to limit the scope of the specification, including the claims, in any way.

25

EXAMPLES

The following abbreviations are used throughout the present application:

THF

tetrahydrofuran

PBS

phosphate buffered saline

APCI

atmosphere pressure chemical ionization

PCT/US98/24688

5

10

15

20

25

m.p.

melting point

CI

chemical ionization

HPODE

hydroperoxyoctadecadienoate

HODE

hydroxyoctadecadienoate

Biological Examples

Rabbit Reticulocyte 15-LO Assay (h15LO)

The present 15-LO assay takes advantage of the ability of 15-LO to oxidize the fatty acid linoleic acid to the hydroperoxy fatty acid 13-(S)HPODE, resulting in the formation of a conjugated diene. The 15-LO inhibitors are incubated with 15-LO enzyme in the presence of linoleic acid substrate. The initial reaction is compared to an uninhibited (maximal) reaction to yield % inhibition. The 13-(S)HPODE produced in the reaction is reduced to the more stable corresponding hydroxy fatty acid, 13-hydroxyoctadecadienoate (13-HODE). This prevents artificial nonenzyme lipid peroxidation and product breakdown in the sample. 13-HPODE is quantitated by comparing peak areas of individual samples with those from a standard curve generated using authentic 13-HODE. This assay is performed using 2U of rabbit reticulocyte 15-LO in the presence of 174 μM linoleic acid. The reaction is incubated for 15 minutes at 4°C. The total reaction volume is 100 μL in PBS containing 0.2% Na cholate. The reaction is stopped with 100 μL of mobile phase and 10 μL of triethyl phosphite, which reduces the 13-HPODE to the more stable 13-HODE.

Fifteen-lipoxygenase was obtained from phenylhydrazine-treated rabbits and purified per the method of Rapoport (Rapoport S.M., Schewe T., Wiesner R., et al. The lipoxygenase of reticulocytes. Purification, characterization, and biological dynamics of the lipoxygenase; its identity with the respiratory inhibitors of the reticulocyte. European Journal of Biochemistry, 1979;96:545-561). The following chemicals were purchased and used as received: linoleic acid (NUJCheck Prep), 13-HPODE (Biomol Research Labs), sodium cholate (Sigma), trimethyl phosphite (Fluka Chemicals).

-51-

Monocyte Recruitment Assay

The recruitment or chemotaxis of monocytes was assayed by methods well known to those skilled in the art. In particular, the method set forth in <u>J. Clin.</u>

<u>Invest.</u>, 1988;82:1853-1863, which is hereby incorporated by reference, was used.

5

10

Synthetic Examples

The compounds of the invention which are diarylamines can be prepared by reacting an aminobenzanilide with an appropriately substituted triarylbismuthine in a solvent such as ether, tetrahydrofuran, dichloromethane, chloroform, or the like. The reaction time is 1 hour to 96 hours, generally 4 hours, at a temperature from 20°C to 70°C, preferably 40°C to 50°C, in the presence of an organic base and a copper salt. The organic base can be chosen from any of a number such as pyridine, DABCO, DBU, trialkylamine, diisopropyl-ethylamine, etc., preferably triethylamine. The copper salt can be a copper(I) or copper(II) species, or even copper itself, but is preferably copper(II) acetate. The reaction requires at least a stoichiometric amount of each of the reagents but they may be employed in large excess; typically an approximately equimolar amount of each is employed. The triarylbismuth reagents may be triaryl Bi(III) or Bi(V) compounds, the latter being also the dihalo- or diacyl-species, with the tris(substituted-phenyl)bismuthines being preferred.

20

15

The required triarylbismuthines are either commercially available or prepared from commercially available materials using methods known in the literature, for example by reacting a Grignard reagent with Bi(III) chloride in THF.

25

30

Alternatively, the compounds of this type can be prepared by the well-known Ullmann reaction, in which an amino-benzanilide is reacted with an appropriately substituted aryl halide, such as a bromo- or iodobenzene in the presence of a base such as potassium carbonate or sodium carbonate or an organic base like N-ethylmorpholine, and a copper salt as described above, in a high-boiling solvent such as xylene, toluene, mesitylene, DMF, or DMA. The reaction is typically carried out at a temperature between 100°C to 200°C, preferably 150°C to 160°C. The concentrations of the reagents is not critical; typically a 2- to

10

15

20

25

30

5-fold excess of the reagents relative to the benzanilide is utilized, and the reaction time extends from 3 hours to 5 days, depending on the substituents present on the aromatic rings.

The aminobenzanilides required are either commercially available or are prepared by methods well-known in the chemical literature.

The thioureas of this invention may be prepared in various ways, all of which are well-known in the art. A convenient method of preparing the thioureas in this patent is to react a substituted aminobenzanilide with a substituted phenylisothiocyanate in a nonpolar aprotic solvent such as THF, ethyl acetate, ether, dichloromethane, or dioxane for from about 2 hours to 3 days at from about 0 degrees to about 70 degrees. The resulting product is collected by filtration or is obtained by concentration of the reaction mixture and then collected by filtration.

Isothiocyanates of various types are well-known and widely available to practitioners of the art.

The sulfonamides of this invention can be prepared using procedures well-known in the art. In a typical preparation, an aminobenzanilide is reacted with a sulfonyl chloride in equimolar proportions either neat or in a nonreactive organic solvent such as dichloromethane, tetrahydrofuran, toluene, dioxane or the like in the presence of a base such as trialkylamine, pyridine, DABCO, or DBU, over a wide range of temperatures typically from 0 degrees to about 150 degrees and a time period of 5 minutes to 5 days, followed by a workup procedure well-known to practitioners of the art. The molar ratios of the reactants are not critical but for the compounds of this invention equimolar ratios are preferred. Likewise, the sulfonamides of this invention are preferably prepared using pyridine as solvent with a reaction time of approximately 3 days at room temperature.

The required sulfonyl chlorides are in general commercially available or are readily prepared by methods well-known in the chemical literature.

STARTING MATERIALS

The benzoic acids, benzaldehydes, and anilines used in the following

Examples are obtained from commercial suppliers, for example, Aldrich Chemical

Company. 3-Amino-4-methoxy-benzanilide is obtained from Apin or Pfaltz &

-53-

Bauer. Triphenylbismuth is obtained from Alfa. The other tris(aryl)-bismuthines are prepared using procedures described in the following references:

Tris(2-methoxyphenyl)bismuthine CA 111(1989):154111i

Tris(3-methylphenyl)bismuthine ibid.

Tris(3-chlorophenyl)bismuthine Synthesis 1994:775

Tris(3-trifluoromethylphenyl)bismuthine ibid.

Tris(4-methylphenyl)bismuthine

J. Coord. Chem.,

1982;12(1):53-57

Tris[4-(4,4-dimethyl-2-oxazolino)- International Patent Publication

phenyl]-bismuthine Number WO 96/22994, Aug 1,

1996

Tris(3,5-dimethylphenyl)bismuthine Can be prepared in accordance

with the procedure set forth in

Synthesis, 1994:775, except using the Grignard reagent as described

in J. Organomet Chem.,

1994;468(1-2):37

EXAMPLE 1

3-Amino-4-methyl-N-phenyl-benzamide

5 Step A: 4-Methyl-3-nitro-N-phenyl-benzamide

10

15

Oxalyl chloride (3 mL, 35 mmol) was added dropwise to a stirred solution of 3-nitro-4-methylbenzoic acid (5.0 g, 28 mmol) in a mixture of tetrahydrofuran or dichloromethane (125 mL) and dimethylformamide (1/2 mL) under N₂ at ice bath temperature. The mixture was allowed to warm to room temperature. After 1 hour, the solvent was removed by rotary evaporator under reduced pressure. The residue was redissolved in fresh tetrahydrofuran (100 mL) and recooled to ice bath temperature under N₂, while a solution of aniline (5.2 g, 56 mmol) in tetrahydrofuran (25 mL) was added dropwise. After 16 hours of stirring at room temperature, the mixture was concentrated to half-volume by rotary evaporator and the residue stirred in water (200 mL). After several hours, the precipitate was

10

15

20

25

-54-

filtered off, rinsed three times with water, and dried to afford the product (6.8 g); m.p. 147-148°C.

Calculated for C₁₄H₁₂N₂O₃:

C. 65.62; H, 4.72; N, 10.93.

Found: C, 65.45; H, 4.64; N, 10.87.

Step B: 3-Amino-4-methyl-N-phenyl-benzamide

Raney nickel (1 g) was added to a solution of 3-nitro-4-methyl-N-phenyl-benzamide (6.2 g, 24 mmol) in a mixture of tetrahydrofuran (50 mL) and methanol (100 mL) and shaken at room temperature under an atmosphere of hydrogen, initially at a pressure of 50 psi, until the required amount of hydrogen was taken up. The catalyst was removed by filtration, and the filtrate was stripped of solvent by rotary evaporator. The residue was dried under reduced pressure to afford the pure product (5.5 g); m.p. 149-151°C.

Calculated for C₁₄H₁₄N₂O:

C, 74.31; H, 6.24; N, 12.38.

Found: C, 74.09; H, 6.20; N, 12.17.

EXAMPLE 2

3-Amino-4-methoxy-N-(4-chlorophenyl)-benzamide

Prepared according to the procedure described for Example 1 using oxalyl chloride (5.5 mL, 63.05 mmol), 4-methoxy-3-nitrobenzoic acid (11.30 g, 57.32 mmol), dimethylformamide (1.0 mL, 1.29 mmol), and 4-chloroaniline (14.6 g, 114 mmol) to afford the product (4.4 g); m.p. 191-192°C. Calculated for C₁₄H₁₃N₂O₂Cl:

C, 60.77; H, 4.74; N, 10.12.

Found: C, 60.71; H, 4.67; N, 10.03.

EXAMPLE 3

3-Amino-4-methoxy-N-(4-methoxyphenyl)-benzamide

Prepared according to the procedure described for Example 1 using oxalyl chloride (3.0 mL, 34.39 mmol), 4-methoxy-3-nitrobenzoic acid (5.00 g,

-55-

25.36 mmol), dimethylformamide (0.5 mL, 6.5 mmol), and 4-methoxyaniline (6.25 g, 50.7 mmol) to afford the product (4.45 g); m.p. 164-167°C. Calculated for $C_{14}H_{16}N_2O_3$:

C, 66.16; H, 5.92; N, 10.29.

5 Found: C, 66.21; H, 5.73; N, 10.35.

10

20

EXAMPLE 4

3-Amino-4-methoxy-N-(3,4-dichlorophenyl)-benzamide

Prepared according to the procedure described for Example 1 using oxalyl chloride (5.0 mL, 57.31 mmol), 3-nitro-4-methoxybenzoic acid (5.04 g, 25.56 mmol), dimethylformamide (0.5 mL, 6.46 mmol), and 3,4-dichloroaniline (8.3 g, 51 mmol) to afford the product (5.45 g); m.p. 179-182°C.

Calculated for C₁₄H₁₂N₂O₂Cl₂:

C, 54.04; H, 3.89; N, 9.00.

Found: C, 53.30; H, 3.76; N, 8.83.

15 EXAMPLE 5

3-Amino-4-methoxy-N-(3-pyridyl)-benzamide

Prepared according to the procedure described for Example 1 using oxalyl chloride (2.0 mL, 22.93 mmol), 4-methoxy-3-nitrobenzoic acid (4.00 g, 20.29 mmol), dimethylformamide (0.5 mL, 6.46 mmol), and 3-aminopyridine (3.83 g, 40.69 mmol) to afford the product (3.98 g); m.p. 193-196°C.

Calculated for C₁₃H₁₃N₃O₂•0.25 M MeOH:

C, 63.33; H, 5.62; N, 16.73.

Found: C, 63.33; H, 5.41; N, 16.88.

EXAMPLE 6

25 3-Amino-4-methoxy-N-(3,4-dimethylphenyl)-benzamide

Prepared according to the procedure described for Example 1 using oxalyl chloride (3.0 mL, 34.4 mmol), 4-methoxy-3-nitrobenzoic acid (5.00 g, 25.36 mmol), dimethylformamide (1.0 mL, 12.92 mmol), and 3,4-dimethylaniline (6.2 g, 51 mmol) to afford the product (5.99 g); m.p. 138-142°C.

10

15

20

25

Calculated for C₁₆H₁₈N₂O₂:

C, 71.09; H, 6.71; N, 10.36.

Found: C, 70.63; H, 6.79; N, 10.28.

EXAMPLE 7

3-Amino-4-methoxy-N-(4-methylphenyl)-benzamide

Oxalyl chloride (5.8 mL, 66.49 mmol) was added dropwise to a solution of 4-methoxy-3-nitrobenzoic acid (13.00 g, 65.94 mmol) and dimethylformamide (1.5 mL, 1.94 mmol) in tetrahydrofuran (250 mL) at ice bath temperature under a nitrogen atmosphere. The reaction was stirred overnight and allowed to gradually warm to room temperature. The solvent was removed in vacuo. The residue was triturated with hexanes and filtered to obtain 15.68 g of an off-white solid (acid chloride). The acid chloride (5.00 g, 23.19 mmol) was dissolved in tetrahydrofuran (250 mL) and cooled to ice bath temperature under a nitrogen atmosphere while 4-toluidine (14.6 g, 132 mmol) in of tetrahydrofuran (50 mL) was added. The reaction was stirred overnight and allowed to warm to room temperature. The solvent was concentrated to a volume of 125 mL and diluted with ethyl acetate (125 mL). The organic layer was washed with 1N HCl, 1N NaOH, brine (2 \times 40 mL), dried (MgSO₄), filtered, and evaporated. The solid was triturated with hexanes and collected by filtration to give 1.23 g of the nitrobenzamide. The benzamide (1.06 g, 3.71 mmol) was reduced according to the procedure described for Example 1, Step B to afford the product (0.89 g); m.p. 190-194°C.

Calculated for C₁₅H₁₆N₂O₂•0.1 M H₂O:

C, 69.80; H, 6.33; N, 10.68.

Found: C, 69.69; H, 6.11; N, 10.77.

EXAMPLE 8

3-Amino-4-methoxy-N-(4-fluorophenyl)-benzamide

Prepared according to the procedure described for Example 7 using oxalyl chloride (3.0 mL, 34.39 mmol), 4-methoxy-3-nitrobenzoic acid (5.00 g,

-57-

25.36 mmol), dimethylformamide (0.5 mL, 6.5 mmol), and 4-fluroaniline (5.0 mL, 52.78 mmol) to afford the product (4.45 g); m.p. 164-167°C. Calculated for C₁₄H₁₃N₂O₂F:

C, 64.61; H, 5.03; N, 10.76.

Found: C, 64.43; H, 4.95; N, 10.71.

5

10

15

25

30

EXAMPLE 9

3-Amino-4-fluoro-N-phenyl-benzamide

Step A: 3-Nitro-4-fluoro-N-phenyl-benzamide

Dicyclohexylcarbodiimide (13.4 g, 65 mmol) was added to a mixture of 4-fluoro-3-nitrobenzoic acid (11.21 g, 61 mmol), 1-hydroxybenzotriazole hydrate (8.72 g, 65 mmol), aniline (6.3 g, 68 mmol), and dimethylformamide (200 mL) all at once (exotherm), and the mixture was stirred at room temperature overnight. The reaction mixture was filtered, the solvent was removed by rotary evaporator (70°C), and the residue taken up in ethyl acetate (300 mL). The ethyl acetate solution was washed with water (3 × 200 mL), dried (magnesium sulfate), filtered, and stripped of solvent to leave an orange solid residue. The solid was recrystallized from hexane/ethyl acetate and used without further purification in the next step. Filtration through silica gel, eluting with dichloromethane/methanol 95:5 afforded an analytical sample; m.p. 155-157°C.

20 Calculated for C₁₃H₉FN₂O₃:

C, 60.00; H, 3.49; N, 10.76.

Found: C, 59.94; H, 3.48; N, 10.69.

Step B: 3-Amino-4-fluoro-N-phenyl-benzamide

Zinc dust (14 g) was added to a solution of 4-fluoro-3-nitro-N-phenyl-benzamide (1.99 g, 7.6 mmol) in acetic acid (80 mL) at 0°C. The mixture was stirred and allowed to warm to room temperature. After 4 hours, the mixture was filtered and the residue washed with ethyl acetate. The filtrate and washings were combined and taken to dryness by rotovap and the residue partitioned between ethyl acetate (200 mL) and saturated aqueous NaHCO₃. The organic layer was washed with saturated brine, dried over MgSO₄, filtered, and stripped of solvent.

PCT/US98/24688

5

10

15

20

25

The residue was triturated in ethyl acetate/hexane and the suspended solid filtered off to afford the product (1.55g); m.p. 167-170°C.

Calculated for C₁₃H₁₁FN₂O:

C, 67.82; H, 4.82; N, 12.17.

Found: C, 67.76; H, 4.70; N, 12.06.

EXAMPLE 10

3-Amino-4-ethoxy-N-phenyl-benzamide

Step A: 3-Nitro-4-ethoxy-N-phenyl-benzamide

4-Fluoro-3-nitro-N-phenyl-benzamide from Example 9 (2.34 g, 9 mmol) was added all at once to a solution prepared by dissolving sodium metal (2.29 g, 100 mmol) in ethanol (100 mL). The reaction mixture was stirred 1 hour at room temperature, then citric acid solution (10% aqueous, 4 mL) was added, and the mixture allowed to stand overnight. The reaction mixture was then concentrated to dryness and the residue chromatographed on silica gel using hexane/ethyl acetate, 1:1, as eluant to afford the product as an orange solid (1.09 g); m.p. 189-190°C. Calculated for C15H14N2O4:

C, 62.93; H, 4.93; N, 9.79.

Found: C, 63.09; H, 4.42; N, 9.57.

Step B: 3-Amino-4-ethoxy-N-phenyl-benzamide

4-Ethoxy-3-nitro-N-phenyl-benzamide (0.77 g, 2.7 mmol) was reduced according to the procedure described for Example 9, Step B to afford the product (0.48 g); m.p. 189-190°C.

Calculated for C₁₅H₁₆N₂O₂:

C, 70.29; H, 6.29; N, 10.93.

Found: C, 70.29; H, 6.11; N, 10.82.

EXAMPLE 11

3-Amino-4-methoxy-N-(3,5-dimethylphenyl)-benzamide

Prepared according to the procedure described for Example 1 using oxalyl chloride (3.0 mL, 4.39 mmol), 4-methoxy-3-nitrobenzoic acid (5.00 g,

-59-

25.36 mmol), dimethylformamide (0.5 mL, 6.5 mmol), and 3,5-dimethylaniline (6.4 mL, 51.33 mmol) to afford the product (4.79 g); m.p. 155-162°C. Calculated for C₁₆H₁₈N₂O₂:

C, 71.09; H, 6.71; N, 10.36.

5 Found: C, 70.78; H, 6.90; N, 10.16.

EXAMPLE 12

3-Amino-4-methoxy-N-(3-chloro-4-methylphenyl)-benzamide

Prepared according to the procedure described for Example 1 using oxalyl chloride (3.0 mL, 4.39 mmol), 4-methoxy-3-nitrobenzoic acid (5.00 g, 25.36 mmol), DMF (1.0 mL, 12.92 mmol), and 3-chloro-4-methylaniline (7.0 mL, 57.69 mmol). Chromatography on silica gel in 95:5 dichloromethane/methanol gave the product, (2.72 g), m.p. 153-157°C.

Calculated for C₁₅H₁₅N₂O₂Cl:

10

15

20

C, 61.97; H, 5.20; N, 9.63.

Found: C, 61.87; H, 5.15; N, 9.72.

EXAMPLE 13

3-Amino-4-chloro-N-phenyl-benzamide

Prepared according to the procedure described for Example 1 using oxalyl chloride (2.5 mL, 28.66 mmol), 4-chloro-3-nitrobenzoic acid (4.02 g, 19.94 mmol), DMF (1.0 mL, 12.92 mmol), and aniline (3.6 mL, 39.51 mmol) to afford the product (3.39 g) after trituration in hexane; m.p. 194-197°C after recrystallization from ethyl acetate.

Calculated for C₁₃H₁₁N₂OCl:

C, 63.29; H, 4.49; N, 11.36.

25 Found: C, 63.44; H, 4.73; N. 11.31.

EXAMPLE 14

3-Amino-4-methoxy-N-(2,4-difluorophenyl)-benzamide

Prepared according to the procedure described for Example 1 using oxalyl chloride (3.0 mL, 34.39 mmol). 4-methoxy-3-nitrobenzoic acid (5.00 g.

20

25

-60-

25.36 mmol), DMF (1.0 mL, 12.92 mmol), and 2,4-difluoroaniline (5.2 mL, 51.07 mmol) to afford the product (6.07 g), m.p. 166-168°C after trituration in hexane.

Calculated for $C_{14}H_{12}N_2O_2F_2$:

C, 60.43; H, 4.35; N, 10.07.

Found: C, 60.35; H, 4.31; N, 10.01.

EXAMPLE 15

3-Amino-4-methoxy-N-(3,4-difluorophenyl)-benzamide

Prepared according to the procedure described for Example 1 using oxalyl chloride (3.0 mL, 34.39 mmol), 4-methoxy-3-nitrobenzoic acid (5.00 g, 25.36 mmol), DMF (1.0 mL, 12.92 mmol), and 3,4-difluoroaniline (5.0 mL, 50.42 mmol) to afford the product (6.17 g), m.p. 171-172°C.

Calculated for C₁₄H₁₂N₂O₂F₂:

C. 60.43; H. 4.35; N. 10.07.

15 Found: C, 60.45; H, 4.36; N, 10.12.

EXAMPLE 16

3-Amino-4-methoxy-N-(3-chlorophenyl)-benzamide

Prepared according to the procedure described for Example 1 using oxalyl chloride (3.0 mL, 34.39 mmol), 4-methoxy-3-nitrobenzoic acid (5.00 g, 25.36 mmol), DMF (0.5 mL, 6.46 mmol), and 3-chloroaniline (5.4 mL, 51.05 mmol). The reduction was performed as described but using DMF as the solvent to afford the product (2.29 g) after trituration in hexane; m.p. 144-146°C after recrystallization from ethyl acetate.

Calculated for C₁₄H₁₃N₂O₂Cl:

C, 60.77; H, 4.74; N, 10.12.

Found: C, 60.59; H, 4.61; N, 10.10.

EXAMPLE 17

3-Amino-4-ethyl-N-phenyl-benzamide

Step A: 3-Nitro-4-ethylbenzoic acid

-61-

4-Ethylbenzoic acid (12.0 g, 79.9 mmol) was added portionwise to furning nitric acid (62 mL) with stirring at room temperature. Following the addition, the mixture was poured into water (500 mL), stirred, and extracted with ethyl acetate (300 mL). Saturated brine (150 mL) was added and the mixture shaken then separated. The organic solution was washed with brine then dried over magnesium sulfate. Filtration, removal of the solvent by rotovap under reduced pressure, and trituration of the residue in hexane afforded the product (13.3 g); pure after recrystallization from hexane/ethyl acetate.

Calculated for C9H9NO₄:

5

15

10 C, 55.39; H, 4.65; N, 7.18.

Found: C, 55.34; H, 4.61; N, 7.08.

Step B: 3-Nitro-4-ethyl-N-phenyl-benzamide

Prepared according to the procedure described for Example 1 using oxalyl chloride (2.0 mL, 22.93 mmol), 3-nitro-4-ethylbenzoic acid (4.00 g, 20.51 mmol), DMF (1.0 mL, 12.92 mmol), and aniline (3.8 mL, 41.70 mmol) to afford the product (4.1 g); m.p. 111-113°C after trituration in hexane.

Calculated for C₁₅H₁₄N₂O • 0.1 H₂O:

C, 74.41; H, 6.74; N, 11.57.

Found: C, 74.26; H, 6.72; N, 11.40.

20 EXAMPLE 18

3-Amino-4-ethyl-N-(3,4-dichlorophenyl)-benzamide

Prepared according to the procedure described for Example 1 using oxalyl chloride (2.0 mL, 22.93 mmol), 3-nitro-4-ethylbenzoic acid from Example 17, Step A (4.01 g, 20.56 mmol), DMF (1.0 mL, 12.92 mmol), and

3,4-dichloroaniline (6.64 g, 40.98 mmol) to afford the product (2.1 g): m.p.
115-117°C after chromatography on silica gel using a 10-25% gradient of ethyl acetate in hexane as the eluant.

Calculated for C₁₅H₁₄Cl₂N₂O:

C, 58.27; H, 4.56; N, 9.06.

30 Found: C, 58.10; H, 4.54; N, 9.02.

PCT/US98/24688

5

15

20

25

-62-

EXAMPLE 19

3-Amino-4-ethyl-N-(3,4-difluorophenyl)-benzamide

Prepared according to the procedure described for Example 1 using oxalyl chloride (2.0 mL, 22.93 mmol), 3-nitro-4-ethylbenzoic acid from Example 17, Step A (3.85 g, 19.74 mmol), DMF (1.0 mL, 12.92 mmol), and 3,4-difluoroaniline (4.0 mL, 40.34 mmol) to afford the product (4.9 g); m.p. 108-110°C after trituration in hexane.

Calculated for C₁₅H₁₄N₂OF₂:

C, 65.21; H, 5.11; N, 10.14.

10 Found: C, 64.89; H, 4.92; N, 9.97.

EXAMPLE 20

3-Amino-4-methylsulfanyl-N-phenyl-benzamide

Step A: 3-Nitro-4-methylsulfanyl-N-phenyl-benzamide

3-Amino-4-chloro-N-phenyl-benzamide from Example 13, Step A (12.06 g, 43.6 mmol) in 100% ethanol was treated with sodium thiomethoxide (3.42 g, 68.5 mmol). The reaction mixture was stirred overnight at room temperature then concentrated to dryness. The residue was shaken with a mixture of ethyl acetate (600 mL) and 1N HCl (200 mL), and the insoluble material was collected by filtration. The resulting solid was washed several times with water then diethyl ether, then dried to afford the product (10.8 g); m.p. 219-222°C. Calculated for C14H12N2O3S:

C, 58.32; H, 4.20; N, 9.72.

Found: C, 58.06; H, 4.13; N, 9.73.

Step B: 3-Amino-4-methylsulfanyl-N-phenyl-benzamide

Prepared according to the procedure described for Example 9, Step B using 4-methylsulfanyl-3-nitro-N-phenyl-benzamide (4.94 g, 17.1 mmol) to give the product (3.72 g); m.p. 143-145°C.

Calculated for C₁₄H₁₄N₂OS:

C, 65.09; H, 5.46; N, 10.84.

30 Found: C, 65.17; H, 5.41; N, 10.78.

-63-

EXAMPLE 21

N-(3-Amino-4-methoxyphenyl)-benzamide

Step A: N-(3-Nitro-4-fluorophenyl)-benzamide

Benzoyl chloride (12 mL, 103 mmol) was added dropwise to 4-fluoro-3-nitroaniline (15.64 g, 100 mmol) and triethylamine (17 mL, 122 mmol) in ethyl acetate (400 mL) at room temperature. The reaction mixture was stirred for 2 hours and then allowed to stand overnight. The reaction mixture was washed with 10% aqueous citric acid solution (200 mL), saturated aqueous sodium bicarbonate solution (200 mL), and brine (100 mL); dried (magnesium sulfate), filtered, and concentrated to about 100 mL at which point a solid began to precipitate. The mixture was cooled to zero degrees and the straw-colored solid collected by filtration to afford the product (21.1 g) in two crops. Calculated for C₁₃H₉FN₂O₃:

C, 60.00; H, 3.49; N, 10.76.

Found: C, 60.00; H, 3.27; N, 10.84.

5

10

15

20

25

Step B: N-(3-Nitro-4-methoxyphenyl)-benzamide

Prepared according to the procedure described for Example 10, Step A from N-(4-fluoro-3-nitrophenyl)-benzamide (5.2 g, 20 mmol) and sodium (1.3 g, 57 mmol) using methanol in place of ethanol to afford the product (3.7 g) after chromatography on silica gel in dichloromethane/methanol 99:1.

Step C: N-(3-Amino-4-methoxyphenyl)-benzamide

Prepared according to the procedure described for Example 9, Step B using N-(4-methoxy-3-nitrophenyl)-benzamide (3.68 g, 13.5 mmol) and zinc dust (20 g) to give the product (2.5 g) after chromatography on silica gel in ethyl acetate/hexane and recrystallization from the same solvent.

Calculated for C₁₄H₁₄N₂O₂:

C, 69.41; H, 5.82; N, 11.56.

Found: C, 69.26; H, 5.59; N, 11.28.

ς

5

10

15

-64-

EXAMPLE 22

3,4-Dichloro-N-(3-amino-4-fluorophenyl)-benzamide

Step A: 3,4-Dichloro-N-(3-nitro-4-fluorophenyl)-benzamide

3,4-Dichlorobenzoyl chloride (4.3 g, 20.5 mmol) was added all at once to 4-fluoro-3-nitroaniline (3.14 g, 20.1 mmol) and triethylamine (3 mL, 21.5 mmol) in ethyl acetate (200 mL) at room temperature. The reaction mixture was stirred overnight at room temperature then diluted to ~500 mL with ethyl acetate. The ethyl acetate was washed successively with 1N HCl (100 mL), saturated sodium bicarbonate (100 mL), and brine (100 mL), then dried (magnesium sulfate), filtered, and stripped of solvent under reduced pressure. Trituration of the residue in hexanes (125 mL) and a few milliliters of ethyl acetate afforded the product by filtration (5.6 g); m.p. 202-204°C.

Step B: 3,4-Dichloro-N-(3-amino-4-fluorophenyl)-benzamide

3,4-Dichloro-N-(3-nitro-4-fluorophenyl)-benzamide from Step A (1.56 g, 4.7 mmol) was reduced according to the procedure described for Example 9, Step B to give the product (1.15 g); m.p. 151-153°C.

Calculated for C₁₃H₉Cl₂FN₂O:

C, 52.20; H, 3.03; N, 9.36.

Found: C, 52.15; H, 3.55; N, 9.20.

20

25

EXAMPLE 23

3,4-Dichloro-N-(3-amino-4-methoxyphenyl)-benzamide

Step A: 3,4-Dichloro-N-(3-nitro-4-methoxyphenyl)-benzamide

Prepared according to the procedure described for Example 10, Step A from 3,4-dichloro-N-(3-nitro-4-fluorophenyl)-benzamide from Example 22, Step A (5.2 g, 20 mmol) and sodium (1.3 g, 57 mmol) using methanol in place of ethanol to afford the product (5.8 g); m.p. 215-218°C after chromatography on silica gel in dichloromethane/methanol 99:1.

Calculated for C₁₄H₁₀Cl₂N₂O₄:

C, 49:29; H, 2.95; N, 8.21.

30 Found: C, 49.47; H, 3.23; N, 7.99.

-65-

Step B: 3,4-Dichloro-N-(3-amino-4-methoxyphenyl)-benzamide

Prepared according to the procedure described for Example 9, Step B from 3,4-dichloro-N-(3-nitro-4-methoxyphenyl)-benzamide (3.65 g, 10.7 mmol) to afford the product (1.19 g); no distinct m.p. (gradual decomposition).

5 Calculated for C₁₄H₁₂Cl₂N₂O₂:

C, 54.04; H, 3.89; N, 9.00.

Found: C, 53.81; H, 4.05; N, 8.54.

EXAMPLE 24

1-(3-Amino-4-methoxyphenyl)-3-phenyl-urea

10 Step A: 1-(4-Fluoro-3-nitrophenyl)-3-phenyl-urea

Phenylisocyanate (12.0 g, 0.1 mol) was added to 4-fluoro-3-nitroaniline (15.6 g, 0.1 mol) in ethyl acetate (400 mL) at room temperature. The reaction mixture was stirred overnight, then the volume was reduced to approximately 200 mL and the resulting suspension filtered to afford the product (14.3 g); m.p. 200-202°C. Concentration of the filtrate followed by filtration afforded an additional crop of product (5.4 g).

Calculated for C₁₃H₁₀FN₃O₃:

15

25

C, 56.73; H, 3.66; N, 15.27.

Found: C, 56.74; H, 3.43; N, 15.46.

20 Step B: 1-(4-Methoxy-3-nitrophenyl)-3-phenyl-urea

The product from Step A (5.52 g, 20 mmol) was dissolved in methanol (200 mL) and sodium methoxide in methanol (7.4 mL, 25% w/w) was added. After standing overnight at room temperature, the reaction mixture was concentrated to dryness, taken up in ethyl acetate, washed with 10% citric acid solution then brine, and dried (magnesium sulfate), filtered, and concentrated to dryness. The residue was chromatographed two times on silica gel using ethyl acetate as eluant. The fractions enriched in the product were triturated in acetone-ether and the insoluble portion collected by filtration to afford the product (1.64 g), sufficiently pure for use in the next step.

PCT/US98/24688

WO 99/32433

-66-

Step C: 1-(3-Amino-4-methoxyphenyl)-3-phenyl-urea

Prepared according to the procedure described for Example 9, Step B using the product from Step B above (1.64 g, 5.7 mmol) to give the product (0.715 g) in three crops; m.p. 174-175°C after chromatography on silica gel using a 2-4% gradient of methanol in methylene chloride as eluant, followed by recrystallization from ethyl acetate.

Calculated for C₁₄H₁₅N₃O₂:

C, 65.36; H, 5.88; N, 16.33.

Found: C, 65.15; H, 5.55; N, 16.19.

10

15

20

25

5

EXAMPLE 25

3-Phenylamino-N-phenyl-benzamide

A mixture of 3-amino-N-phenyl-benzamide (1.5 g, 7.0 mmol), triphenylbismuth (3.7 g, 8.0 mmol), copper(II) acetate (1.3 g, 7.0 mmol), and triethylamine (0.73 g, 7.0 mmol) was stirred under an inert atmosphere in dichloromethane (100 mL) and heated to reflux. After 4 to 24 hours (the reaction was monitored for completeness using tlc), the mixture was allowed to cool and was then diluted with additional dichloromethane (200 mL) and stirred into 2N hydrochloric acid (250 mL). After 2 hours, the layers were separated and the organic phase washed successively with 2N HCl, water, 0.5 M aqueous potassium carbonate, water, and saturated aqueous sodium chloride, then dried over MgSO₄. The solution was filtered then stripped of solvent under reduced pressure to afford a solid residue which was purified by chromatography on a column of silica gel in chloroform to give the product (1.0 g); m.p. 134-135°C after recrystallization from toluene.

Calculated for C₁₉H₁₆N₂O:

C, 79.14; H, 5.59; N, 9.71.

Found: C, 79.17; H, 5.42; N, 9.63.

EXAMPLE 26

3-(3,5-Dichloro-phenylamino)-N-phenyl-benzamide

-67-

A mixture of 3-amino-N-phenyl-benzamide (2.0 g, 9.4 mmol), 3,5-dichloroiodobenzene (2.65 g, 9.7 mmol), N-ethylmorpholine (1.1 g, 9.5 mmol), and copper(II) acetate (0.1 g, 0.6 mmol) in N,N-dimethylformamide (6 mL) was stirred under an inert atmosphere and heated to reflux. After 120 hours, the mixture was allowed to cool and was stirred into water (300 mL) and acidified with concentrated hydrochloric acid. The mixture was extracted with dichloromethane (300 mL) and the extract separated and washed successively with 2N hydrochloric acid, water, 0.5 M aqueous potassium carbonate, water, and saturated aqueous sodium chloride, then dried over MgSO₄. The solution was filtered and stripped of solvent under reduced pressure to leave a solid residue which was subjected to chromatography on a column of silica gel in chloroform to afford the product (0.1 g); m.p. 164-165°C after recrystallization from ethyl alcohol.

Calculated for C₁₉H₁₄Cl₂N₂O:

15 C, 63.88; H, 3.95; N, 7.84.

5

10

20

Found: C, 63.64; H, 4.04; N, 7.61.

EXAMPLE 27

3-(2-Methoxy-phenylamino)-N-phenyl-benzamide

Prepared according to the procedure of Example 25 using 3-amino-N-phenyl-benzamide (0.85 g, 4.0 mmol), tris(2-methoxyphenyl)bismuthine (2.2 g, 4.1 mmol), copper(II) acetate (0.75 g, 4.1 mmol), and triethylamine (0.42 g, 4.1 mmol) to give a solid residue which was subjected to chromatography on a column of silica gel in chloroform to afford the product (0.9 g); m.p. 153-154°C after recrystallization from ethanol.

25 Calculated for C₂₀H₁₈N₂O₂:

C, 75.45; H, 5.70; N, 8.80.

Found: C, 75.21; H, 5.65; N, 8.72.

30

-68-

EXAMPLE 28

4-Methoxy-3-phenylamino-N-phenyl-benzamide

Prepared according to the procedure of Example 25 using 3-amino-4-methoxy-N-phenyl-benzamide (1.5 g, 6.2 mmol), triphenylbismuth (2.9 g, 6.6 mmol), copper(II) acetate (1.13 g, 6.2 mmol), and triethylamine (0.62 g, 6.2 mmol) to give a solid which was recrystallized from ethanol then subjected to chromatography on a column of silica gel in dichloromethane to afford the product (0.8 g); m.p.194-195°C after an additional recrystallization from ethyl alcohol.

10 Calculated for $C_{20}H_{18}N_2O_2$:

C, 75.45; H, 5.70; N, 8.80.

Found: C, 74.66; H, 5.43; N, 8.67.

EXAMPLE 29

3-(2-Methoxy-phenylamino)-4-methoxy-N-phenyl-benzamide

3-amino-4-methoxy-N-phenyl-benzamide (0.8 g, 3.2 mmol), tris(2-methoxyphenyl)bismuthine (1.8 g, 3.4 mmol), copper(II) acetate (0.6 g, 3.4 mmol), and triethylamine (0.34 g, 3.4 mmol) to afford the product (0.9 g); m.p. 155-156°C after chromatography on a column of silica gel in chloroform followed by recrystallization from ethanol.

Calculated for C₂₁H₂₀N₂O₃:

C. 72.40; H, 5.79; N, 8.04.

Found: C, 72.13; H, 5.73; N, 7.94.

EXAMPLE 30

25 3-(3-Trifluoromethyl-phenylamino)-4-methoxy-N-phenyl-benzamide

Prepared according to the procedure of Example 25 using 3-amino-4-methoxy-N-phenyl-benzamide (0.7 g, 2.9 mmol), tris(3-trifluoromethylphenyl)bismuthine (2.0 g, 3.1 mmol), copper(II) acetate (0.54 g, 3.0 mmol), and triethylamine (0.29 g, 2.9 mmol) to afford the product (0.7 g); m.p. 183-184°C after recrystallization from acetonitrile.

20

-69-

Calculated for C₂₁H₁₇FN₂O₂:

C, 65.28; H, 4.43; N, 7.25.

Found: C, 64.89; H, 4.13; N, 7.24.

EXAMPLE 31

5 3-(3-Chloro-phenylamino)-4-methoxy-N-phenyl-benzamide

Prepared according to the procedure of Example 25 using 3-amino-4-methoxy-N-phenyl-benzamide (1.5 g, 6.2 mmol), tris(3-chlorophenyl)bismuthine (3.5 g, 6.4 mmol), copper(II) acetate (1.16 g, 6.4 mmol), and triethylamine (0.65 g, 6.4 mmol) to give a solid which was purified by chromatography on a column of silica gel in chloroform/ethyl acetate 99:1 to afford the product (1.8 g); m.p. 168-170°C after recrystallization from ethanol.

Calculated for C₂₀H₁₇ClN₂O₂:

C, 68.09; H, 4.86; N, 7.94.

15 Found: C, 67.91; H, 4.71; N, 7.80.

EXAMPLE 32

3-(3-Methyl-phenylamino)-4-methoxy-N-phenyl-benzamide

Prepared according to the procedure described for Example 25 using 3-amino-4-methoxy-N-phenyl-benzamide (1.0 g, 4.1 mmol), tris(3-methylphenyl)bismuthine (2.2 g, 4.6 mmol), copper(II) acetate (0.8 g, 4.4 mmol), and tristbulgation (0.44 mmol), and tristbulgation (0.44 mmol).

4.4 mmol), and triethylamine (0.44 g, 4.4 mmol) to afford the product (0.7 g); m.p. 160-161°C after recrystallization from acetonitrile.

Calculated for $C_{21}H_{20}N_2O_2$:

C, 75.88; H, 6.06; N, 8.43.

25 Found: C, 75.63; H, 6.11; N, 8.47.

EXAMPLE 33

3-(3-Nitro-phenylamino)-4-methoxy-N-phenyl-benzamide

A mixture of 3-amino-4-methoxy-N-phenyl-benzamide (2.0 g, 8 mmol), 1-iodo-3-nitrobenzene (2.5 g, 10 mmol), potassium carbonate (2.8 g, 20 mmol),

and copper(1) iodide (0.4 g, 2 mmol) in mesitylene (20 mL) was stirred under an inert atmosphere and heated to reflux. After 48 hours, the mixture was allowed to cool and was then diluted with tetrahydrofuran (100 mL) and filtered through Celite. The filtrate was stripped of solvent under reduced pressure to leave an oily residue which was dissolved in ethyl acetate (250 mL) and extracted successively with 2N hydrochloric acid (2 × 200 mL), water, 0.5 M aqueous potassium carbonate, water, and saturated aqueous sodium chloride, then dried over MgSO₄. The solution was filtered and the filtrate stripped of solvent under reduced pressure. The resulting residue was subjected to chromatography on a column of silica gel in chloroform to afford the product (0.18 g); m.p. 220-221°C after recrystallization from acetonitrile.

Calculated for C₂₀H₁₇N₃O₄:

C, 66.11; H, 4.72; N, 11.56.

Found: C, 65.81; H, 4.63; N, 11.47.

15

20

5

10

EXAMPLE 34

3-(4-Methyl-phenylamino)-4-methoxy-N-phenyl-benzamide

Prepared according to the procedure of Example 25 using 3-amino-4-methoxy-N-phenyl-benzamide (1.1 g, 4.5 mmol), tris(4-methylphenyl)bismuthine (2.5 g, 5.2 mmol), copper(II) acetate (0.82 g, 4.5 mmol), and triethylamine (0.46 g, 4.5 mmol) to afford the product (0.8 g); m.p. $187-188^{\circ}$ C after recrystallization from acetonitrile then ethyl acetate. Calculated for $C_{21}H_{20}N_{2}O_{2}$:

C, 75.88; H, 6.06; N, 8.43.

Found: C, 75.57; H, 5.83; N, 8.34.

25

30

EXAMPLE 35

3-(3,5-Dichloro-phenylamino)-4-methoxy-N-phenyl-benzamide

Prepared according to the procedure of Example 33 using 3-amino-4-methoxy-N-phenyl-benzamide (2.0 g, 8.3 mmol), 3,5-dichloroiodobenzene (4.5 g, 16.5 mmol), potassium carbonate (2.9 g, 21.0 mmol), and copper(I) iodide (0.5 g, 2.6 mmol) to give a gummy residue which was subjected to

-71-

chromatography on a column of silica gel in dichloromethane to afford the product (0.3 g); m.p. 207-208°C after recrystallization from ethanol. Calculated for C₂₀H₁₆Cl₂N₂O₂•0.2C₂H₆O:

C, 61.80; H, 4.37; N, 7.07.

5 Found: C, 61.47; H, 4.04; N, 7.08.

10

15

20

EXAMPLE 36

3-(3,5-Dimethyl-phenylamino)-4-methoxy-N-phenyl-benzamide

Prepared according to the procedure of Example 25 using 3-amino-4-methoxy-N-phenyl-benzamide (1.5 g, 6.3 mmol), tris(3,5-dimethylphenyl)-bismuthine (3.3 g, 6.3 mmol), copper(II) acetate (1.15 g, 6.3 mmol), and triethylamine (0.64 g, 6.3 mmol) to afford the product (1.1 g); m.p. 198-199°C after recrystallization from a mixture of dichloromethane and ethyl acetate 10:1. Calculated for C₂₂H₂₂N₂O₂•0.5CH₂Cl₂:

C, 75.52; H, 6.35; N, 7.99.

Found: C, 75.56; H, 6.32; N, 7.92.

EXAMPLE 37

Prepared according to the procedure of Example 25 using 3-amino-

3-Phenylamino-4-fluoro-N-phenyl-benzamide

4-fluoro-N-phenyl-benzamide from Example 9 (0.93 g, 4.0 mmol), triphenylbismuth (1.9 g, 4.3 mmol), copper(II) acetate (0.8 g, 4.4 mmol), and triethylamine (0.45 g, 6.3 mmol) to afford the product (0.4 g); m.p. 132-133°C, after chromatography on a column of silica gel in dichloromethane/ethyl acetate 95:5.

Calculated for C₁₉H₁₅FN₂O:

25 C, 74.50; H, 4.94; N, 9.14.

Found: C, 74.21; H, 4.96; N, 9.00.

EXAMPLE 38

3-Phenylamino-4-methyl-N-phenyl-benzamide

Prepared according to the procedure of Example 25 using 3-amino-4-methyl-benzanilide from Example 1 (1.0 g, 4.4 mmol), triphenylbismuth (2.0 g, 4.5 mmol), copper(II) acetate (0.82 g, 4.5 mmol), and triethylamine (0.46 g, 4.5 mmol) to afford the product (0.8); m.p. 119-120°C after chromatography on a column of silica gel in dichloromethane/ethyl acetate 99:1 and subsequent crystallization from ethanol.

Calculated for C20H18N2O•0.1C2H6O:

C, 79.36; H, 6.01; N, 8.98.

Found: C, 79.02; H, 6.00; N, 9.26.

10

15

5

EXAMPLE 39

3-Phenylamino-4-methoxy-N-(4-fluorophenyl)-benzamide

Prepared according to the procedure of Example 25 using 3-amino-4-methyl-N-(4-fluorophenyl)-benzamide from Example 8 (1.0 g, 3.8 mmol), triphenylbismuth (1.8 g, 4.1 mmol), copper(II) acetate (0.8 g, 4.4 mmol), and triethylamine (0.44 g, 4.4 mmol) to afford the product (0.8 g); m.p. 151-152°C after recrystallization from ethanol.

Calculated for C20H17FN2O2•0.1C2H6O:

C, 71.16; H, 5.20; N, 8.22.

Found: C, 70.84; H, 5.06; N, 8.09.

20

25

EXAMPLE 40

3-(3-Trifluoromethyl-phenylamino)-4-methoxy-N-(4-fluorophenyl)-benzamide

Prepared according to the procedure of Example 25 using 3-amino-4-methoxy-N-(4-fluorophenyl)-benzamide from Example 8 (1.0 g, 3.8 mmol), tris(3-trifluoromethylphenyl)bismuthine (2.8 g, 4.3 mmol), copper(II) acetate (0.8 g, 4.4 mmol), and triethylamine (0.44 g, 4.4 mmol) to afford the product (0.9 g); m.p. 163-164°C after recrystallization from acetonitrile.

Calculated for C₂₁H₁₆F₄N₂O₂:

C, 62.38; H, 3.99; N, 6.93.

30 Found: C, 62.18; H, 4.00; N, 6.84.

-73-

EXAMPLE 41

4-Ethyl-3-(3-trifluoromethyl-phenylamino)-N-phenyl-benzamide

Prepared according to the procedure of Example 25 using 3-amino-4-ethyl-N-phenyl-benzamide from Example 17 (1.0 g, 4.2 mmol), tris(3-trifluoromethylphenyl)bismuthine (2.9 g, 4.5 mmol), copper(II) acetate (0.8 g, 4.4 mmol), and triethylamine (0.45 g, 4.5 mmol) to give a syrup which was crystallized from ether to afford the product (0.42 g); m.p.133-134°C after recrystallization from acetonitrile.

Calculated for C22H19F3N2O:

10 C, 68.74; H, 4.98; N, 7.29.

5

25

Found: C, 68.71; H, 4.79; N, 7.30.

EXAMPLE 42

4-Ethoxy-3-(3-trifluoromethyl-phenylamino)-N-phenyl-benzamide

Prepared according to the procedure of Example 25 using 3-amino4-ethoxy-N-phenyl-benzamide from Example 10 (0.6 g, 2.3 mmol),
tris(3-trifluoromethylphenyl)bismuthine (1.6 g, 2.5 mmol), copper(II) acetate
(0.45 g, 2.5 mmol), and triethylamine (0.25 g, 2.5 mmol) to afford the product
(0.53 g); m.p.184-185°C after recrystallization from ethyl alcohol.
Calculated for C₂₂H₁₉F₃N₂O₂:

20 C, 65.99; H, 4.78; N, 7.00.

Found: C, 65.82; H, 4.73; N, 6.92.

EXAMPLE 43

4-Methylsulfanyl-3-(3-trifluoromethyl-phenylamino)-N-phenyl-benzamide

Prepared according to the procedure of Example 25 using 3-amino-4-methylsufanyl-N-phenyl-benzamide from Example 20 (0.5 g, 1.9 mmol), tris(3-trifluoromethylphenyl)bismuthine (1.4 g, 2.1 mmol), copper(II) acetate (0.4 g, 2.2 mmol), and triethylamine (0.21 g, 2.1 mmol) to afford the product (0.25 g); m.p. 169-170°C after recrystallization from acetonitrile.

-74-

Calculated for C₂₁H₁₇F₃N₂OS:

C, 62.68; H, 4.26; N, 6.96.

Found: C, 62.34; H, 4.11; N, 6.87.

EXAMPLE 44

5 3-[4-(4,4-Dimethyl-4,5-dihydro-oxazol-2-yl)-phenylamino]-4-methoxy-N-phenyl-benzamide

Prepared according to the procedure of Example 25 using 3-amino-4-methoxy-N-phenyl-benzamide (1.6 g, 6.6 mmol), tris[4-(4,4-dimethyl-2-oxazolinyl)-phenyl]bismuthine (4.8 g, 6.6 mmol), copper(II) acetate (1.2 g, 6.6 mmol), and triethylamine (0.67 g, 6.6 mmol) to afford the product (0.8 g); m.p. 221-222°C after recrystallization from acetonitrile.

Calculated for C25H25N3O3:

C, 72.27; H, 6.06; N, 10.11.

Found: C, 71.04; H, 5.92; N, 9.91.

15

20

10

EXAMPLE 45

4-Methoxy-3-(3-trifluoromethyl-phenylamino)-N-(3-pyridyl)-benzamide

Prepared according to the procedure of Example 25 using 3-amino-4-methoxy-N-(3-pyridyl)-benzamide from Example 5 (1.0 g, 4.1 mmol), tris(3-trifluoromethylphenyl)bismuthine (2.8 g, 4.3 mmol), copper(II) acetate (0.8 g, 4.4 mmol), and triethylamine (0.44 g, 4.3 mmol) to afford the product (0.6 g); m.p. 184-185°C after recrystallization from acetonitrile.

Calculated for C₂₀H₁₆F₃N₃O₂:

C, 62.01; H, 4.16; N, 10.85.

Found: C, 61.93; H, 4.14; N, 10.85.

25

EXAMPLE 46

4-Methoxy-3-(3,5-dimethyl-phenylamino)-N-(4-fluorophenyl)-benzamide

Prepared according to the procedure of Example 25 using 3-amino-4-methoxy-N-(4-fluorophenyl)-benzamide from Example 8 (1.0 g, 3.8 mmol), tris(3,5-dimethylphenyl)bismuthine (2.1 g, 4.0 mmol), copper(II) acetate (0.8 g,

-75-

4.4 mmol), and triethylamine (0.45 g, 4.4 mmol) to afford the product (0.6 g); m.p. 199-200°C after recrystallization from acetonitrile.

Calculated for C₂₂H₂₁FN₂O₂:

C, 72.51; H, 5.81; N, 7.69.

Found: C, 72.32; H, 5.76; N, 7.60.

5

EXAMPLE 47

4-Methoxy-3-(3-trifluoromethyl-phenylamino)-N-(3,4-dichlorophenyl)-benzamide

Prepared according to the procedure of Example 25 using 3-amino4-methoxy-N-(3,4-dichlorophenyl)-benzamide from Example 4 (0.9 g, 2.9 mmol),
tris(3-trifluoromethylphenyl)bismuthine (2.1 g, 3.3 mmol), copper(II) acetate
(0.6 g, 3.3 mmol), and triethylamine (0.34 g, 3.3 mmol) to afford the product
(0.4 g); m.p. 154-155°C after recrystallization from ethanol.

Calculated for C₂₁H₁₅Cl₂F₃N₂O₂:

15 C, 55.40; H, 3.32; N, 6.15.

Found: C, 55.21; H, 3.20; N, 5.88.

EXAMPLE 48

4-Methoxy-3-(3-trifluoromethyl-phenylamino)-N-(3,4-difluorophenyl)-benzamide

Prepared according to the procedure of Example 25 using 3-amino-4-methoxy-N-(3,4-difluorophenyl)-benzamide from Example 15 (1.1 g, 4.0 mmol), tris(3-trifluoromethylphenyl)bismuthine (2.8 g, 4.3 mmol), copper(II) acetate (0.8 g, 4.3 mmol), and triethylamine (0.44 g, 4.3 mmol) to afford the product (1.2 g); m.p. 166-169°C after recrystallization from ethanol.

25 Calculated for C₂₁H₁₅F₅N₂O₂:

C, 59.72; H, 3.58; N, 6.63.

Found: C, 59.58; H, 3.44; N, 6.44.

EXAMPLE 49

N-[3-(Phenylamino)-4-methoxy-phenyl]-benzamide

5

10

15

20

30

Prepared according to the procedure of Example 25 using N-(3-amino-4-methoxyphenyl)-benzamide from Example 21 (1.0 g, 4.1 mmol), triphenylbismuth (2.0 g, 4.5 mmol), copper(II) acetate (0.82 g, 4.5 mmol), and triethylamine (0.46 g, 4.6 mmol) to afford the product (0.6 g); m.p. 209-210°C after recrystallization from ethanol.

Calculated for C₂₀H₁₈N₂O₂:

C, 75.45; H, 5.70; N, 8.80.

Found: C, 75.26; H, 5.75; N, 8.42.

EXAMPLE 50

3-Benzylamino-4-methoxy-N-phenyl-benzamide

Benzaldehyde (2.2 g, 21.0 mmol) was added to a stirred solution of 3-amino-4-methoxy-N-phenyl-benzamide (5.0 g, 21.0 mmol) in dichloromethane (250 mL) under an inert atmosphere at room temperature, followed by acetic acid (1.26 g, 21.0 mmol). After 1 hour, sodium triacetoxyborohydride (4.7 g, 21.0 mmol) was added in one portion. After 18 hours, saturated aqueous sodium bicarbonate (200 mL) was added and the mixture stirred for 2 to 3 hours. The layers were separated, the organic phase was washed with water then saturated aqueous sodium chloride, then dried over MgSO₄. The solution was filtered and stripped of solvent under reduced pressure to afford the product (6.5 g); m.p. 164-165°C after recrystallization from ethanol.

Calculated for C₂₁H₂₀N₂O₂:

C, 75.88; H, 6.06; N, 8.43.

Found: C, 75.62; H, 6.02; N, 8.44.

EXAMPLE 51

25 3-(3,5-Dichloro-benzylamino)-4-methoxy-N-phenyl-benzamide

Prepared according to the procedure of Example 50 using 3,5-dichloro-benzaldehyde (0.88 g, 5.0 mmol), 3-amino-4-methoxy-N-phenyl-benzamide (1.22 g, 5.0 mmol), acetic acid (0.24 g, 5.3 mmol), and sodium triacetoxyborohydride (1.12 mmol) to afford the product (0.65 g); m.p. 164-165°C after recrystallization from ethanol.

-77-

Calculated for C₂₁H₁₈Cl₂N₂O₂:

C, 62.86; H, 4.52; N, 6.98.

Found: C, 62.58; H, 4.41; N, 6.83.

EXAMPLE 52

5 3-(3,4-Dimethoxy-benzylamino)-4-methoxy-N-phenyl-benzamide

Prepared according to the procedure of Example 50 using 3,4-dimethoxybenzaldehyde (1.94 g, 11.6 mmol), 3-amino-4-methoxy-N-phenylbenzamide (2.8 g, 11.6 mmol), acetic acid (0.69 g, 11.5 mmol), and sodium triacetoxyborohydride (2.6 g, 11.7 mmol) to afford the product (2.9 g);

m.p. 187-188°C after recrystallization from ethanol.

Calculated for C₂₃H₂₄N₂O₄:

C, 70.39; H, 6.16; N, 7.14.

Found: C, 70.31; H, 6.00; N, 7.10.

EXAMPLE 53

15 3-Phenoxy-N-phenyl-benzamide

Prepared according to the procedure of Example 1 Step A using 3-phenoxybenzoic acid (1.2 g, 5.5 mmol), oxalyl chloride (0.55 mL, 6.3 mmol), and aniline (1.0 g, 10.7 mmol) to afford the product (1.5 g); m.p. 111-112°C after recrystallization from ethanol.

20 Calculated for C₁₉H₁₅NO₂:

C, 78.87; H, 5.23; N, 4.84.

Found: C, 78.69; H, 5.25; N, 4.82.

EXAMPLE 54

3-Phenoxy-4-methoxy-N-phenyl-benzamide

25 Step A: 3-Hydroxy-4-methoxybenzoic Acid Methyl Ester

A stirred suspension of 3-hydroxy-4-methoxybenzoic acid (6.3 g, 38 mmol) in methanol (200 mL) at ambient temperature was saturated with HCl gas until a solution was obtained. After 16 hours, the mixture was stripped of solvent under reduced pressure to afford the crystalline product (7.1 g); m.p.

10

15

25

64-65°C after chromatography on silica gel eluting with 2.5% methanol in dichloromethane.

Calculated for C₉H₁₀O₄:

C, 59.34; H, 5.53.

5 Found: C, 59.41; H, 5.39.

Step B: 3-Phenoxy-4-methoxybenzoic Acid Methyl Ester

Prepared according to the procedure of Example 25 using 3-hydroxy-4-methoxybenzoic acid methyl ester (1.2 g, 6.6 mmol), triphenylbismuth (3.2 g, 7.3 mmol), copper(II) acetate (1.32 g, 7.3 mmol), and triethylamine (0.73 g, 7.2 mmol) to afford the product (0.9 g); m.p. 61-63°C after trituration in methanol.

Step C: 3-Phenoxy-4-methoxybenzoic Acid

3-Phenoxy-4-methoxybenzoic acid methyl ester (0.8 g, 3.1 mmol) was stirred in a mixture of methanol (8 mL) and 4N potassium hydroxide (10 mL) and heated to reflux. After 2 hours, the mixture was stirred into water (60 mL) and extracted with ether (25 mL). The aqueous solution was stirred and acidified with 4N HCl, and the resulting precipitate was filtered off, rinsed with water, and dried to afford the product (0.7 g); m.p. 186-187°C.

Calculated for C₁₄H₁₂O₄:

C, 68.85; H, 4.95.

20 Found: C, 68.65; H, 4.74.

Step D: 3-Phenoxy-4-methoxy-N-phenyl-benzamide

Prepared according to the procedure of Example 1 using 3-phenoxy-4-methoxybenzoic acid (0.3 g, 1.2 mmol), oxalyl chloride (0.19 g, 1.5 mmol), and aniline (0.22 g, 2.4 mmol) to afford the product (0.3 g); m.p. 200-201°C after recrystallization from ethanol.

Calculated for C₂₀H₁₇NO₃:

C, 75.22; H, 5.37; N, 4.39.

Found: C, 75.01; H, 5.36; N, 4.17.

-79-

EXAMPLE 55

3-(Phenylamino)-4-methoxybenzoic acid, phenyl ester

Step A: 3-(Phenylamino)-4-methoxybenzoic acid, methyl ester

Prepared according to the procedure of Example 25 using 3-methoxy-4-aminobenzoic acid methyl ester (1.5 g, 6.9 mmol), triphenylbismuth (3.1 g, 7.0 mmol), copper(II) acetate (1.3 g, 7.2 mmol), and triethylamine (0.73 g, 7.2 mmol) to afford the product (1.5 g); m.p. 79-81°C, after recrystallization from ethanol.

Step B: 3-(Phenylamino)-4-methoxybenzoic acid

10

15

5

A mixture of 3-(phenylamino)-4-methoxybenzoic acid, methyl ester (0.4 g, 1.6 mmol), methanol (10 mL), and 4N sodium hydroxide (15 mL) was stirred and heated to reflux. After 2 hours, the methanol was removed by rotary evaporator and the residual aqueous suspension stirred and acidified with 4N HCl. The precipitate was filtered off, rinsed with water, and dried to afford the product (0.35 g); m.p. 198-200°C.

Calculated for C₁₄H₁₃NO₃:

C, 69.12; H, 5.39; N, 5.76.

Found: C, 68.27; H, 5.53; N, 5.65.

Step C: 3-(Phenylamino)-4-methoxybenzoic acid, phenyl ester

20

25

N,N'-Carbonyldiimidazole (0.41 g, 2.5 mmol) was added to a stirred solution of 3-(phenylamino)-4-methoxybenzoic acid (0.6 g, 2.5 mmol) in dimethylformamide (15 mL) under an inert atmosphere. After 30 minutes, the solution was heated to 50°C for 1 hour, then phenol (0.24 g, 2.6 mmol) was added followed by diazabicycloundecene (0.40 g, 2.6 mmol) and heating at 50°C was continued for 20 more hours. The mixture was allowed to cool and was then diluted with diethyl ether (100 mL) and washed successively with 2N HCl, water, 0.5N K₂CO₃, and saturated brine then dried over MgSO₄. The solvent was removed under reduced pressure, and the residue was chromatographed on a column of silica gel in ethyl acetate to afford the product (0.27 g); m.p. 130-131°C after recrystallization from acetonitrile.

30

10

20

25

-80-

Calculated for C₂₀H₁₇NO₃:

C, 75.22; H, 5.37; N, 4.39.

Found: C, 74.92; H, 5.51; N, 4.45.

EXAMPLE 56

5 4-Hydroxy-3-(3,5-dichloro-phenylamino)-N-phenyl-benzamide

Step A: 3-Amino-4-methoxybenzoic acid methyl ester

Concentrated H₂SO₄ (9 mL) was added in portions to a stirred solution of 3-amino-4-methoxybenzoic acid (20.06 g, 110.4 mmol) in methanol (280 mL). The mixture was heated to reflux overnight then cooled to room temperature, and the solvent was removed in vacuo. The residue was shaken with 10% aqueous potassium carbonate then extracted with ethyl acetate three times. The combined extracts were washed with saturated sodium bicarbonate, dried (MgSO₄), filtered, and stripped of solvent under reduced pressure. The residual solid was triturated with hexane and filtered to yield the product (10.82 g); m.p. 75-77°C.

15 Calculated for C₉H₁₁NO₃:

C, 59.66; H, 6.12; N, 7.73.

Found: C, 59.93; H, 6.22; N, 7.54.

Step B: 2-Acetylamino-4-methoxybenzoic acid methyl ester

Acetic anhydride (6.5 mL, 68.80 mmol) was added to a solution of 3-amino-4-methoxybenzoic acid methyl ester (10.58 g, 58.39 mmol) in 200 mL of ethyl acetate. The reaction was stirred at room temperature. After 3 days, the mixture was filtered and the filtrate was washed with saturated aqueous sodium bicarbonate until pH = 5, dried (MgSO₄), and stripped of solvent under reduced pressure. The residue was triturated with hexane and filtered to afford a tan solid which was combined with the residue remaining in the funnel after the initial filtration and dried to afford the desired product (9.6 g); m.p. 123-126°C. Calculated for C₁₁H₁₃NO₄:

C, 59.19; H, 5.87; N, 6.27.

Found: C, 59.03; H, 5.81; N, 6.23.

-81-

Step C: 3-[Acetyl-(3,5-dichlorophenyl)-amino]-4-methoxybenzoic acid methyl ester

A mixture of 2-acetylamino-4-methoxybenzoic acid methyl ester (9.58 g, 42.92 mmol), 1-bromo-3,5-dichlorobenzene (28.80 g, 127.48 mmol), copper iodide (2.32 g, 12.18 mmol), and sodium bicarbonate (8.72 g, 103.80 mmol) in of mesitylene (60 mL) was heated to reflux. After 7 days, the mixture was allowed to cool and was diluted with ethyl acetate (300 mL). The resulting solid was removed by filtration and washed with ethyl acetate. The filtrate was concentrated in vacuo and the residue was chromatographed on silica gel eluting with hexane/ethyl acetate (9:1 \rightarrow 1:1) to afford the product (11.6 g); m.p. 100-101°C after trituration in hexane.

Calculated for C₁₇H₁₅Cl₂NO₄:

5

10

15

20

25

30

C, 55.45; H, 4.11; N, 3.80.

Found: C, 55.12; H, 3.97; N, 3.73.

Step D: 3-(3,5-Dichlorophenylamino)-4-methoxybenzoic acid methyl ester

Concentrated HCl (45 mL) was added to a solution of 3-[acetyl-(3,5-dichlorophenyl)-amino]-4-methoxybenzoic acid methyl ester (11.46 g, 31.12 mmol) in a mixture of tetrahydrofuran (75 mL) and methanol (75 mL). The reaction was heated to reflux. After 3 days, the solvent was removed in vacuo and the residue was dissolved in ethyl acetate and dried (MgSO₄). The ethyl acetate was removed under reduced pressure to give the product (2.4 g); m.p. 134-135°C after chromatography on silica gel in ethyl acetate followed by recrystallization from ether/hexane 1:9.

Calculated for C₁₅H₁₃Cl₂NO₃:

C, 55.24; H, 4.02; N, 4.29.

Found: C, 55.20; H, 4.08; N, 4.07.

Step E: 3-(3,5-Dichlorophenylamino)-4-hydroxybenzoic acid

A solution of 3-(3,5-dichlorophenylamino)-4-methoxybenzoic acid methyl ester (4.48 g, 13.74 mmol), 100 mL of concentrated HBr, and 60 mL of acetic acid was heated to reflux. After 6 days, the reaction was cooled to room temperature

and concentrated aqueous ammonium hydroxide was added in portions until the pH = 4. The mixture was extracted with ethyl acetate three times, and the combined extracts were washed with brine (2×) and H₂O (2×) then dried over MgSO₄ and stripped of solvent in vacuo. The residue was triturated with 5% ether/hexane, filtered off and dried to afford the product (3.7 g); m.p. 166-167°C. Calculated for C₁₃H₉Cl₂NO₃•H₂O:

C, 49.39; H, 3.51; N, 4.32.

Found: C, 49.16; H, 3.34; N, 4.23.

Step F: 3-(3,5-Dichloro-phenylamino)-4-hydroxy-N-phenyl-benzamide

10

15

20

5

Dicyclohexylcarbodiimide (2.68 g, 12.99 mmol) was added to a solution of 3-(3,5-dichlorophenylamino)-4-hydroxybenzoic acid (3.59 g, 12.05 mmol) and aniline (1.19 mL, 13.06 mmol) in tetrahydrofuran (45 mL) at ice bath temperature. After 5 days at ambient temperature, the white precipitate was collected by filtration and washed with ethyl acetate. The filtrate was taken to dryness in vacuo, redissolved in ethyl acetate, and washed successively with H₂O, 1N HCl, and brine. The organic layer was dried (MgSO₄), filtered, and the solvent removed under reduced pressure. The crude material was chromatographed on silica gel, eluting with 4:1 hexane/ethyl acetate. The effluent was extracted with 1N NaOH, dried (MgSO₄), filtered, and stripped of solvent under reduced pressure. The resulting foam was triturated with hexane to afford the product (1.15 g); m.p. 160-162°C.

Calculated for C₁₉H₁₄N₂O₂Cl₂•0.25 H₂O:

C, 60.41; H, 3.87; N, 7.42.

Found: C, 60.34; H, 3.63; N, 7.20.

25

30

EXAMPLE 57

 $3\hbox{-}(3,5\hbox{-}Dichloro\hbox{-}phenylamino)\hbox{-}4\hbox{-}hydroxy\hbox{-}N\hbox{-}(4\hbox{-}methoxyphenyl)\hbox{-}benzamide$

Prepared according to the procedure described for Example 56, Step F using 3-(3,5-dichloro-phenylamino)-4-hydroxybenzoic acid from Example 56, Step E (0.652 g, 2.19 mmol), 4-anisidine (0.276 g, 2.24 mmol), and 1,3-dicyclohexylcarbodiimide (0.538 g, 2.61 mmol) to afford the product (0.19 g);

10

m.p. 186-187°C after chromatography on silica gel using a 20-25% gradient of ethyl acetate in hexane.

Calculated for C₂₀H₁₆Cl₂N₂O₃•0.5 H₂O:

C, 58.26; H, 4.16; N, 6.80.

5 Found: C, 58.17; H, 4.13; N, 6.61.

EXAMPLE 58

3-(3,5-Dichloro-phenylamino)-4-hydroxy-N-(4-methylphenyl)- benzamide

Prepared according to the procedure described for Example 56, Step F using 3-(3,5-dichloro-phenylamino)-4-hydroxybenzoic acid from Example 56, Step E (0.365 g, 1.22 mmol), p-toluidine (0.134 g, 1.25 mmol), and 1,3-dicyclohexylcarbodiimide (1.48 mmol) to afford the product (0.34 g); m.p. 179-183°C after chromatography on silica gel using ethyl acetate/hexane 1:1 followed by trituration in hexane.

Calculated for $C_{20}H_{16}Cl_2N_2O_2 \cdot 0.25 H_2O$:

15 C, 61.31; H, 4.25; N, 7.15.

Found: C, 61.34; H, 4.48; N, 7.18.

EXAMPLE 59

3-(3,5-Dichloro-phenylamino)-4-hydroxy-N-(3-hydroxy-4-methoxyphenyl)-benzamide

Prepared according to the procedure described for Example 56, Step F, with the exception that a catalytic amount of 4-dimethylaminopyridine was added to the reaction mixture following the DCC. Thus, 3-(3,5-dichlorophenylamino-4-hydroxybenzoic acid from Example 56, Step E (0.501 g, 1.68 mmol), 3-hydroxy-4-methoxyaniline (0.234 g, 1.68 mmol), and 1,3-dicyclohexylcarbodiimide (0.416 g, 2.02 mmol) gave the product (0.06 g); m.p. 170-171°C after chromatography on silica gel using ethyl acetate/hexane 1:1. Calculated for C₂₀H₁₆Cl₂N₂O₄*0.4 H₂O:

C, 56.32; H, 3.97; N, 6.57.

Found: C, 56.55; H, 4.32; N, 5.98.

PCT/US98/24688

5

15

20

25

-84-

EXAMPLE 60

$3\hbox{-}[3\hbox{-}(3,5\hbox{-}Dichlor ophenyl)\hbox{-}thioure ido]\hbox{-}4\hbox{-}methoxy-N\hbox{-}phenyl\hbox{-}benzamide$

A mixture of 3-amino-4-methoxy-N-phenyl-benzamide (0.277 g, 1.14 mmol) and 3,5-dichlorophenyl isothiocyanate (0.238 g, 1.17 mmol) in ethyl acetate (30 mL) was warmed until a solution was obtained, then allowed to stand at room temperature for 3 days. The reaction was concentrated until a crystalline precipitate was obtained then allowed to stand overnight at room temperature. The solid was collected by filtration, rinsed with ethyl acetate/hexane, and dried to afford the product (0.423 g); m.p. 195-197°C.

10 Calculated for C₂₁H₁₇Cl₂N₃O₂S:

C, 56.51; H, 3.84; N, 9.41.

Found: C, 56.20; H, 3.69; N, 9.28.

EXAMPLE 61

3-[3-(3-Chlorophenyl)-thioureido]-4-methoxy-N-phenyl-benzamide

Prepared according to the procedure described for Example 60 using 3-amino-4-methoxy-N-phenyl-benzamide (0.218 g, 0.90 mmol) and 3-chlorophenyl isothiocyanate (0.12 mL, 0.92 mmol) to give the product (0.286 g); m.p. 165-168°C.

Calculated for C21H18ClN3O2S:

C, 61.23; H, 4.40; N, 10.20.

Found: C, 61.01; H, 4.35; N, 10.15.

EXAMPLE 62

4-Methoxy-N-phenyl-3-(3-phenyl-thioureido)-benzamide

Prepared according to the procedure described for Example 60 using 3-amino-4-methoxy-N-phenyl-benzamide (0.245 g, 1.01 mmol) and phenyl isothiocyanate (0.12 mL, 1.00 mmol) to give the product (0.216 g); m.p. 174-176°C.

Calculated for C₂₁H₁₉N₃O₂S:

C, 66.82; H, 5.07; N, 11.13.

30 Found: C, 66.34; H, 5.13; N, 11.04.

-85-

EXAMPLE 63

4-Methoxy-N-phenyl-3-[3-(4-trifluoromethyl-phenyl)-thioureido]-benzamide

Prepared according to the procedure described for Example 60 using 3-amino-4-methoxy-N-phenyl-benzamide (0.198 g, 0.82 mmol) and 4-(trifluoromethyl)phenyl isothiocyanate (0.169 g, 0.83 mmol) to give the product (0.306 g); m.p. 194-196°C.

Calculated for C₂₂H₁₈F₃N₃O₂S:

C, 59.32; H, 4.07; N, 9.43.

Found: C, 59.04; H, 4.05; N, 9.35.

10

15

5

EXAMPLE 64

3-[3-(4-tert-Butyl-phenyl)-thioureido]-4-methoxy-N-phenyl-benzamide

Prepared according to the procedure described for Example 60 using 3-amino-4-methoxy-N-phenyl-benzamide (0.216 g, 0.89 mmol) and 4-t-butylphenyl isothiocyanate (0.176 g, 0.92 mmol) to give the product (0.180 g); m.p. 198-200°C.

Calculated for C25H27N3O2S • 0.33 H2O:

C, 68.32; H 6.34; N, 9.56.

Found: C, 68.22; H 6.49; N, 9.59.

EXAMPLE 65

3-[3-(4-Chlorophenyl)-thioureido]-4-methoxy-N-phenyl-benzamide

Prepared according to the procedure described for Example 60 using 3-amino-4-methoxy-N-phenyl-benzamide (0.243 g, 1.0 mmol) and 4-chlorophenyl isothiocyanate (0.174 g, 1.03 mmol). Trituration in hexanes/ethyl acetate (1:1) gave the product (0.362 g); m.p. 179-180°C.

25 Calculated for C₂₁H₁₈ClN₃O₂S:

C, 61.23; H, 4.40; N, 10.20.

Found: C, 60.94; H, 4.23; N, 10.03.

-86-

EXAMPLE 66

3-[3-(3-Nitrophenyl)-thioureido]-4-methoxy-N-phenyl-benzamide

Prepared according to the procedure described for Example 60 using 3-amino-4-methoxy-N-phenyl-benzamide (0.243 g, 1.0 mmol) and 3-nitrophenyl isothiocyanate (0.183 g, 1.0 mmol). Trituration in hexanes/ethyl acetate (4:1) gave the product (0.370 g); m.p. 188-189°C.

Calculated for C21H18N4O4S:

C, 59.71; H, 4.29; N, 13.26.

Found: C, 58.92; H, 4.23; N, 12.72.

10

5

EXAMPLE 67

4-Methoxy-N-phenyl-3-(3-benzoyl-thioureido)-benzamide

Prepared according to the procedure described for Example 60 using 3-amino-4-methoxy-N-phenyl-benzamide (0.243 g, 1.0 mmol) and benzoyl isothiocyanate (0,171 g, 1.04 mmol) to afford the product (0.371 g);

15 m.p. 219-222°C.

CI Mass Spectrum : $[M + H^{+}]^{+} = 406$.

Calculated for C₂₂H₁₉N₃O₃S:

C, 65.17; H, 4.72; N, 10.36.

Found: C, 64.98; H, 4.57; N, 10.26.

20

25

EXAMPLE 68

4-Methoxy-N-phenyl-3-[3-(2,3,5,6-tetrafluoro-phenyl)-thioureido]-benzamide

Prepared according to the procedure described for Example 60 using 3-amino-4-methoxy-N-phenyl-benzamide (0.243 g, 1.0 mmol) and 2,3,5,6-tetrafluorophenyl isothiocyanate (0.224 g, 1.1 mmol) to give the product (0.398 g); m.p. 170-174°C.

Calculated for C₂₁H₁₅F₄N₃O₂S:

C, 56.12; H, 3.36; N, 9.35.

Found: C, 55.74; H, 3.22; N, 9.19.

-87-

EXAMPLE 69

4-Methoxy-N-phenyl-3-(-3-p-tolyl-thioureido)-benzamide

Prepared according to the procedure described for Example 60 using 3-amino-4-methoxy-N-phenyl-benzamide (0.243 g, 1.0 mmol) and 4-methylphenyl isothiocyanate (0.205 g, 1.38 mmol). The reaction was incomplete after 2 days, so the mixture was diluted to 30 mL with ethyl acetate, and a small additional portion of 4-methylphenyl isothiocyanate was added. The mixture was boiled on a steambath until no solvent remained and the residue triturated in hexanes/ethyl acetate (4:1) and filtered to afford the product

10 (0.255 g); m.p. 156-158°C.

CI Mass Spectrum: $[M + H^+]^+ = 392$.

Calculated for C₂₂H₂₁N₃O₂S•0.5 H₂O:

C, 65.97; H, 5.54; N, 10.49.

Found: C, 66.16; H, 5.60; N, 10.31.

15

5

EXAMPLE 70

3-[3-(3,5-Dichlorophenyl)-thioureido]-N-phenyl-benzamide

Prepared according to the procedure described for Example 60 using 3-aminobenzanilide (0.213 g, 1.0 mmol) and 3,5-dichlorophenyl isothiocyanate (0.208 g, 1.0 mmol). Trituration in ethyl acetate gave the product (0.304 g);

20 m.p. 174-177°C.

APCI Mass Spectrum, M = 416.1.

Calculated for C₂₀H₁5Cl₂N₃OS:

C, 57.70; H, 3.63; N, 10.09.

Found: C, 58.03; H, 3.57; N, 9.99.

25

30

EXAMPLE 71

3-[3-(3,5-Dichlorophenyl)-thioureido]-4-methyl-N-phenyl-benzamide

Prepared according to the procedure described for Example 60 using of 3-amino-4-methyl-N-phenyl-benzamide (0.5 g, 2.2 mmol) and 3,5-dichlorophenyl isothiocyanate (0.458 g, 2.2 mmol). Trituration in ethyl acetate afforded the product (0.802 g) in two crops; m.p. 182-184°C.

-88-

Calculated for C21H17Cl2N3OS:

C, 58.61; H, 3.98; N, 9.76.

Found: C, 58.54; H, 3.77; N, 9.61.

EXAMPLE 72

3-[3-(3,4-Dimethoxyphenyl)-thioureido]-4-methoxy-N-phenyl-benzamide

A mixture of 3-amino-4-methoxy-N-phenyl-benzamide (0.972 g, 4.0 mmol), 3,4-dimethoxyphenyl isothiocyanate (0.787 g, 4.0 mmol), and ethyl acetate (25 mL) was heated briefly to 50°C and then allowed to stand overnight at room temperature. The reaction mixture was diluted with ethyl acetate (~100 mL), heated to 80°C briefly, then allowed to stand 5 days at room temperature. The precipitate was filtered off to afford the product (0.552 g); m.p. 170-171°C. Calculated for C₂₃H₂₃N₃O₄S:

C, 63.14; H, 5.30; N, 9.60.

Found: C, 63.02; H, 5.44; N, 9.58.

15

5

10

EXAMPLE 73

3-[3-(4-Chloro-3-trifluoromethylphenyl)-thioureido]-4-methoxy-N-phenylbenzamide

Prepared according to the procedure described for Example 60 using 3-amino-4-methoxy-N-phenyl-benzamide (0.972 g, 4.0 mmol) and 4-chloro-3-(trifluoromethyl)phenyl isothiocyanate (0.961 g, 4.0 mmol). Trituration in hexanes/ethyl acetate (3:2) gave the product (1.91 g); m.p. 172-173°C. Calculated for C₂₃H₁₇Cl₂N₃O₂S:

C, 55.06; H, 3.57; N, 8.76.

Found: C, 54.88; H, 3.26; N, 8.58.

25

20

EXAMPLE 74

3-[3-(3-Cyanophenyl)-thioureido]-4-methoxy-N-phenyl-benzamide

Prepared according to the procedure described for Example 60 using 3-amino-4-methoxy-N-phenyl-benzamide (0.972 g, 4.0 mmol) and 3-cyanophenyl

-89-

isothiocyanate (0.649 g, 4.0 mmol). Trituration in boiling ethyl acetate/dichloromethane (1:1) gave the product (1.358 g); m.p. 183-185°C. Calculated for C₂₂H₁₈Cl₂N₄O₂S•0.2C₄H₈O₂:

C, 65.18; H, 4.70; N, 13.34.

5 Found: C, 64.98; H, 4.80; N, 13.40.

10

20

EXAMPLE 75

4-[3-(2-Methoxy-5-phenylcarbamoyl-phenyl)-thioureido]-benzoic acid

Prepared according to the procedure described for Example 60 using 3-amino-4-methoxy-N-phenyl-benzamide (0.972 g, 4.0 mmol) and 4-carboxyphenyl isothiocyanate (0.722 g, 4.0 mmol) to afford the product (1.369 g); m.p. 201-202°C.

Calculated for C₂₂H₁₉N₃O₄S•0.25 H₂O:

C, 62.03; H, 4.61; N, 9.87.

Found: C, 61.92; H, 4.73; N, 9.59.

15 EXAMPLE 76

3-[3-(3-Acetyl-phenyl)-thioureido]-4-methoxy-N-phenyl-benzamide

Prepared according to the procedure described for Example 60 using 3-amino-4-methoxy-N-phenyl-benzamide (0.971 g, 4.00 mmol) and 3-acetylphenyl isothiocyanate (0.709 g, 4.00 mmol) to afford the product (1.135 g); m.p. 176-177°C.

Calculated for C23H21N3O3S:

C, 65.85; H, 5.05; N, 10.02.

Found: C, 65.55; H, 4.93; N, 9.83.

EXAMPLE 77

25 3-[3-(4-Chloro-3-nitrophenyl)-thioureido]-4-methoxy-N-phenyl-benzamide

Prepared according to the procedure described for Example 60 using 3-amino-4-methoxy-N-phenyl-benzamide (0.973 g, 4.00 mmol) and 4-chloro-3-nitrophenyl isothiocyanate (0.859 g, 4.00 mmol) to afford the product (1.296 g); m.p. 174-175°C.

5

10

15

20

-90-

Calculated for C₂₁H₁₇N₄O₄CIS:

C. 55.20; H. 3.75; N. 12.26.

Found: C, 55.19; H, 3.87; N, 12.29.

EXAMPLE 78

3-[3-(4-Fluorophenyl)-thioureido]-4-methoxy-N-phenyl-benzamide

A mixture of 3-amino-4-methoxybenzanilide (0.973 g, 4.00 mmol) in ethyl acetate (75 mL) was heated briefly to ~60°C. The mixture was filtered to clarity and 4-fluorophenyl isothiocyanate (0.49 mL, 4.04 mmol) was added to the filtrate. After 3 days, the mixture was concentrated until a crystalline precipitate was obtained, then allowed to stand several hours at room temperature. Filtration followed by trituration of the collected solid in ether afforded the product (0.4949 g); m.p. 182-183°C.

Calculated for C₂₁H₁₈N₃O₂FS:

C, 63.78; H, 4.59; N, 10.63.

Found: C, 63.72; H, 4.46; N, 10.45.

EXAMPLE 79

3-[3-(3,5-Dichlorophenyl)-thioureido]-4-methoxy-N-(4-methoxy-phenyl)-benzamide

A mixture of 3-amino-4-methoxy-N-(4-methoxyphenyl)-benzamide from Example 3 (0.681 g, 2.50 mmol) in ethyl acetate (80 mL) was heated briefly to 60°C then filtered to clarity and mixed with 3,5-dichlorophenyl isothiocyanate (0.511 g, 2.50 mmol). The reaction was allowed to stand for 3 days at room temperature then concentrated to two-thirds volume and allowed to stand overnight. Filtration afforded the product (0.948 g); m.p. 175-182°C.

25 Calculated for C₂₂H₁₉N₃O₃Cl₂S:

C, 55.47; H, 4.02; N, 8.82.

Found: C, 55.42; H, 3.90; N, 8.73.

-91-

EXAMPLE 80

3-[3-(3,5-Dichlorophenyl)-thioureido]-4-ethoxy-N-phenyl-benzamide

Prepared according to the procedure described for Example 60 using 3-amino-4-ethoxy-N-phenyl-benzamide from Example 10 (0.335 g, 1.30 mmol) and 3,5-dichlorophenyl isothiocyanate (0.266 g, 1.30 mmol) to give the product (0.4609 g); m.p. 201-202°C.

Calculated for C22H19N3O2Cl2S • 1/3 H2O:

C, 56.66; H, 4.25; N, 9.01.

Found: C, 56.64; H, 3.98; N, 8.87.

10

15

25

5

EXAMPLE 81

4-Methoxy-N-phenyl-3-(3-pyridin-3-yl-thioureido)-benzamide

Prepared according to the procedure described for Example 60 using 3-amino-4-methoxy-N-phenyl-benzamide (0.972 g, 4.00 mmol) and 3-pyridyl isothiocyanate (0.565 g, 4.15 mmol). Trituration in hexanes/ethyl acetate (3:2) gave the product (1.441 g); m.p. 178-179°C.

Calculated for C₂₀H₁₈N₄O₂S:

C, 63.47; H, 4.79; N, 14.80.

Found: C, 62.88; H, 4.78; N, 14.65.

EXAMPLE 82

4-[3-(2-Methoxy-5-phenylcarbamoyl-phenyl)-thioureido]-benzenesulfonic Acid

Prepared according to the procedure described for Example 60 using 3-amino-4-methoxy-N-phenyl-benzamide (0.972 g, 4.00 mmol) and 4-sulfophenyl isothiocyanate sodium salt (1.02 g, 4.0 mmol), except that dimethyl formamide was used as solvent. The dimethyl formamide was removed by rotary evaporator at 60°C to afford the product, m.p. >280°C, after trituration in ethyl acetate. Calculated for C₂₁H₁₈N₃O₅S₂Na • 1.25 H₂O • 0.67 DMF:

C, 50.16; H, 4.61; N, 9.33.

Found: C, 50.21; H, 4.32; N, 8.91.

-92-

EXAMPLE 83

4-Methoxy-3-[3-(4-methoxy-phenyl)-thioureido]-N-phenyl-benzamide

Prepared according to the procedure described for Example 60 using 3-amino-4-methoxy-N-phenyl-benzamide (0.972 g, 4.00 mmol) and 4-methoxyphenyl isothiocyanate (0.77 g, 5.16 mmol), except that after collection of the product obtained upon trituration with hexanes/ethyl acetate, an impurity was present. The impurity was removed by slurrying the solid in dichloromethane/methane 95:5 followed by filtration to afford the product (0.505 g); m.p. 168-169°C.

10 Calculated for C₂₂H₂₁N₃O₃S:

5

15

20

25

C, 64.85; H, 5.19; N, 10.31.

Found: C, 64.55; H, 5.17; N, 10.18.

EXAMPLE 84

4-Methoxy-N-phenyl-3-[3-(3-trifluoromethyl-phenyl)-thioureido]-benzamide

Prepared according to the procedure described for Example 60 using 3-amino-4-methoxy-N-phenyl-benzamide (0.972 g, 4.00 mmol) and 3-trifluoromethylphenyl isothiocyanate (0.82 g, 4.04 mmol). Trituration in hexanes/ethyl acetate gave the product (1.12 g) in two crops; m.p. 177-178°C. Calculated for C₂₂H₁₈N₃O₂F₃S:

C, 59.32; H, 4.07; N, 9.43.

Found: C, 59.33; H, 3.85; N, 9.37.

EXAMPLE 85

3-[3-(3,4-Dichlorophenyl)-thioureido]-4-methoxy-N-phenyl-benzamide

Prepared according to the procedure described for Example 60 using 3-amino-4-methoxy-N-phenyl-benzamide (0.972 g, 4.00 mmol) and 3,4-dichlorophenyl isothiocyanate (0.82 g, 4.02 mmol) to afford the product (1.40 g) in two crops; m.p. 174-175°C.

Calculated for $C_{21}H_{17}N_3O_2Cl_2S$:

C, 56.51; H, 3.84; N, 9.41.

30 Found: C, 56.54; H, 3.60; N, 9.36.

-93-

EXAMPLE 86

1-{3-[3-(3,5-Dichlorophenyl)-thioureido]-4-methoxyphenyl}-3-phenyl-urea

Prepared according to the procedure described for Example 78 using 1-(4-methoxy-3-aminophenyl)-3-phenyl-urea from Example 24, Step C (0.390 g, 1.52 mmol) and 3,5-dichlorophenyl isothiocyanate (0.311 g, 1.52 mmol). Filtration without trituration afforded the product (0.5187 g); m.p. 218-219°C. Calculated for C₂₁H₁₈N₄O₂Cl₂S:

C, 54.67; H, 3.93; N, 12.14.

Found: C, 54.73; H, 3.95; N, 11.89.

10

15

5

EXAMPLE 87

N-{3-[3-(3,5-Dichlorophenyl)-thioureido]-4-methoxy-phenyl}-benzamide

Prepared according to the procedure described for Example 78 using N-(3-amino-4-methoxyphenyl)-benzamide from Example 21 (0.88 g, 3.62 mmol) and 3,5-dichlorophenyl isothiocyanate (0.739 g, 3.62 mmol). Filtration without trituration afforded the product (1.31 g); m.p. 194-195°C.

Calculated for C₂₁H₁₇N₃O₂Cl₂S:

C, 56.51; H, 3.84; N, 9.41.

Found: C, 56.30; H, 3.74; N, 9.22.

EXAMPLE 88

20 4-Methoxy-3-[3-(4-nitrophenyl)-thioureido]-N-phenyl-benzamide

Prepared according to the procedure described for Example 60 using 3-amino-4-methoxy-N-phenyl-benzamide (0.976 g, 4.02 mmol) and 4-nitrophenyl isothiocyanate (0.723 g, 4.02 mmol) to afford the product (1.39 g) after trituration in ether; m.p. 183-184°C.

25 Calculated for C₂₁H₁₈N₄O₄S • 1/6 EtOAc:

C, 59.53; H, 4.46; N, 12.82.

Found: C, 59.01; H, 4.08; N, 12.71.

5

15

25

-94-

EXAMPLE 89

3-[3-(3,5-Bis-trifluoromethylphenyl)-thioureido]-4-methoxy-N-phenylbenzamide

Prepared according to the procedure described for Example 60 using 3-amino-4-methoxy-N-phenyl-benzamide (0.972 g, 4.00 mmol) and 3,5-di(trifluoromethyl)phenyl isothiocyanate (1.08 g, 3.98 mmol) to afford the product (1.076 g); m.p. 192-193°C.

Calculated for $C_{23}H_{17}N_3O_2F_6S$:

C, 53.80; H, 3.34; N, 8.18.

10 Found: C, 53.71; H, 3.15; N, 8.15.

EXAMPLE 90

4-Methoxy-N-phenyl-3-[3-(4-sulfamoyl-phenyl)-thioureido]-benzamide

Prepared according to the procedure described for Example 60 using 3-amino-4-methoxy-N-phenyl-benzamide (0.974 g, 4.01 mmol) and 4-isothiocyanatobenzenesulfonamide (0.858 g, 4.00 mmol) to afford the product (0.858 g); m.p. 193-195°C.

Calculated for $C_{21}H_{20}N_4O_4S_2$:

C, 55.25; H, 4.42; N, 12.27.

Found: C, 54.91; H, 4.34; N, 12.01.

20 EXAMPLE 91

${\it 3-[3-(3,5-Dichlorophenyl)-thioureido]-N-(4-fluorophenyl)-4-methoxy-benzamide}$

Prepared according to the procedure described for Example 60 using 3-amino-N-(4-fluorophenyl)-4-methoxy-benzamide from Example 8 (0.520 g, 2.00 mmol) and 3,5-dichlorophenyl isothiocyanate (0.409 g, 2.00 mmol). Filtration afforded the product (0.71 g) in two crops; m.p. 175-178°C. Calculated for C₂₁H₁₆N₃O₂Cl₂FS:

C, 54.32; H, 3.47; N, 9.05.

Found: C, 54.07; H, 3.53; N, 8.88.

-95-

EXAMPLE 92

N-(4-Chlorophenyl)-3-[3-(3,5-dichlorophenyl)-thioureido]-4-methoxybenzamide

A mixture of 3-amino-N-(4-chlorophenyl)-4-methoxy-benzamide from Example 2 (1.113 g, 4.02 mmol) and 3,5-dichlorophenyl isothiocyanate (0.820 g, 4.02 mmol) in DMF (10 mL) was allowed to stand at room temperature overnight. The mixture was then diluted with 50 mL H₂O and the precipitate collected by filtration and dried. Trituration in first ether then ethyl acetate followed by filtration afforded the product (1.19 g); m.p. 180-185°C.

10 Calculated for C₂₁H₁₆N₃O₂Cl₃S:

C, 52.46; H, 3.35; N, 8.74.

Found: C, 52.34; H, 3.51; N, 8.92.

EXAMPLE 93

3-[3-(4-Dimethylaminophenyl)-thioureido]-4-methoxy-N-phenyl-benzamide A mixture of 3-amino-4-methoxy-N-phenyl-benzamide (0.975 g.

5

15

20

4.01 mmol), 4-(dimethylamino)phenyl isothiocyanate (0.716 g. 4.00 mmol), and ethyl acetate (20 mL) was allowed to stand at room temperature. After 5 days, the mixture was concentrated to two-thirds volume by rotary evaporator, allowed to stand overnight, then heated to 80 degrees for 4 hours. The precipitate was collected by filtration and the mother liquor heated to 80 degrees for another 3 hours. More precipitate was collected by filtration and the mother liquor again heated to 80 degrees and after 7 hours allowed to cool to room temperature overnight. The remaining liquor was concentrated to dryness and the residue triturated in hexanes and the solid filtered off and washed with ethyl acetate.

25 Combination of all the lots gave the product (0.905 g); m.p. 179-180°C. Calculated for C₂₃H₂₄N₄O₂S • 0.1 M EtOAc:

C, 65.46; H, 5.82; N, 13.05.

Found: C, 65.24; H, 5.70; N, 12.86.

-96-

EXAMPLE 94

3-[3-(3,5-Dichlorophenyl)-thioureido]-4-methoxy-N-p-tolyl-benzamide

A suspension of 3-amino-4-methoxy-N-p-tolyl-benzamide from Example 7 (0.515 g, 2.01 mmol) in methylene chloride (75 mL) was heated to the boiling point, then 3,5-dichlorophenyl isothiocyanate (0.411 g, 2.01 mmol) was added, and the reaction was allowed to stand at room temperature. After 2 days, the mixture was stripped of solvent at 40°C and the residue triturated in warm methylene chloride. The solid was filtered off, redissolved in methylene chloride/methanol, and filtered to clarity. Evaporation of the solvent afforded the product (0.305 g); m.p. 178-180°C.

Calculated for $C_{22}H_{19}N_3O_2Cl_2S$:

5

10

25

C, 57.40; H, 4.16; N, 9.13.

Found: C, 56.99; H, 4.11; N, 9.07.

EXAMPLE 95

15 4-Methoxy-N-phenyl-3-(3-m-tolyl-thioureido)-benzamide

Prepared according to the procedure described for Example 60 using 3-amino-4-methoxy-N-phenyl-benzamide (0.973 g, 4.00 mmol) and 3-methylphenyl isothiocyanate (0.55 mL, 4.07 mmol) to afford the product (0.305 g) in two crops; m.p. 168-171°C.

20 Calculated for $C_{22}H_{21}N_3O_2S \cdot 0.1 \text{ M H}_2O$:

C, 67.18; H, 5.43; N, 10.69.

Found: C, 67.00; H, 5.32, N, 10.55.

EXAMPLE 96

3-[3-(3,5-Dichlorophenyl)-thioureido]-4-fluoro-N-phenyl-benzamide

Prepared according to the procedure described for Example 60 using 3-amino-4-fluoro-N-phenyl-benzamide from Example 9 (0.481 g, 2.09 mmol) and 3,5-dichlorophenyl isothiocyanate (0.427 g, 2.09 mmol). Filtration afforded the product (0.45 g) in two crops; m.p. 173-175°C.

-97-

Calculated for C₂₀H₁₄N₃OCl₂SF:

C, 55.31; H, 3.25; N, 9.67.

Found: C, 55.21; H, 3.12; N, 9.62.

EXAMPLE 97

N-(3,4-Dichlorophenyl)-3-[3-(3,5-dichlorophenyl)-thioureido]-4-methoxybenzamide

Prepared according to the procedure described for Example 78 using 3-amino-4-methoxy-N-(3,4-dichloro-phenyl)-benzamide from Example 4 (0.932 g, 3.00 mmol) and 3,5-dichlorophenyl isothiocyanate (0.335 g, 1.64 mmol).

After 2 days, filtration afforded the product (0.426 g); m.p. 189-191°C.

Calculated for C₂₁H₁₅N₃O₂Cl₄S:

C, 48.95; H, 2.93; N, 8.16.

Found: C, 48.96; H, 2.87; N, 8.05.

EXAMPLE 98

15 4-Methoxy-N-phenyl-3-(3-o-tolyl-thioureido)-benzamide

A mixture of 3-amino-4-methoxy-N-phenyl-benzamide (0.972 g, 4.00 mmol), 2-methylphenyl isothiocyanate (0.55 mL, 4.11 mmol, and ethyl acetate 20 mL) was allowed to stand at room temperature. After 4 days, the reaction was heated to 80°C for 3 hours then allowed to stand at room temperature for an additional 5 days. Filtration afforded the product (0.804 g); m.p. 172-174°C.

Calculated for C₂₂H₂₁N₃O₂S:

C, 67.50; H, 5.41; N, 10.73.

Found: C, 66.96; H, 5.47; N, 10.56.

25

20

EXAMPLE 99

3-[3-(3,5-Dimethylphenyl)-thioureido]-4-methoxy-N-phenyl-benzamide

Prepared according to the procedure described for Example 98 using 3-amino-4-methoxy-N-phenyl-benzamide (0.974 g, 4.01 mmol) and

PCT/US98/24688

-98-

3,5-dimethylphenyl isothiocyanate (0.66 g, 4.04 mmol) to afford the product (0.42 g); m.p. 203-205°C.

Calculated for C23H23N3O2S:

C, 68.12; H, 5.72; N, 10.36.

5 Found: C, 67.83; H, 5.66; N, 10.26.

EXAMPLE 100

3-[3-(3,4-Dichlorophenyl)-thioureido]-4-methoxy-N-pyridin-3-yl-benzamide

A solution of 3-amino-4-methoxy-N-pyridin-3-yl-benzamide from Example 5 (0.727 g, 2.99 mmol) and 3,5-dichlorophenyl isothiocyanate (0.611 g, 2.99 mmol) in DMF (25 mL) was allowed to stand at room temperature for 3 days. The solvent was removed in vacuo and the residue diluted with water then allowed to stand overnight. The suspended solid was filtered off and triturated successively with ethyl acetate, ether, then boiling methanol to afford the product (0.57 g); m.p. 179-180°C.

15 Calculated for C₂₀H₁₆N₄O₂Cl₂S:

C, 53.70; H, 3.61; N, 12.53.

Found: C, 53.54; H, 3.52; N, 12.43.

EXAMPLE 101

5-[3-(3,5-Dichlorophenyl)-thioureido]-2-fluoro-N-phenyl-benzamide

20

25

10

Step A: 5-Amino-2-fluoro-N-phenyl-benzamide

Prepared according to the procedure described for Example 1 using oxalyl chloride (3.0 mL, 34.39 mmol), 2-fluoro-5-nitrobenzoic acid (5.00 g, 27.01 mmol), DMF (1.0 mL, 12.92 mmol), and aniline (5.0 mL, 54.88 mmol) to afford the pure product (5.76 g); m.p. 120-122°C.

Calculated for C₁₃H₁₁N₂OF:

C, 67.82; H, 4.82; N, 12.17.

Found: C, 67.59; H, 4.80; N, 12.08.

Step C: 5-[3-(3,5-Dichlorophenyl)-thioureido]-2-fluoro-N-phenyl-benzamide

Prepared according to the procedure described for Example 60 using 5-amino-2-fluoro-N-phenyl-benzamide (0.920 g, 4.00 mmol) and 3,5-dichlorophenyl isothiocyanate (0.817 g, 4.00 mmol) to afford the product (1.52 g); m.p. 195-196°C.

5 Calculated for C₂₀H₁₄N₃OCl₂F:

C, 55.31; H, 3.25; N, 9.68.

Found: C, 55.47; H, 3.28; N, 9.43.

EXAMPLE 102

N-(3,4-Dimethylphenyl)-4-methoxy-3-(3-m-tolyl-thioureido)-benzamide

10

15

A solution of 3-amino-N-(3,4-dimethylphenyl)-4-methoxy-benzamide from Example 6 (0.541 g, 2.00 mmol) and 3-methylphenyl isothiocyanate (0.28 mL, 2.07 mmol) in ethyl acetate (35 mL) was boiled until nearly all the solvent had evaporated. Filtration after 2 days at room temperature afforded the product (0.44 g) in two crops; m.p. 155-160°C.

Calculated for C₂₄H₂₅N₃O₂S:

C, 68.71; H, 6.01; N, 10.02.

Found: C, 68.11; H, 6.09; N, 9.81.

EXAMPLE 103

N-(3,5-Dimethylphenyl)-4-methoxy-3-(3-m-tolyl-thioureido)-benzamide

20

Prepared according to the procedure described for Example 102 using 3-amino-N-(3,5-dimethylphenyl)-4-methoxy-benzamide from Example 11 (0.542 g, 2.01 mmol) and 3-methylphenyl isothiocyanate (0.28 mL, 2.07 mmol) to afford the product (0.41 g); m.p. 188-189°C.

Calculated for C₂₄H₂₅N₃O₂S:

25 C, 68.71; H, 6.01; N, 10.02.

Found: C, 68.59; H, 5.93; N, 9.85.

5

15

20

25

-100-

EXAMPLE 104

$N-(3-Chloro-4-methylphenyl)-3-[3-(3,5-dichlorophenyl)-thioureido]-\\ 4-methoxy-benzamide$

A solution of 3-amino-N-(3-chloro-4-methylphenyl)-4-methoxy-benzamide from Example 12 (0.581 g, 2.00 mmol) and 3,5-dichlorophenyl isothiocyanate (0.409 g, 2.00 mmol) in dichloromethane (40 mL) and DMF (3 mL) was allowed to stand at room temperature. After 16 hours, filtration afforded the product (0.57 g); m.p. 195-196°C.

Calculated for $C_{22}H_{18}N_3O_2Cl_3S$:

10 C, 53.40; H, 3.67; N, 8.49.

Found: C, 53.13; H, 3.54; N, 8.37.

EXAMPLE 105

N-(3,4-Dichlorophenyl)-4-methoxy-3-[3-(4-sulfamoyl-phenyl)-thioureido]-benzamide

Prepared according to the procedure described for Example 78 using 3-amino-N-(3,4-dichlorophenyl)-4-methoxy-benzamide from Example 39 (0.622 g, 2.00 mmol) and 4-isothiocyanatobenzenesulfonamide (0.428 g, 2.00 mmol). Filtration without trituration afforded the product (0.714 g); m.p. 190-193°C.

Calculated for C₂₁H₁₈N₄O₄S₂Cl₂:

C, 48.00; H, 3.45; N, 10.66.

Found: C, 47.86; H, 3.64; N, 10.40.

EXAMPLE 106

3-[3-(3,5-Dichlorophenyl)-thioureido]-4-methylsulfanyl-N-phenyl-benzamide

A solution of 3-amino-N-phenyl-4-methylsulfanyl-benzamide from Example 20 (0.327 g, 1.27 mmol) and 3,5-dichlorophenyl isothiocyanate (0.258 g, 1.26 mmol) in dichloromethane (50 mL) was briefly warmed to 40°C and then allowed to stand at room temperature. After 4 days, DMF (5 mL) was added and the mixture allowed to stand for 4 hours, then the solvent was removed in vacuo

-101-

and the residue mixed with water. Filtration afforded the product (0.3635 g); m.p. 172-175°C after trituration in ether.

Calculated for C₂₁H₁₇N₃OS₂Cl₂ • H₂O:

C, 53.50; H, 3.85; N, 8.92.

5 Found: C, 53.48; H, 3.83; N, 8.86.

EXAMPLE 107

3-[3-(3,5-Dichlorophenyl)-thioureido]-N-(3,4-difluoro-phenyl)-4-methoxy-benzamide

Prepared according to the procedure described for Example 60 using 3-amino-N-(3,4-difluorophenyl)-4-methoxy-benzamide from Example 15 (0.834 g, 3.00 mmol) and 3,5-dichlorophenyl isothiocyanate (0.6124 g, 3.00 mmol) to afford the product (1.206 g) in 3 crops; m.p. 180-183°C. Calculated for C₂₁H₁₅N₃O₂F₂Cl₂S:

C, 52.29; H, 3.13; N, 8.71.

15 Found: C, 52.02; H, 3.07; N, 8.61.

10

20

EXAMPLE 108

N-(3-Chlorophenyl)-3-[3-(4-fluorophenyl)-thioureido]-4-methoxy-benzamide

Prepared according to the procedure described for Example 100 using 3-amino-N-(3-chlorophenyl)-4-methoxy-benzamide from Example 16 (0.5545 g, 2.01 mmol) and 4-fluorophenyl isothiocyanate (0.3073 g, 2.01 mmol), and omitting the trituration in methanol to afford the product (0.775 g); m.p. 184-185°C.

Calculated for C₂₁H₁₇N₃O₂SFCl:

C, 58.67; H, 3.99; N, 9.77.

25 Found: C, 58.51; H, 3.94; N, 9.81.

-102-

EXAMPLE 109

$\label{eq:continuous} 3-[3-(3,5-Dichlorophenyl)-thioureido]-4-methoxy-N-phenyl-benzenesulfonamide$

A suspension of 3-amino-4-methoxy-N-phenyl-benzenesulfonamide (0.4514 g, 1.62 mmol) in ethyl acetate was heated until a solution was obtained. 3,5-Dichlorophenyl isothiocyanate (0.3310 g, 1.62 mmol) was added and the mixture allowed to stand at room temperature. After 4 days, the reaction was concentrated to 1/3 of its original volume and allowed to stand overnight. The solution was concentrated to an oil which was triturated with hexanes and the resulting solid filtered off, dried, and triturated in ether to afford the product (0.2275 g); m.p. 163-165°C.

Calculated for $C_{20}H_{17}N_3O_3S_2Cl_2 \cdot 0.67 H_2O$:

C, 48.58; H, 3.74; N, 8.50.

Found: C, 48.54; H, 3.70; N, 8.21.

15

20

25

30

5

10

EXAMPLE 110

4-Ethyl-N-phenyl-3-[3-(3-trifluoromethylphenyl)-thioureido]-benzamide

Prepared according to the procedure described for Example 78 using 3-amino-N-phenyl-4-ethyl-benzamide from Example 17 (0.961 g, 4.00 mmol) and 3-(trifluromethyl)phenyl isothiocyanate (0.82 g, 4.04 mmol). Filtration without trituration afforded the product (1.4641 g); m.p. 166-167°C.

Calculated for C23H20N3OSF3 • 0.43 EtOAc:

C, 61.68; H, 4.91; N, 8.73.

Found: C, 61.67; H, 4.89; N, 8.73.

EXAMPLE 111

4-Ethyl-N-(3,4-difluorophenyl)-3-[3-(3-trifluoromethyl-phenyl)-thioureido]-benzamide

Prepared according to the procedure described for Example 60 using 3-amino-N-(3,4-difluoro-phenyl)-4-ethyl-benzamide from Example 19 (1.5216 g, 5.51 mmol) and 3-(trifluoromethyl)phenyl isothiocyanate (1.12 g, 5.51 mmol) to afford the product (1.78 g); m.p. 169-170°C.

-103-

Calculated for C₂₃H₁₈N₃OSF₅ • 0.33 EtOAc:

C, 57.44; H, 4.09; N, 8.26.

Found: C, 57.24; H, 3.94; N, 8.36.

EXAMPLE 112

5 3-{3-[2-Methoxy-5-(pyridin-3-ylcarbamoyl)-phenyl]-thioureido}-benzoic acid

Prepared according to the procedure described for Example 60 using 3-amino-4-methoxy-N-pyridin-3-yl-benzamide from Example 5 (0.72 g, 3.0 mmol) and 3-carboxyphenyl isothiocyanate (0.53 g, 3.0 mmol). Trituration in ethyl acetate then hot methanol gave the product (1.0 g); m.p. 191-192°C.

10 Calculated for C₂₁H₁₈N₄O₄S • 0.66 CH₃OH:

C, 58.63; H, 4.70; N, 12.62.

Found: C, 58.54; H, 4.32; N, 12.98.

EXAMPLE 113

3-[3-(2-Methoxy-5-phenylcarbamoyl-phenyl)-thioureido]-benzoic acid

A mixture of 4-methoxy-3-amino-N-phenyl-benzamide (0.73 g, 3.0 mmol) and 3-carboxyphenyl isothiocyanate (0.54 g, 3.0 mmol) in ethyl acetate (60 mL) was warmed briefly to 50°C and then allowed to stand overnight at room temperature. The mixture was then rewarmed to 50°C, filtered, and concentrated to dryness. Trituration of the residue in ethyl acetate followed by filtration afforded the product (1.083 g); m.p. 196-197°C.

Calculated for C₂₂H₁₉N₃O₄S:

15

20

C, 62.69; H, 4.54; N, 9.97.

Found: C, 62.43; H, 4.55; N, 9.83.

EXAMPLE 114

25 3,4-Dichloro-N-{4-fluoro-3-[3-(3-trifluoromethylphenyl)-thioureido]-phenyl}-benzamide

Prepared according to the procedure described for Example 60 using 3,4-dichloro-N-(3-amino-4-fluorophenyl)-benzamide from Example 22 (0.69 g.

PCT/US98/24688

5

10

15

20

25

-104-

2.3 mmol) and 3-trifluoromethylphenyl isothiocyanate (0.47 g, 2.3 mmol) to afford the product (0.532 g); m.p. 172-174°C.

Calculated for C21H13Cl2F4N3OS:

C, 50.21; H, 2.61; N, 8.37.

Found: C, 50.30; H, 2.63; N, 8.14.

EXAMPLE 115

$3,4-Dichloro-N-\{3-[3-(3,5-dichlorophenyl)-thioureido]-4-methoxyphenyl\}-benzamide$

Prepared according to the procedure described for Example 60 using 3,4-dichloro-N-(3-amino-4-methoxyphenyl)-benzamide from Example 23, Step B (0.72 g, 2.3 mmol) and 3,5-dichlorophenyl isothiocyanate (0.47 g, 2.3 mmol) to afford the product (0.3 g) after chromatography on silica gel using hexane/ethyl acetate 3:2 as eluant; m.p. 183-186°C.

Calculated for C21H15Cl4N3O2S:

C, 48.95; H, 2.93; N, 8.16.

Found: C, 49.16; H, 3.18; N, 8.02.

EXAMPLE 116

3-(3,5-Dichloro-benzenesulfonylamino)-4-methoxy-N-(3,4-difluorophenyl)-benzamide

A solution of 3-amino-4-methoxy-N-(3,4-difluorophenyl)-benzamide from Example 15 (0.834 g, 3.00 mmol), 3,5-dichlorobenzenesulfonyl chloride (0.736 g, 3.00 mmol) and a catalytic amount of 4-dimethylaminopyridine in pyridine (10 mL) was stirred under nitrogen at room temperature. After 16 hours, the solvent was removed in vacuo and the residue shaken with a mixture of ethyl acetate and 1N HCl then filtered. The layers were separated and the organic layer washed with brine, dried with MgSO₄, concentrated to dryness, triturated in hexanes and filtered to afford a solid which was combined with that obtained in the filtration step to afford the product (1.38 g); m.p. 228-231°C.

WO 99/32433

-105-

PCT/US98/24688

Calculated for C₂₀H₁₄Cl₂F₂N₂O₄S:

C, 49.30; H, 2.90; N, 5.75.

Found: C, 48.61; H, 2.97; N, 5.58.

EXAMPLE 117

5 3-(3,5-Dichloro-benzenesulfonylamino)-4-methoxy-N-(3,4-dichlorophenyl)-benzamide

Prepared according to the procedure described for Example 116 using 3-amino-4-methoxy-N-(3,4-dichlorophenyl)-benzamide from Example 4 (0.932 g, 3.00 mmol), 3,5-dichlorobenzenesulfonyl chloride (0.737 g, 3.00 mmol) and 4-dimethylaminopyridine to afford the product (1.53 g); m.p. >230°C (dec). Calculated for C₂₀H₁₄Cl₄N₂O₄S:

C, 46.18; H, 2.71; N, 5.38.

Found: C, 47.02; H, 2.82; N, 5.37.

10

EXAMPLE 118

15 3-(3,5-Dichloro-benzenesulfonylamino)-4-methoxy-N-phenyl-benzamide

Prepared according to the procedure described for Example 116 using

3-amino-4-methoxy-N-phenyl-benzamide (0.7296 g, 3.00 mmol),

3,5-dichlorobenzenesulfonyl chloride (0.7327 g, 3.00 mmol), and

4-dimethylaminopyridine to obtain the product (1.01 g); m.p. 222-228°C.

20 Calculated for C₂₀H₁₆N₂O₄Cl₂S:

C, 53.23; H, 3.57; N, 6.21.

Found: C, 53.23; H, 3.51; N, 6.11.

EXAMPLE 119

3-Methanesulfonylamino-4-methoxy-N-(3,4-dichlorophenyl)-benzamide

Prepared according to the procedure described for Example 116 using 3-amino-4-methoxy-N-(3,4-dichlorophenyl)-benzamide from Example 4 (0.6117 g, 1.97 mmol) and methanesulfonic anhydride (0.2505 g, 1.44 mmol) for 7 days. No product was obtained in the initial filtration step. Trituration in ethyl

-106-

acetate/hexane (1:1) followed by recrystallization from ethyl acetate afforded the product (0.0639 g); m.p. 226-228°C.

Calculated for C₁₅H₁₄N₂O₄SCl₂:

C, 46.28; H, 3.63; N, 7.20.

Found: C, 46.21; H, 3.66; N, 7.11.

5

10

15

20

EXAMPLE 120

3-Benzenesulfonylamino-4-methoxy-N-phenyl-benzamide

A mixture of 3-amino-4-methoxy-N-phenyl-benzamide (0.9726 g, 4.00 mmol), triethylamine (0.56 mL, 4.02 mmol), and benzenesulfonyl chloride (0.51 mL, 4.00 mmol) in ethyl acetate (70 mL) was heated briefly to obtain a solution. The reaction was stirred overnight at room temperature under nitrogen. An additional equivalent of triethylamine and 1/2 equivalent of benzenesulfonyl chloride was added and the mixture heated to 50-60°C. After 7 hours, the solvent was removed in vacuo and the residue dissolved in ethyl acetate and washed with 1N HCl followed by saturated NaHCO₃. The organic layer was filtered, dried with MgSO₄, and stripped of solvent by rotary evaporator. Trituration of the residue in hexane/ethyl acetate (4:1) afforded the product (0.268 g); m.p. 190-194°C.

Calculated for C₂₀H₁₈N₂O₄S:

C, 62.81; H, 4.74; N, 7.32.

Found: C, 62.43; H, 4.86; N, 7.07.

EXAMPLE 121

3-(4-Methoxy-benzenesulfonylamino)-4-methoxy-N-phenyl-benzamide

A mixture of 4-methoxybenzenesulfonyl chloride (2.21 g, 10.0 mmol),

3-amino-4-methoxy-N-phenyl-benzamide (2.43 g, 10.0 mmol) and pyridine
(25 mL) was allowed to stand at room temperature until thin layer
chromatography indicated the reaction to be complete. The mixture was then
partitioned between water (400 mL) and ethyl acetate (400 mL). The layers were
separated and the organic layer washed with water (2 × 400 mL), 1N HCL

(100 mL), and brine (100 mL), dried (magnesium sulfate), filtered and stripped of

-107-

solvent. Trituration of the residue in hexanes/ethyl acetate (1:1) and filtration afforded the product (3.754 g); m.p. 184-186°C.

Calculated for C₂₁H₂₀N₂O₅S:

C, 61.15; H, 4.89; N, 6.79.

Found: C, 61.20; H, 5.03; N, 6.78.

EXAMPLE 122

3-(3-Nitro-benzenesulfonylamino)-4-methoxy-N-phenyl-benzamide

Prepared according to the procedure described for Example 121 using 3-nitrobenzenesulfonyl chloride (2.44 g, 10 mmol) and 3-amino-4-methoxy-N-phenyl-benzamide (2.43 g, 10.0 mmol) to afford the product (3.522 g); m.p. 208-210°C.

Calculated for C₂₀H₁₇N₃O₆S:

C, 56.20; H, 4.01; N, 9.83.

Found: C, 56.43; H, 4.10; N, 9.81.

15

10

5

EXAMPLE 123

3-(3-Chloro-benzenesulfonylamino)-4-methoxy-N-phenyl-benzamide

Prepared according to the procedure described for Example 121 using 3-chlorobenzenesulfonyl chloride (2.27 g, 10 mmol) and 3-amino-4-methoxy-N-phenyl-benzamide (2.43 g, 10.0 mmol) to afford the product (3.846 g);

20 m.p. 197-199°C.

Calculated for C₂₀H₁₇ClN₂O₄S:

C, 56.20; H, 4.01; N, 9.83.

Found: C, 56.43; H, 4.10; N, 9.81.

EXAMPLE 124

25 3-(4-Methyl-benzenesulfonylamino)-4-methoxy-N-phenyl-benzamide

Prepared according to the procedure described for Example 121 using 4-methylbenzenesulfonyl chloride (2.06 g, 10 mmol) and 3-amino-4-methoxy-N-phenyl-benzamide (2.43 g, 10.0 mmol) to afford the product (3.053 g); m.p. 200-202°C.

-108-

Calculated for C₂₁H₂₀N₂O₄S:

C, 63.62; H, 5.08; N, 7.07.

Found: C, 63.43; H, 5.18; N, 6.86.

EXAMPLE 125

5 3-(4-Fluoro-benzenesulfonylamino)-4-methoxy-N-phenyl-benzamide

Prepared according to the procedure described for Example 121 using 4-fluorobenzenesulfonyl chloride (2.14 g, 10 mmol) and 3-amino-4-methoxy-N-phenyl-benzamide (2.43 g, 10.0 mmol) to afford the product (3.522 g); m.p. 209-211°C.

10 Calculated for C₂₀H₁₇FN₂O₄S:

15

20

C, 59.99; H, 4.28; N, 7.00.

Found: C, 59.96; H, 4.24; N, 6.87.

EXAMPLE 126

3-(4,5-Dibromothiophene-2-sulfonylamino)-4-methoxy-N-phenyl-benzamide

Pyridine (5 mL) was added to a mixture of 3-amino-4-methoxy-N-phenyl-benzamide (0.73 g, 3.0 mmol) and 2,3-dibromothiophene-5-sulfonyl chloride (1.0 g, 3.0 mmol) and stirred under an inert atmosphere at room temperature. After 20 hours, the mixture was diluted with water (50 mL), acidified with 4N HCl, and extracted with dichloromethane (2 × 50 mL). The insoluble material was filtered off and rinsed with water. The combined extracts were washed successively with 2N HCl, water, and saturated brine, then dried over MgSO₄. The solvent was removed under reduced pressure and the residue combined with the solid from above to afford the product (0.7 g), m.p. 205-210°C, after recrystallization from ethanol.

25 Calculated for C₁₈H₁₄Br₂N₂O₄S₂ • 0.3 EtOH:

C. 39.89; H. 2.58; N. 5.00.

Found: C, 40.26; H, 2.65; N, 5.18.

-109-

EXAMPLE 127

3-(2-Chlorobenzenesulfonylamino)-4-methoxy-N-phenyl-benzamide

Pyridine (5 mL) was added to a mixture of 3-amino-4-methoxy-N-phenyl-benzamide (0.73 g, 3.0 mmol) and 2-chlorobenzenesulfonyl chloride (0.63 g, 3.0 mmol) and stirred under an inert atmosphere at room temperature. After 20 hours, the mixture was diluted with water (50 mL) and acidified with conc. HCl. After 2 hours, the mixture was extracted with dichloromethane (2 × 50 mL). The combined extracts were washed successively with dilute aqueous HCl, water, and sat. brine then dried over MgSO₄ and stripped of solvent under reduced pressure to afford the product (1.1 g); m.p. 107-109°C, after trituration in diethyl ether.

Calculated for C₂₀H₁₇ClN₂O₄S • 0.3 Ether:

C, 57.99; H, 4.59; N, 6.38.

Found: C, 57.86; H, 4.65; N, 6.16.

15

20

25

30

5

10

EXAMPLE 128

3-(4-Trifluoromethyl-benzenesulfonylamino)-4-methoxy-N-phenyl-benzamide

Pyridine (5 mL) was added to a mixture of 4-trifluoro-methylbenzenesulfonyl chloride (0.73 g, 3.0 mmol) and 3-amino-4-methoxy-N-phenyl-benzamide (0.73 g, 3.0 mmol) and stirred at room temperature. After 20 hours, the mixture was added to water (50 mL), acidified with 2N HCl, and stirred for an hour. The precipitate was filtered off, rinsed with water, and dried to afford the product (1.2 g); m.p. 197-198°C.

Calculated for C₂₁H₁₇F₃N₂O₄S:

C, 56.00; H, 3.80; N, 6.22.

Found: C, 56.01; H, 3.85; N, 6.12.

EXAMPLE 129

3-(Butane-1-sulfonylamino)-4-methoxy-N-phenyl-benzamide

Prepared according to the procedure described for Example 128 using 1-butanesulfonyl chloride (0.47 g, 3.0 mmol) and 3-amino-4-methoxy-N-phenyl-

-110-

benzamide (0.73 g, 3.0 mmol) to afford the product (1.0 g); m.p. 182-183°C after recrystallization from ethanol.

Calculated for C₁₈H₂₂N₂O₄S:

C. 59.65; H. 6.12; N. 7.73.

Found: C, 59.68; H, 6.09; N, 7.60.

EXAMPLE 130

3-(Quinoline-8-sulfonylamino)-4-methoxy-N-phenyl-benzamide

Prepared according to the procedure described for Example 126 using 8-quinolinesulfonyl chloride (0.68 g, 3.0 mmol) and 3-amino-4-methoxy-N-phenyl-benzamide (0.73 g, 3.0 mmol) to afford the product (1.0 g); m.p. 187-188°C after trituration in diethyl ether and recrystallization from ethanol. Calculated for C₂₃H₁₉N₃O₄S:

C, 63.73; H, 4.42; N, 9.69.

Found: C, 63.68; H, 4.40; N, 9.66.

15

20

5

10

EXAMPLE 131

${\it 3-(2-Acetylamino-4-methylthiazole-5-sulfonylamino)-4-methoxy-N-phenyl-benzamide}$

Prepared according to the procedure described for Example 126 using 2-acetamido-4-methyl-5-thiazolesulfonyl chloride (0.76 g, 3.0 mmol) and 3-amino-4-methoxy-N-phenyl-benzamide (0.73 g, 3.0 mmol) to afford the product (0.7 g); m.p. 260-261°C after trituration in diethyl ether.

Calculated for C₂₀H₂₀N₄O₅S₂:

C. 52.16; H. 4.38; N. 12.17.

Found: C, 52.15; H, 4.26; N, 11.87.

25

EXAMPLE 132

3-(2.5-Dichlorothiophene-3-sulfonylamino)-4-methoxy-N-phenyl-benzamide

Prepared according to the procedure described for Example 127 using 2,5-dichlorothiophene-3-sulfonyl chloride (0.75 g, 3.0 mmol) and 3-amino-

-111-

4-methoxy-N-phenyl-benzamide (0.73 g, 3.0 mmol) to afford the product (0.9 g); m.p. 189-190°C.

Calculated for C₁₈H₁₄Cl₂N₂O₄S₂:

C, 47.27; H, 3.09; N, 6.13.

5 Found: C, 47.51; H, 3.04; N, 5.91.

EXAMPLE 133

3-(Naphthalene-1-sulfonylamino)-4-methoxy-N-phenyl-benzamide

Prepared according to the procedure described for Example 127 using 1-naphthalenesulfonyl chloride (0.68 g, 3.0 mmol), 3-amino-4-methoxy-N-phenyl-benzamide (0.73 g, 3.0 mmol), and ethyl acetate instead of dichloromethane to afford the product (0.8 g); m.p. 212-213°C. Calculated for C₂₄H₂₀N₂O₄S₂:

C, 66.65; H, 4.66; N, 6.48.

Found: C, 66.48; H, 4.75; N, 6.35.

15

20

10 .

EXAMPLE 134

3-Ethanesulfonylamino-4-methoxy-N-phenyl-benzamide

Prepared according to the procedure described for Example 121 using ethanesulfonyl chloride (1.5 mL, 15.8 mmol), 3-amino-4-methoxy-N-phenylbenzamide (2.43 g, 10 mmol) and pyridine (25 mL) to afford the product (3.023 g); m.p. 175-177°C after trituration in hexanes/ethyl acetate (1:1). Calculated for $C_{16}H_{18}N_2O_4S$:

C, 57.47; H, 5.43; N, 8.38.

Found: C, 57.65; H, 5.37; N, 8.35.

EXAMPLE 135

25 3-Phenylmethanesulfonylamino-4-methoxy-N-phenyl-benzamide

Prepared according to the procedure described for Example 121 using benzylsulfonyl chloride (1.90 g, 10 mmol), 3-amino-4-methoxy-N-phenylbenzamide (2.43 g, 10 mmol), and pyridine (25 mL) to afford the product (2.5 g); m.p. 216-216°C after trituration in hexanes/ethyl acetate (1:1).

PCT/US98/24688

15

20

25

-112-

Calculated for C₂₁H₂₀N₂O₄S₂:

C, 63.62; H, 5.08; N, 7.07.

Found: C, 63.61; H, 5.00; N, 7.00.

EXAMPLE 136

5 3-(3,4-Dichloro-benzenesulfonylamino)-4-methoxy-N-phenyl-benzamide

Prepared according to the procedure described for Example 121 using 3,4-dichlorobenzenesulfonyl chloride (2.45 g, 10 mmol), 3-amino-4-methoxy-N-phenyl-benzamide (2.43 g, 10 mmol) and pyridine (25 mL) to afford the product (4.183 g); m.p. 191-193°C after trituration in hexanes/ethyl acetate (1:1).

10 Calculated for C₂₀H₁₆Cl₂N₂O₄S:

C, 53.23; H, 3.57; N, 6.21.

Found: C, 53.30; H, 3.48; N, 6.14.

EXAMPLE 137

3-(2,4-Difluoro-benzenesulfonylamino)-4-methoxy-N-phenyl-benzamide

Prepared according to the procedure described for Example 121 using 2,4-difluorobenzenesulfonyl chloride (2.19 g, 10 mmol), 3-amino-4-methoxy-N-phenyl-benzamide (2.43 g, 10 mmol), and pyridine (25 mL) to afford the product (3.532 g); m.p. 198-200°C after trituration in hexanes/ethyl acetate (1:1). Calculated for C₂₀H₁₆F₂N₂O₄S:

C, 57.41; H, 3.85; N, 6.70.

Found C, 57.52; H, 3.94; N, 6.65.

EXAMPLE 138

3-(Toluene-3-sulfonylamino)-4-methoxy-N-phenyl-benzamide

Prepared according to the procedure described for Example 121 using 3-methylbenzenesulfonyl chloride (1.91 g, 10 mmol), 3-amino-4-methoxy-N-phenyl-benzamide (2.43 g, 10 mmol), and pyridine (25 mL) to afford the product (3.587 g); m.p. 195-197°C after trituration in hexanes/ethyl acetate (1:1).

-113-

Calculated for C₂₁H₂₀N₂O₄S:

C, 63.62; H, 5.08; N, 7.07.

Found: C, 63.63; H, 5.14; N, 6.96.

EXAMPLE 139

5 3-(4-Acetylamino-benzenesulfonylamino)-4-methoxy-N-phenyl-benzamide

Prepared according to the procedure described for Example 121 using N-acetylsufanilyl chloride (2.33 g, 10 mmol), 3-amino-4-methoxy-N-phenylbenzamide (2.43 g, 10 mmol), and pyridine (25 mL) to afford the product (1.80 g); m.p. 250-251°C after trituration in hexanes/ethyl acetate (1:1).

10 Calculated for C₂₂H₂₁N₃O₅S:

C, 60.12; H, 4.82; N, 9.56.

Found: C, 60.04; H, 4.90; N, 9.47.

EXAMPLE 140

3-(Naphthalene-2-sulfonylamino)-4-methoxy-N-phenyl-benzamide

Prepared according to the procedure described for Example 121 using 2-napthalenesulfonyl chloride (2.28 g, 10 mmol), 3-amino-4-methoxy-N-phenylbenzamide (2.43 g, 10 mmol), and pyridine (25 mL) to afford the product (4.139 g); m.p. 223-225°C after trituration in hexanes/ethyl acetate (1:1). Calculated for C₂₄H₂₀N₃O₅S:

20 C, 66.65; H, 4.66; N, 6.48.

25

Found: C, 66.44; H, 4.55; N, 6.37.

EXAMPLE 141

3-(1-Methyl-1H-imidazole-4-sulfonylamino)-4-methoxy-N-phenyl-benzamide

Pyridine (25 mL) was added to a mixture of 3-amino-4-methoxy-N-phenyl-benzamide (2.43 g, 10 mmol) and 1-methylimidazole-4-sulfonyl chloride (1.82 g, 10 mmol) and the mixture agitated then allowed to stand at room temperature. After 4 days, the mixture was partitioned between ethyl acetate (400 mL) and water (400 mL). The insoluble material was collected by filtration, washed with water, and air dried. The organic extract was washed with water (2 x

PCT/US98/24688

-114-

400 mL), 1N HCl (100 mL), and brine (100 mL), then dried over magnesium sulfate, filtered, and stripped of solvent. The residue was combined with the solid obtained above to afford the product (3.07 g); m.p. 250-252°C, after trituration in hexanes/ethyl acetate (1:1).

5 Calculated for C₁₈H₁₈N₄O₅S:

C, 55.95; H, 4.70; N, 14.50.

Found: C, 55.99; H, 4.74; N, 14.53.

EXAMPLE 142

3-(Thiophene-2-sulfonylamino)-4-methoxy-N-phenyl-benzamide

10

15

Prepared according to the procedure described for Example 121 using 2-thiophenesulfonyl chloride (1.82 g, 10 mmol), 3-amino-4-methoxy-N-phenylbenzamide (2.43 g, 10 mmol), and pyridine (25 mL) to afford the product (3.457 g); m.p. 180-183°C after trituration in hexanes/ethyl acetate (1:1). Calculated for C₁₈H₁₆N₂O₄S₂:

C. 55.65; H. 4.15; N. 7.21.

Found: C, 55.80; H, 4.13; N, 7.11.

EXAMPLE 143

3-(5-Dimethylaminonaphthalene-1-sulfonylamino)-4-methoxy-N-phenylbenzamide

20

25

Pyridine (5 mL) was added to a mixture of 3-amino-4-methoxy-N-phenyl-benzamide (0.73 g, 3.0 mmol) and dansyl chloride (0.81 g, 3.0 mmol) and stirred under an inert atmosphere at room temperature. After 20 hours, the mixture was diluted with water (50 mL) and extracted with ethyl acetate (2 × 50 mL). The combined extracts were washed with water then saturated brine, then dried over MgSO₄ and stripped of solvent under reduced pressure to afford the product

(1.3·g); m.p. 231-232°C.

Calculated for C₂₆H₂₅N₃O₄S:

C, 65.67; H, 5.30; N, 8.84.

Found: C, 65.44; H, 5.29; N, 8.69.

-115-

EXAMPLE 144

2-Methoxy-5-phenylcarbamoyl-carbonic acid-phenyl ester phenyl ester

A solution of phenyl chloroformate (0.75 g, 4.8 mmol) in tetrahydrofuran (8 mL) was added dropwise to a stirred solution of 3-hydroxy-4-methoxy-N-phenyl-benzamide (1.1 g, 4.5 mmol) and 1,4-diazabicyclooctane (0.5 g, 4.5 mmol) in tetrahydrofuran (90 mL) under an inert atmosphere at ice bath temperature. The mixture was allowed to warm gradually to room temperature. After 20 hours, additional diazabicyclooctane (0.6 g, 5.3 mmol) and phenyl chloroformate (0.75 g, 4.8 mmol) were added and the mixture heated to reflux. After 20 hours, the mixture was stirred into ice water and extracted with ethyl acetate (2 × 75 mL). The combined extracts were washed successively with water, ice-cold 1N HCl, 2N K₂CO₃, and saturated brine then dried over MgSO₄. The solvent was removed under reduced pressure and the residue recrystallized from ethanol to afford the product (0.7 g); m.p. 152-153°C.

15 Calculated for C₂₁H₁₇NO₅:

C, 69.41; H, 4.72; N, 3.85.

Found: C, 69.14, H, 4.59; N, 3.91.

EXAMPLE 145

4-Hydroxy-3-phenylamino-N-phenyl-benzamide

20

25

5

10

Boron tribromide-dimethyl sulfide complex (3.1 g, 9.9 mmol) was added to a stirred suspension of 4-methoxy-3-phenylamino-N-phenyl-benzamide from Example 28 (0.9 g, 2.8 mmol) in 1,2-dichloroethane (50 mL) under an inert atmosphere, and the mixture heated to reflux. After 1.5 hours, the mixture was allowed to cool and was poured into water (125 mL) and extracted with dichloromethane (2 × 75 mL). The combined extracts were washed with water, then saturated brine, and dried over MgSO₄. The solvent was removed under reduced pressure and the residue dissolved in ethyl acetate and filtered through a short column of silica gel. The filtrate was stripped of solvent and the residue recrystallized from toluene to afford the product (0.3 g); m.p. 158-159°C.

PCT/US98/24688

5

10

20

-116-

Calculated for C₁₉H₁₁₆N₂O₂:

C, 74.98; H, 5.30; N, 9.20.

Found: C, 74.48; H, 4.95; N, 8.82.

EXAMPLE 146 (Intermediate)

3-Amino-4-trifluoromethoxy-N-(4-fluoro-phenyl)-benzamide

Step A: 3-Nitro-4-trifluoromethoxybenzoic Acid

A suspension of 4-trifluoromethoxybenzoic acid (TCI, Portland, OR) (1.0 g, 4.9 mmol) in concentrated sulfuric acid (3 mL) was stirred under an inert atmosphere at room temperature until a solution was obtained. Fuming nitric acid (1 mL) was added dropwise. After 20 hours the mixture was poured into water (100 mL) and stirred. After an hour the precipitate was filtered off, rinsed with water and dried to afford the product (0.8 g); m.p. 137-139°C. Calculated for CgH₄F₃NO₅:

C, 38.26; H, 1.61; N, 5.58.

15 Found: C, 37.89; H, 1.63; N, 5.54.

Step B: 3-Amino-4-trifluoromethoxy-N-(4-fluorophenyl)-benzamide

Prepared according to the procedure described for Example 1 using 3-nitro-4-trifluoromethoxybenzoic acid from Step A (5.1 g, 20.5 mmol), oxalyl chloride (2.1 mL, 20.5 mmol), and 4-fluoroaniline (Aldrich, Milwaukee, WI) (4.6 g, 41.1 mmol) to afford the product (5.7g); m.p. 139-140°C.

Calculated for $C_{14}H_{10}F_4N_2O_2$:

C, 53.51; H, 3.21; N, 8.91.

Found: C, 53.34; H, 3.20; N, 8.80.

EXAMPLE 147 (Intermediate)

25 3-Amino-4-trifluoromethoxy-N-phenyl-benzamide

The title compound has been made using the procedure of Example 146, but using 4-trifluoromethoxybenzoic acid and aniline as starting materials, which are commercially available from TCI and Aldrich; m.p. 160-162°C.

-117-

EXAMPLE 148

3-(3-Amino-4-methoxy-benzoylamino)-benzoic acid ethyl ester

5

10

15

20

25

The title compound has been made using the procedure of Example 1, but using 3-amino-4-methoxybenzoic acid and ethyl 3-aminobenzoate as starting materials, which are commercially available from Aldrich; m.p. 144-146°C.

EXAMPLE 149

3-(3-Amino-4-methoxy-benzoylamino)-benzoic acid methyl ester Step A: 3-(3-Nitro-4-methoxy-benzoylamino)-benzoic acid methyl ester

4-Methoxy-3-nitrobenzoic acid (5.0 g, 25 mmol) was added to thionyl chloride (20 mL) under an inert atmosphere and stirred and heated to reflux. After 2 hours the mixture was stripped to dryness by rotary evaporator, and 2 portions of benzene were successively mixed with then stripped from the residue to leave a solid. This residue was dissolved in tetrahydrofuran (20 mL) and added dropwise to a stirred solution of methyl 3-aminobenzoate (3.83 g, 25 mmol) and pyridine (2 mL) cooled in an icebath. The mixture was allowed to warm to room temperature following the addition, then the solvent was removed under reduced pressure. The residue was suspended in 1N HCl, stirred, filtered off, and washed successively with 1N HCl, 1N NaHCO₃ (2X), and water (2X). The resulting solid was boiled briefly in methanol (500 mL)then allowed to cool. Filtration afforded the product (8.0 g); m.p. 233-235°C, in sufficient purity for the next step.

STEP B: 3-(3-Amino-4-methoxy-benzoylamino)-benzoic acid methyl ester

Raney nickel (1 g) was added to a solution of 3-(3-nitro-4-methoxy-benzoylamino)-benzoic acid methyl ester from Step A (4.0 g, 12 mmol) in dimethylformamide (125 mL) and shaken at room temperature under an atmosphere of hydrogen, initially at a pressure of 50 psi, until the required amount was taken up. The catalyst was removed by filtration and the filtrate was stripped of solvent by rotary evaporator. Recrystallization of the residue from methanol (150 mL) gave the product (2.3 g); m.p. 160-162°C.

-118-

Calculated for C₁₆H₁₆N₂O₄:

C, 63.99; H, 5.37; N, 9.33.

Found: C, 63.96; H, 5.47; N, 9.29.

EXAMPLE 150

5 3,4-Difluoro-N-(3-amino-4-methoxy-phenyl)-benzamide

The title compound has been made using the procedure of Example 23, but using 3,4-difluoro-N-(3-nitro-4-fluoro-phenyl)-benzamide from the preparation of Example 151 as a starting material; m.p. 148-151°C.

EXAMPLE 151

10 3,4-Difluoro-N-(3-amino-4-fluoro-phenyl)-benzamide

The title compound has been made using the procedure of Example 22, but using 4-fluoro-3-nitroaniline and 3,4-difluorobenzoyl chloride as starting materials, which are commercially available from Aldrich; m.p. 135-142°C.

EXAMPLE 152

15 1-(3-Amino-4-methoxy-phenyl)-3-(3,4-dichloro-phenyl)-urea

The title compound has been made using the procedure of Example 24, but using 3,4-dichlorophenyl isocyanate as a starting material, which is commercially available from Aldrich; m.p. 202-204°C.

EXAMPLE 153

20 3-(4-Fluoro-phenylamino)-4-methoxy-N-phenyl-benzamide

The title compound has been made using the procedure of Example 25, but using 3-amino-4-methoxy-N-phenyl benzamide (Aldrich) and tris(4-fluorophenyl)bismuthane as starting materials; m.p. 178-180°C.

EXAMPLE 154

25 3-(3,5-Dichloro-phenylamino-4-methoxy-N-(4-fluoro-phenyl)-benzamide

Copper(II) acetate (0.5 g, 2.8 mmol) was added to a stirred mixture of 3-amino-4-methoxy-N-(4-fluoro-phenyl)-benzamide from Example 8 (0.7 g, 2.7 mmol), 3,5-dichloro-benzene boronic acid (Lancaster Synthesis, Ltd.,

-119-

Lancashire, UK) (1.0 g, 5.2 mmol), triethylamine (0.88 g, 8.6 mmol), and ~2 g of ground 4A molecular sieves in dichloromethane (50 mL) and stirred at room temperature in a flask fitted with a drying tube. After 18 hours the mixture was filtered, the residue was rinsed with dichloromethane and the filtrate stripped of solvent under reduced pressure. The residue was chromatographed on a column of silica gel in CHCl₃/EtOAc (9:1) to afford a crystalline solid which was triturated in ether, filtered off and dried to afford the product (0.13 g); m.p. 220°C. Calculated for C₂₀H₁₅Cl₂FN₂O₂:

20 13 2 2 2

C, 59.28; H, 3.73; N, 6.91.

Found: C, 58.44; H, 3.69; N, 6.57.

EXAMPLE 155

3-(4-Fluoro-phenylamino)-4-methoxy-N-(4-fluoro-phenyl)-benzamide

The title compound has been made using the procedure of Example 25, but using the title compound of Example 8 as a starting material; m.p. 193-194°C.

15

5

10

EXAMPLE 156

3-[4-Methoxy-3-(3-trifluoromethyl-phenylamino)-benzoylamino]-benzoic acid methyl ester

The title compound has been made using the procedure of Example 25, but using the title compound of Example 149 as a starting material; m.p. 128-129°C.

20

EXAMPLE 157

3-[4-Methoxy-3-(3-trifluoromethyl-phenylamino)-benzoylamino]-benzoic acid ethyl ester

The title compound has been made using the procedure of Example 25, but using the title compound of Example 148 as a starting material; m.p. 169-170°C.

25

EXAMPLE 158

4-Trifluoromethoxy-3-(3-trifluoromethyl-phenylamino)-N-phenyl-benzamide

The title compound has been made using the procedure of Example 25, but using the title compound of Example 147 as a starting material; m.p. 129-130°C.

PCT/US98/24688

5

10

15

20

-120-

EXAMPLE 159

4-Trifluoromethoxy-3-(3-trifluoromethyl-phenylamino)-N-(4-fluoro-phenyl)-benzamide

The title compound has been made using the procedure of Example 25, but using the title compound of Example 146 as a starting material; m.p. 143-144°C.

EXAMPLE 160

3,4-Dichloro-N-[4-methoxy-3-(3-trifluoromethyl-phenylamino)-phenyl]-benzamide

The title compound has been made using the procedure of Example 25, but using the title compound of Example 23 as a starting material; m.p. 151-152°C.

EXAMPLE 161

3-[3-(2-Methoxy-5-phenylcarbamoyl-phenyl)-thioureido]-benzoic acid methyl ester

The title compound has been made using the procedure of Example 60, but using 3-amino-4-methoxy-N-phenyl benzamide and 3-carbomethoxyphenyl isothiocyanate as starting materials, which are commercially available from Aldrich or Trans World Chemicals, Inc., Rockville, MD; m.p. 178-180°C.

EXAMPLE 162

3-{3-[5-(3,4-Difluoro-phenylcarbamoyl)-2-methoxy-phenyl]-thioureido}-benzoic acid

The title compound has been made using the procedure of Example 113, but using the title compound of Example 15 as a starting material; m.p. 221-222°C.

EXAMPLE 163

25 3-[3-(3,5-Dichloro-phenyl)-thioureido]-4-trifluoromethoxy- N-(4-fluoro-phenyl)-benzamide

A mixture of 3-amino-4-trifluoromethoxy-N-(4-fluoro-phenyl)-benzamide from Example 146 (0.292 g, 0.92 mmol) and 3,5-dichloro-phenyl isothiocyanate (Lancaster) (0.191 g, 0.93 mmol) was allowed to stand in ethyl acetate (25 mL)

-121-

two days at room temperature. Concentration to dryness and trituration with hexanes/ethyl acetate (4:1) followed by thin layer chromatography revealed no reaction had taken place. More 3,5-dichlorophenyl isothiocyanate (0.23 g, 1.13 mmol) was added, and the neat reaction mixture was heated on a steam-bath. Ethyl acetate (25 mL) was added and boiled to dryness. Trituration with hexanes/ethyl acetate (1:1) gave the product (0.120 g); m.p. 165-166°C. Calculated for C₂₁H₁₃Cl₂F₄N₃O₂S:

C, 48.66; H, 2.53; N, 8.11.

Found: C, 48.44; H, 2.45; N, 7.89.

10

15

20

25

5

EXAMPLE 164

3-[3-(3-Trifluoromethyl-phenyl-thioureido]-4-trifluoro-methoxy-N-(4-fluorophenyl)-benzamide

A mixture of 3-trifluoromethylphenyl isothiocyanate (Trans World) (0.35 g, 1.7 mmol) and 3-amino-4-trifluoromethoxy-N-(4-fluoro-phenyl)-benzamide from Example 146 (0.5 g, 1.6 mmol) in ethyl acetate (25 mL) was stirred under an inert atmosphere at room temperature for 40 hours then heated to reflux. After 15 hours an additional amount (0.35 g, 1.7 mmol) of the isothiocyanate was added and the mixture stirred at room temperature. After several days the mixture was concentrated on a steambath to a thick oil. Upon cooling the residue partially crystallized, and was triturated in hexane then allowed to stand overnight. Filtration afforded a solid which was chromatographed on silica gel in CHCl₃/EtOAc (9:1) to afford the product (0.39 g); m.p. 153-154°C.

Calculated for C₂₂H₁₄F₇N₃O₂S:

C, 51.07; H, 2.73; N, 8.12.

Found: C, 51.41; H, 2.97; N, 7.92.

EXAMPLE 165

4-{3-[5-(3,4-Difluoro-phenylcarbamoyl)-2-methoxy-phenyl]-thioureido}-benzenesulfonic acid, sodium salt

PCT/US98/24688

5

10

15

25

The title compound has been made using the procedure of Example 82, but using the title compound of Example 15 as a starting material; m.p. >280°C.

EXAMPLE 166

 $\label{lem:condition} $4-\{3-[5-(4-Fluoro-phenylcarbamoyl)-2-methoxy-phenyl]-thioureido}-benzoic acid$

The title compound has been made using the procedure of Example 113, but using the title compound of Example 8 as a starting material; m.p. 203-205°C.

EXAMPLE 167

3-{3-[5-(4-Fluoro-phenylcarbamoyl)-2-methoxy-phenyl]-thioureido}-benzoic acid

The title compound has been made using the procedure of Example 113, but using the title compound of Example 8 as a starting material; m.p. 218-220°C.

EXAMPLE 168

 $\label{lem:condition} \begin{tabular}{l} 4-\{3-[5-(3,4-Difluoro-benzoylamino)-2-methoxy-phenyl]-thioureido} -benzoic acid \end{tabular}$

The title compound has been made using the procedure of Example 102, but using the title compound of Example 150 as a starting material; m.p. 200-203°C.

EXAMPLE 169

20 3-{3-[5-(3,4-Difluoro-benzoylamino)-2-methoxy-phenyl]-thioureido}-benzoic acid

The title compound has been made using the procedure of Example 102, but using the title compound of Example 150 as a starting material; m.p. 218-220°C.

EXAMPLE 170

 $N-\{3-[3-(3,5-Dichloro-phenyl)-thioureido]-4-fluoro-phenyl\}-3,4-difluoro-phenyl\}-3,4-difluoro-phenyl$

-123-

The title compound has been made using the procedure of Example 113, but using the title compound of Example 151 as a starting material; m.p. 197°C.

EXAMPLE 171

1-(3,4-Dichloro-phenyl)-3-{3-[3-(3,5-dichloro-phenyl)-thioureido]-4-methoxy-phenyl}-urea

The title compound has been made using the procedure of Example 102, but using the title compound of Example 152 as a starting material; m.p. 202°C.

EXAMPLE 172

3-(3-{5-[3-(3,4-Dichloro-phenyl)-ureido]-2-methoxy-phenyl}-thioureido)-benzoic acid methyl ester

The title compound has been made using the procedure of Example 102, but using the title compound of Example 152 as a starting material; m.p. 193-194°C.

EXAMPLE 173

3-(3-{5-[3-(3,4-Dichloro-phenyl)-ureido]-2-methoxy-phenyl}-thioureido)-benzoic acid

The title compound has been made using the procedure of Example 102, but using the title compound of Example 152 as a starting material; m.p. 209-211°C.

20 EXAMPLE 174

5

10

1-{3-[3-(3,5-Bis-trifluoromethyl-phenyl)-thioureido]-4-methoxy-phenyl}-3-(3,4-dichloro-phenyl)-urea

The title compound has been made using the procedure of Example 113, but using the title compound of Example 152 as a starting material; m.p. 181°C.

25 EXAMPLE 175

 $1-\{3-[3-(4-Chloro-3-nitro-phenyl)-thioureido]-4-methoxy-phenyl\}-3-\{3,4-dichloro-phenyl\}-urea$

PCT/US98/24688

5

10

15

-124-

The title compound has been made using the procedure of Example 113, but using the title compound of Example 152 as a starting material; m.p. 162-170°C.

EXAMPLE 176

3-[3-(3,5-Dichloro-phenyl)-thioureido]-4-methoxy-benzoic acid benzyl ester Step A: 4-Methoxy-3-nitro-benzoic acid benzyl ester

The acid chloride prepared as in Example 1, Step A (15.07g, 162 mmol) was dissolved in tetrahydrofuran (150 mL, and 2.0 M benzylmagnesium chloride in tetrahydrofuran was added to the rapidly stirred solution. After 1 hour the reaction was quenched with saturated aqueous ammonium chloride solution. The mixture was diluted with ethyl acetate (700 mL), the layers were separated, the organic layer washed with 1N potassium hydroxide and brine, dried (magnesium sulfate), filtered and concentrated to leave an oil. The oil was filtered through silica gel using ethyl acetate as eluant and the nonpolar fractions were chromatographed 2 times on silica gel in hexanes/ethyl acetate, first (1:1), then (4:1). Concentration of the eluant followed by trituration with hexanes and a little ethyl acetate afforded the product (1.655 g).

Calculated for C₁₅H₁₃NO₅:

C, 62.27; H, 4.56; N, 4.88.

20 Found: C, 62.15; H, 4.46; N, 4.75.

Step B: 3-Amino-4-methoxy-benzoic acid benzyl ester

The product from Step A (1.52 g, 5.3 mmol) was reacted according to the procedure for Example 9, Step B to give the product (1.05 g) as an oil. Calculated for C₁₅H₁₅NO₃:

25 C, 70.02; H, 5.88; N, 5.44. Found: C, 70.22; H, 5.96; N, 5.31.

Step C: 3-[3-(3,5-Dichloro-phenyl)-thioureido]-4-methoxy-benzoic acid benzyl ester

The product from Step B (0.1405 g, 0.55 mmol) was reacted according to

-125-

the procedure for Example 60 with 3,5-dichlorophenyl isothiocyanate (0.128 g, 0.88 mmol) to give the product (0.214 g); m.p.144-145°C.

Calculated for C₂₂H₁₈Cl₂N₂O₂S:

C, 57.27; H, 3.93; N, 6.07.

5 Found: C, 57.32; H, 4.09; N, 5.84.

10

15

EXAMPLE 177

3-(Dodecane-1-sulfonylamino)-4-methoxy-N-phenyl-benzamide

The title compound has been made using the procedure of Example 126, but using 3-amino-4-methoxy-N-phenyl benzamide and 1-dodecanesulfonyl chloride as starting materials, which are commercially available from Aldrich and Alfa; m.p. 156-157°C.

EXAMPLE 178

4-Methoxy-3-(octane-1-sulfonylamino)-N-phenyl-benzamide

The title compound has been made using the procedure of Example 127, but using 3-amino-4-methoxy-N-phenyl benzamide and 1-octanesulfonyl chloride as a starting material, which are commercially available from Aldrich and Lancaster; m.p. 154-155°C.

EXAMPLE 179

3-(Decane-1-sulfonylamino)-4-methoxy-N-phenyl-benzamide

The title compound has been made using the procedure of Example 128, but using 3-amino-4-methoxy-N-phenyl benzamide and 1-decanesulfonyl chloride as starting materials, which are commercially available from Aldrich and Lancaster; m.p. 160-161°C.

EXAMPLE 180

25 3-(3-Nitro-benzenesufonylamino)-4-methoxy-N-(3,4-difluoro-phenyl)-benzamide

The title compound has been made using the procedure of Example 121, but using the title compound of Example 15 as a starting material; m.p. 220-222°C.

-126-

EXAMPLE 181

3,5-Dichloro-N-{5-[3-(3,4-dichloro-phenyl)-ureido]-2-methoxy-phenyl}-benzenesulfonamide

The title compound has been made using the procedure of Example 121, but using the title compound of Example 4 as a starting material; m.p. 225-227°C.

EXAMPLE 182

3-(1-Methylethyl-1-sulfonylamino)-4-methoxy-N-phenyl-benzamide

5

10

15

20

The title compound has been made using the procedure of Example 121, but using 3-amino-4-methoxy-N-phenyl benzamide and isopropylsulfonyl chloride as a starting material, which are commercially available from Aldrich; m.p. 135-140°C.

EXAMPLE 183

4-(2-Methoxy-5-phenylcarbamoyl-phenylsulfamoyl)-benzoic acid

The title compound has been made using the procedure of Example 121, but using 3-amino-4-methoxy-N-phenyl benzamide and 4-carboxybenzenesulfonyl chloride as starting materials, which are commercially available from Aldrich; m.p. 212-214°C.

EXAMPLE 184

3-(Octadecane-1-sulfonylamino)-4-methoxy-N-phenyl-benzamide

The title compound has been made using the procedure of Example 121, but using 3-amino-4-methoxy-N-phenyl benzamide and 1-octadecanesulfonyl chloride as starting materials, which are commercially available from Aldrich and Lancaster; m.p. 154-156°C.

EXAMPLE 185

25 3-(3-Amino-benzenesulfonylamino)-4-methoxy-N-(3,4-difluoro-phenyl)-benzamide

The title compound has been made using the procedure of Example 9, but using the title compound of Example 180 as a starting material; m.p. 212-214°C.

-127-

EXAMPLE 186

4-Methoxy-3-(4-nitro-benzenesulfonylamino)-N-(3,4-difluoro-phenyl)-benzamide

5

10

15

The title compound has been made using the procedure of Example 121, but using the title compound of Example 15 as a starting material; m.p. 234-236°C.

EXAMPLE 187

3-(4-Cyano-benzenesulfonylamino)-4-methoxy-N-(3,4-difluoro-phenyl)-benzamide

The title compound has been made using the procedure of Example 121, but using the title compound of Example 15 as a starting material; m.p. 228-230°C.

EXAMPLE 188

4-Methoxy-3-(4-nitro-benzenesulfonylamino)-N-phenyl-benzamide

The title compound has been made using the procedure of Example 121, but using 3-amino-4-methoxy-N-phenyl benzamide and 4-nitrobenzenesulfonyl chloride as starting materials, which are commercially available from Aldrich; m.p. 224-227°C.

EXAMPLE 189

20 3-(3-Cyano-benzenesulfonylamino)-4-methoxy-N-(4-fluoro-phenyl)-benzamide

The title compound has been made using the procedure of Example 121, but using the title compound of Example 8 as a starting material; m.p. 221-225°C.

EXAMPLE 190

25 4-Methoxy-3-(3-nitro-benzenesulfonylamino)-N-(4-fluoro-phenyl)-benzamide

The title compound has been made using the procedure of Example 121, but using the title compound of Example 8 as a starting material; m.p. 221-240°C.

-128-

EXAMPLE 191

4-Methoxy-3-(4-nitro-benzenesulfonylamino)-N-(4-fluoro-phenyl)-benzamide

The title compound has been made using the procedure of Example 121, but using the title compound of Example 8 as a starting material; m.p. 208-211°C.

5

10

15

20

25

EXAMPLE 192

3-(4-Cyano-benzenesulfonylamino)-4-methoxy-N-phenyl-benzamide

The title compound has been made using the procedure of Example 121, but using 3-amino-4-methoxy-N-phenyl benzamide and 4-cyanobenzenesulfonyl chloride as starting materials, which are commercially available from Aldrich or Maybridge Chemical Company. Ltd., Cornwall, UK; m.p. 206-208°C.

EXAMPLE 193

3-(4-Cyano-benzenesulfonylamino)-4-methoxy-N-(4-fluoro-phenyl)-benzamide

The title compound has been made using the procedure of Example 121, but using the title compound of Example 8 as a starting material; m.p. 131-135°C.

EXAMPLE 194

3-(Dodecane-1-sulfonylamino)-4-methoxy-N-(3,4-dichloro-phenyl)-benzamide

Pyridine (5 mL) was added to a mixture of 1-dodecane-sulfonyl chloride (Maybridge) (0.8 g, 3.0 mmol) and 3-amino-4-methoxy-N-(3,4-dichloro-phenyl)-benzamide from Example 4 (0.73 g, 3.0 mmol) and stirred at room temperature. After 5 days the mixture was heated on a steambath for 1.5 hours, allowed to cool, and added to water (150 mL), acidified with 4N HCl, and stirred for an hour. The precipitate was filtered off, rinsed with water then with ethanol and dried to afford the product (1.3 g); m.p. 151-152°C after recrystallization from ethanol and chromatography on silica gel in CHCl₃/EtOAc (9:1).

Calculated for C₂₆H₃₆Cl₂N₂O₄S:

C, 57.45; H, 6.68; N, 5.15.

Found: C, 57.68; H, 6.67; N, 4.90.

-129-

EXAMPLE 195

3-(3-Cyano-benzenesulfonylamino)-4-methoxy-N-phenyl-benzamide

5

10

15

20

The title compound has been made using the procedure of Example 121, but using 3-amino-4-methoxy-N-phenyl benzamide and 3-cyanobenzenesulfonyl chloride as starting materials, which is commercially available from Aldrich or Maybridge; m.p. 195-197°C.

EXAMPLE 196

3,4-Dichloro-N-[4-methoxy-3-(4-methoxy-benzenesulfonylamino)-phenyl]-benzamide

The title compound has been made using the procedure of Example 121, but using the title compound of Example 23 as a starting material; m.p. 225-227°C.

EXAMPLE 197

3,4-Dichloro-N-[4-methoxy-3-(toluene-4-sulfonylamino)-phenyl]-benzamide

The title compound has been made using the procedure of Example 121, but using the title compound of Example 23 as a starting material; m.p. 228-230°C.

EXAMPLE 198

3,4-Difluoro-N-[4-methoxy-3-(3-amino-benzenesulfonylamino)-phenyl]-benzamide

The title compound has been made using the procedure of Example 121/9B, but using the title compound of Example 150 as a starting material; m.p. 205-209°C.

EXAMPLE 199

25 3,4-Difluoro-N-[4-methoxy-3-(4-amino-benzenesulfonylamino)-phenyl]-benzamide

The title compound has been made using the procedure of Example 121/9B, but using the title compound of Example 150 as a starting material; m.p. 229-231°C.

-130-

EXAMPLE 200

3,4-Difluoro-N-[4-methoxy-3-(1-dodecane-sulfonylamino)-phenyl]-benzamide

The title compound has been made using the procedure of Example 143, but using the title compound of Example 150 as a starting material; m.p. 132°C.

5

10

15

EXAMPLE 201

${\bf 3,4-Difluoro-N-[4-methoxy-3-(chloromethyl-sulfonylamino)-phenyl]-benzamide}$

The title compound has been made using the procedure of Example 143, but using the title compound of Example 150 as a starting material; m.p. 191-193°C.

EXAMPLE 202

3,4-Difluoro-N-[4-methoxy-3-(4-nitro-benzenesulfonylamino)-phenyl]-benzamide

The title compound has been made using the procedure of Example 121, but using the title compound of Example 150 as a starting material; m.p. 231-249°C.

EXAMPLE 203

3,4-Difluoro-N-[4-methoxy-3-(3-nitro-benzenesulfonylamino)-phenyl]-benzamide

20

The title compound has been made using the procedure of Example 121, but using the title compound of Example 150 as a starting material; m.p. 150-160°C.

EXAMPLE 204

${\bf 3,4-Difluoro-N-[3-(4-cyano-benzene sulfony lamino)-4-methoxy-phenyl]-}$

25 benzamide

The title compound has been made using the procedure of Example 121, but using the title compound of Example 150 as a starting material; m.p. 255-257°C.

-131-

EXAMPLE 205

3,4-Difluoro-N-[3-(3-cyano-benzenesulfonylamino)-4-methoxy-phenyl]-benzamide

5

10

15

20

25

The title compound has been made using the procedure of Example 121, but using the title compound of Example 150 as a starting material; m.p. 212-214°C.

EXAMPLE 206

3,4-Difluoro-N-[4-fluoro-3-(thiophene-2-sulfonylamino)-phenyl]-benzamide

The title compound has been made using the procedure of Example 121, but using the title compound of Example 151 as a starting material; m.p. 202-203°C.

EXAMPLE 207

Thiophene-2-sulfonic acid {5-[3-(3,4-dichloro-phenyl)-ureido]-2-methoxy-phenyl}-amide

The title compound has been made using the procedure of Example 143, but using the title compound of Example 152 as a starting material; m.p. 205-208°C.

EXAMPLE 208

3-(3,5-Dichloro-benzenesulfonylamino)-4-methoxy-N-phenyl-thiobenzamide

A mixture of 3-(3,5-dichloro-benzenesulfonylamino)-4-methoxy-N-phenyl-benzamide from Example 118 (3.61 g, 8.0 mmol) and Lawesson's reagent (3.57 g, 8.8 mmol) was stirred at room temperature overnight in tetrahydrofuran (250 mL). The reaction mixture was warmed to 50°C for about one hour, then to 65°C for about 4 hours then stirred at room temperature overnight. The mixture was concentrated to dryness and the residue dissolved in ethyl acetate and filtered through silica gel. Concentration of the eluant followed by trituration in hexanes/ethyl acetate (1:1) afforded the crude product (3.06 g). A portion (0.8 g) of this was chromatographed on silica gel in hexanes/ethyl acetate (1:1) to afford a pure sample (0.324 g); m.p. 206-208°C.

5

10

15

20

25

-132-

Calculated for C₂₀H₁₆Cl₂N₂O₃S₂:

C, 51.40; H, 3.45; N, 5.99.

Found: C, 51.40; H, 3.66; N, 5.54.

EXAMPLE 209

3,5-Dichloro-N-(2-methoxy-5-phenylaminomethyl-phenyl)benzenesulfonamide

A mixture of 3-(3,5-dichloro-benzenesulfonylamino)-4-methoxy-N-phenyl-thiobenzamide from Example 208 (1.0 g, 2.1 mmol) and Raney Nickel (21 g) in ethanol (80 mL) was stirred at 50 degrees for 1.5 hours and then for 3 days at room temperature. The reaction mixture was filtered through Celite, concentrated to dryness, dissolved in ethyl acetate/methanol/tetrahydrofuran, filtered and concentrated to an oil. The oil was filtered through silica gel twice, first in hexanes/ethyl acetate (3:1), then in hexanes/ethyl acetate (85:15). Concentration of the eluant followed by trituration in hexanes/ethyl acetate gave the product 8/31/9811/6/98 (0.100 g); m.p. 105-108°C.

Calculated for C₂₀H₁₈Cl₂N₂O₃S:

C, 54.93; H, 4.15; N, 6.41.

Found: C, 55.40; H, 4.23; N, 6.30.

EXAMPLE 210

3-(3-Hydroxy-benzylamino)-4-methoxy-N-(3,4-difluoro-phenyl)-benzamide

The title compound has been made using the procedure of Example 50, but using the title compound of Example 15 as a starting material; m.p. 160-163°C.

EXAMPLE 211

3-(4-Diethylamino-benzylamino)-4-methoxy-N-phenyl-benzamide

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and 4-diethylaminobenzaldehyde as starting materials, which are commercially available from Aldrich; m.p. 180-181°C.

-133-

EXAMPLE 212

3-(3-Fluoro-benzylamino)-4-methoxy-N-(3,4-difluoro-phenyl)-benzamide

The title compound has been made using the procedure of Example 50, but using the title compound of Example 15 as a starting material 172-174°C.

5

10

15

EXAMPLE 213

3-(3-Hydroxy-benzylamino)-4-methoxy-N-phenyl-benzamide

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and 3-hydroxybenzaldehyde as starting materials, which are commercially available from Aldrich; m.p. 168-170°C.

EXAMPLE 214

4-Methoxy-3-(3-fluoro-benzylamino)-N-phenyl-benzamide

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and 3-fluorobenzaldehyde as starting materials, which are commercially available from Aldrich; m.p. 137-140°C.

EXAMPLE 215

4-Methoxy-3-(3-nitro-benzylamino)-N-phenyl-benzamide

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and 3-nitrobenzaldehyde as starting materials, which are commercially available from Aldrich; m.p. 172-175°C.

EXAMPLE 216

4-Methoxy-3-(4-methoxy-benzylamino)-N-phenyl-benzamide

25

20

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and 4-methoxybenzaldehyde as starting materials, which are commercially available from Aldrich; m.p. 173-174°C.

PCT/US98/24688

5

10

15

20

25

-134-

EXAMPLE 217

4-Methoxy-3-[(naphthalen-1-ylmethyl)-amino]-N-phenyl-benzamide

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and 1-naphthaldehyde as starting materials, which are commercially available from Aldrich; m.p. 172-174°C.

EXAMPLE 218

4-Methoxy-3-(3,5-dimethyl-benzylamino)-N-phenyl-benzamide

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and 3,5-dimethylbenzaldehyde as starting materials, which are commercially available from Aldrich or Lancaster; m.p. 168-170°C.

EXAMPLE 219

3-(2,3-Difluoro-benzylamino)-4-methoxy-N-phenyl-benzamide

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and 2,3-difluorobenzaldehyde as starting materials, which are commercially available from Aldrich; m.p. 134-135°C.

EXAMPLE 220

Acetic acid 4-[(2-methoxy-5-phenylcarbamoyl-phenylamino)-methyl]-phenyl ester

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and 4-acetoxybenzaldehyde as starting materials, which are commercially available from Aldrich; m.p. 193-195°C.

EXAMPLE 221

4-[(2-Methoxy-5-phenylcarbamoyl-phenylamino)-methyl]-benzoic acid methyl ester

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide or 4-carbomethoxybenzaldehyde

-135-

as starting materials, which are commercially available from Aldrich; m.p. 170-172°C.

EXAMPLE 222

3-[(Furan-3-ylmethyl)-amino]-4-methoxy-N-phenyl-benzamide

5

10

25

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and 2-furaldehyde as starting materials, which are commercially available from Aldrich; m.p. 188-190°C.

EXAMPLE 223

4-Methoxy-3-(2-methyl-benzylamino)-N-phenyl-benzamide

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and 2-methylbenzaldehyde as starting materials, which are commercially available from Aldrich; m.p. 167-169°C.

EXAMPLE 224

15 4-Methoxy-3-(4-fluoro-benzylamino)-N-phenyl-benzamide

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and 4-fluorobenzaldehyde as starting materials, which are commercially available from Aldrich; m.p. 165-167°C.

20 EXAMPLE 225

3-(4-Hydroxy-3-nitro-benzylamino)-4-methoxy-N-phenyl-benzamide

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and 3-nitro-4-hydroxybenzaldehyde as starting materials, which are commercially available from Aldrich; m.p. 175-176°C.

EXAMPLE 226

3-(4-Diethylamino-benzylamino)-4-methoxy-N-(3,4-difluoro-phenyl)-benzamide

-136-

The title compound has been made using the procedure of Example 50, but using the title compound of Example 15 as a starting material; m.p. 165-167°C.

EXAMPLE 227

3-Benzylamino-4-methoxy-N-(3,4-difluoro-phenyl)-benzamide

5

10

15

The title compound has been made using the procedure of Example 50, but using the title compound of Example 15 as a starting material; m.p. 176-178°C.

EXAMPLE 228

3-(3-Hydroxy-4-nitro-benzylamino)-4-methoxy-N-phenyl-benzamide

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and 3-hydroxy-4-nitrobenzaldehyde as starting materials, which are commercially available from Aldrich; m.p. 140-143°C.

EXAMPLE 229

3-(3-Cyano-benzylamino)-4-methoxy-N-phenyl-benzamide

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and 3-cyanobenzaldehyde as starting materials, which are commercially available from Aldrich; m.p. 172-174°C.

EXAMPLE 230

3-{[5-(3,4-Difluoro-phenylcarbamoyl)-2-methoxy-phenylamino]-methyl}-benzoic acid

The title compound has been made using the procedure of Example 50, but using the title compound of Example 15 as a starting material; m.p. 240-243°C.

EXAMPLE 231

25 3-(3-Chloro-benzylamino)-4-methoxy-N-phenyl-benzamide

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and 3-chlorobenzaldehyde as

-137-

starting materials, which are commercially available from Aldrich; m.p. 203-205°C.

EXAMPLE 232

3-(4-tert-Butyl-benzylamino)-4-methoxy-N-phenyl-benzamide

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and 4-tert-butylbenzaldehyde as starting materials, which are commercially available from Aldrich; m.p. 195-197°C.

EXAMPLE 233

10 3-(4-Cyano-benzylamino)-4-methoxy-N-phenyl-benzamide

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and 4-cyanobenzaldehyde as starting materials, which are commercially available from Aldrich; m.p.130-133°C.

15

5

EXAMPLE 234

4-{[5-(3,4-Difluoro-phenylcarbamoyl)-2-methoxy-phenylamino]-methyl}-benzoic acid

The title compound has been made using the procedure of Example 50, but using the title compound of Example 15 as a starting material; m.p. >240°C.

20

25

EXAMPLE 235

4-Methoxy-3-(4-propoxy-benzylamino)-N-phenyl-benzamide

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and 4-n-propoxybenzaldehyde as starting materials, which are commercially available from Aldrich; m.p. 154-156°C.

EXAMPLE 236

3-[(Biphenyl-4-ylmethyl)-amino]-4-methoxy-N-phenyl-benzamide

-138-

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and 4-phenylbenzaldehyde as starting materials, which are commercially available from Aldrich; m.p. 222-223°C.

5

10

15

20

25

EXAMPLE 237

4-Methoxy-3-(4-methyl-benzylamino)-N-phenyl-benzamide

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and 4-methylbenzaldehyde as starting materials, which are commercially available from Aldrich; m.p. 184-186°C.

EXAMPLE 238

4-Methoxy-3-(2-methoxy-benzylamino)-N-phenyl-benzamide

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and 2-methoxybenzaldehyde as starting materials, which are commercially available from Aldrich; m.p. 177-179°C.

EXAMPLE 239

3-(4-Butyl-benzylamino)-4-methoxy-N-phenyl-benzamide

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and 4-n-butylbenzaldehyde as starting materials, which are commercially available from Aldrich; m.p. 171-173°C.

EXAMPLE 240

3-(3-Fluoro-benzylamino)-4-methoxy-N-(3,4-dichloro-phenyl)-benzamide

The title compound has been made using the procedure of Example 50, but using the title compound of Example 15 as a starting material; m.p. 153-155°C.

EXAMPLE 241

3-[(2-Methoxy-5-phenylcarbamoyl-phenylamino)-methyl]-benzoic acid

-139-

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and 3-carboxybenzaldehyde as starting materials, which are commercially available from Aldrich; m.p. 210-212°C.

5

10

15

20

EXAMPLE 242

3-(3,4-Dimethyl-benzylamino)-4-methoxy-N-phenyl-benzamide

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and 3,4-dimethylbenzaldehyde as starting materials, which are commercially available from Aldrich or Maybridge; m.p. 163-164°C.

EXAMPLE 243

3-(4-Isopropyl-benzylamino)-4-methoxy-N-phenyl-benzamide

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and 4-isopropylbenzaldehyde as starting materials, which are commercially available from Aldrich; m.p. 174-176°C.

EXAMPLE 244

3,4-Dichloro-N-[3-(3-fluoro-benzylamino)-4-methoxy-phenyl]-benzamide

The title compound has been made using the procedure of Example 50, but using the title compound of Example 23 as a starting material; m.p. 197-199°C.

EXAMPLE 245

3,4-Difluoro-N-[3-(3-hydroxy-benzylamino)-4-methoxy-phenyl]-benzamide

The title compound has been made using the procedure of Example 50, but using the title compound of Example 150 as a starting material; m.p. 174-176°C.

25

EXAMPLE 246

3-{[5-(3,4-Difluoro-benzoylamino)-2-methoxy-phenylamino]-methyl}-benzoic acid

-140-

The title compound has been made using the procedure of Example 50, but using the title compound of Example 150 as a starting material; m.p. 218-221°C.

EXAMPLE 247

3-[3-(3,5-Dichloro-phenyl)-thioureidomethyl]-4-methoxy-N-phenyl-

5 benzamide

10

15

20

30

Step A: 4-Methoxy-3-cyanobenzoic Acid

A mixture of 4-methoxy-3-cyanomethyl benzoate (Maybridge) (9.94 g, 52 mmol) and 1N sodium hydroxide (51 mL) in water (150 mL) was heated briefly to 50°C, then water was added until the solution just became cloudy. After 5 days at room temperature the mixture was stripped of methanol, diluted with water (200 mL), and extracted once with ethyl acetate (discarded). The aqueous solution was acidified with 1N HCl then extracted with ethyl acetate (400 mL). The extract was washed with brine, dried over magnesium sulfate, filtered and stripped of solvent. Trituration of the residue in hexanes/ethyl acetate and filtration gave the product (6.79 g).

Calculated for C9H7NO3:

C, 61.02; H, 3.98; N, 7.91.

Found: C, 61.10; H, 3.97; N, 7.93.

Step B: 4-Methoxy-3-cyano-N-phenyl-benzamide

Prepared according to the procedure described for Example 1, Step A using 4-methoxy-3-cyanobenzoic acid from Step A above to afford the product
(1.781 g).

Calculated for C₁₅H₁₂N₂O₂:

C, 71.42; H, 4.79; N, 11.10.

25 Found: C, 71.10; H, 4.80; N, 11.02.

Step C: 4-Methoxy-3-aminomethyl-N-phenyl-benzamide

The product from Step B above (1.64 g, 6.5 mmol) was exposed to hydrogen gas (46 psi) in the presence of Raney Nickel (2 g) until gas uptake ceased. Concentration of the reaction mixture afforded the crude product (1.43 g). The product was purified by conversion to its N-t-butyloxy-carbonyl derivative,

-141-

prepared as follows. The amine (1.43 g, 5.6 mmol) was treated with di-t-butyldicarbonate (1.68 g, 7.8 mmol) in dioxane/water (1:1), (110 mL) initially at 50°C and then at room temperature for 3 days. The dioxane was removed by rotary evaporator and the residue extracted with ethyl acetate (150 mL). The organic extract was washed with 10% citric acid solution (50 mL), sodium bicarbonate solution (100 mL), and brine (50 mL), then dried over magnesium sulfate, filtered, and stripped of solvent. Trituration of the resulting solid in hexanes containing a few mL of ethyl acetate gave the carbamate (1.61 g). The carbamate (1.29 g, 3.6 mmol) was dissolved in dichloromethane (50 mL) and hydrogen chloride gas was bubbled in for about 3 minutes. The flask was stoppered and stirred at room temperature for 4 hours. The precipitate was collected by filtration washed successively with dichloromethane, ether and hexanes to afford the product (1.043 g).

Calculated for C₁₅H₁₆N₂O₂·HCl:

C, 61.54; H, 5.85; N, 9.57.

5

10

15

20

25

Found: C, 60.03; H, 5.76; N, 9.22.

Step D: 3-[3-(3,5-Dichloro-phenyl)-thioureidomethyl]-4-methoxy-N-phenylbenzamide

A mixture of the product from Step C (0.1585 g, 0.54 mmol), triethylamine (0.5 mL) and 3,5-dichlorophenyl isothiocyanate (Lancaster) (0.138 g, 0.68 mmol) was heated briefly to 50°C and then allowed to stand at room temperature over-night. The reaction mixture was then re-warmed to 50°C, filtered, and concentrated to an oil which was triturated in hexanes/ethyl acetate (2:1) and filtered through silica gel in ethyl acetate to afford the product (0.067 g); m.p. 208-210°C.

Calculated for C₁₅H₁₆N₂O₂·HCl:

C, 61.54; H, 5.85; N, 9.57.

Found: C, 60.03; H, 5.76; N, 9.22.

EXAMPLE 248

30 3-(3,5-Dichloro-benzenesulfonylamino)-4-methoxy-N-phenyl-benzamide

-142-

The title compound has been made using the procedure of Example 121, but using 3-amino-4-methoxy-N-phenyl benzamide and 3,5-dichlorophenylsulfonyl chloride as starting materials, which are commercially available from Aldrich or Lancaster; m.p. 226-228°C.

5

10

15

20

25

EXAMPLE 249

3-[(3,5-Dichloro-benzenesulfonylamino)-methyl]-4-methoxy-N-phenylbenzamide

The title compound has been made using the procedure of Example 120, but using the title compound of Example 247 as a starting material; mp 203-206°C.

EXAMPLE 250

4-Methoxy-3-phenylmethanesulfonylamino-N-phenyl-benzamide

The title compound has been made using the procedure of Example 121, but using 3-amino-4-methoxy-N-phenyl benzamide and 3,5-dichlorobenzylsulfonyl chloride as starting materials, which are commercially available from Aldrich or Lancaster; m.p. 214-217°C.

EXAMPLE 251

3-[Bis[(3,5-dichlorophenyl)sulfonyl]amino]-4-methoxy-N-phenyl-benzamide

The title compound has been made using the procedure of Example 25, but using 3-amino-4-methoxy-N-phenyl benzamide and 3,5-dichlorophenylsulfonyl chloride as starting materials, which are commercially available from Aldrich or Lancaster; m.p. 228-231°C.

EXAMPLE 252

(2-Methoxy-5-phenylcarbamoyl-phenylcarbamoyl)-acetic acid phenylmethyl ester

Acetoxymandeloyl chloride (1.10 g, 5 mmol) was added to a mixture of 4-methoxy-3-amino-N-phenyl-benzamide (1.24 g, 5mmol) and triethylamine (1.25 mL, 9 mmol) in ethyl acetate (50 mL). The flask was agitated briefly then allowed to stand overnight at room temperature. The reaction mixture was diluted

-143-

with ethyl acetate (150 mL), washed with aqueous sodium bicarbonate solution (150 mL) then brine (100 mL), dried over magnesium sulfate, and filtered. Removal of the solvent followed by trituration in hexanes/ethyl acetate (2:1) gave the product (1.46g.); m.p. 168-171°C.

5 Calculated for C₂₄H₂₂N₂O₅:

10

15

20

25

C, 68.89; H, 5.30; N, 6.69.

Found: C, 68.68; H, 5.14; N, 6.39.

EXAMPLE 253

4-Methoxy-N-phenyl-3-[2-(3-trifluoromethyl-phenyl)-ethylamino]-benzamide Step A:4-Methoxy-N-phenyl-3-[2-(3-trifluoromethyl-phenyl)-acetylamino]-benzamide

Dicyclohexylcarbodiimide (2.08 g, 10 mmol) was added to a stirred mixture of 4-methoxy-3-amino-N-phenyl-benzamide (2.44 g, 10 mmol) and 3-trifluoromethyl-phenyl-acetic acid (2.06 g, 10 mmol) in dichloromethane (80 mL) at room temperature followed by 1-hydroxybenzotriazole hydrate (1.36 g, 10 mmol). After overnight stirring the reaction mixture was filtered and the solid rinsed with ethyl acetate. The combined organic filtrates were washed with sodium bicarbonate solution (150 mL) then brine (100 mL), dried over magnesium sulfate, filtered, and concentrated. Trituration of the residue with hexanes/ethyl acetate (1:1) afforded the product (3.023 g).

Calculated for C23H10F3N2O3:

C, 64.48; H, 4.47; N, 6.54.

Found: C, 64.46; H, 4.51; N, 6.64.

Step B: 4-Methoxy-N-phenyl-3-[2-(3-trifluoromethyl-phenyl)-thioacetylamino]-benzamide

Prepared according to the procedure described for Example 208 using the product from step A above (2.14 g, 5 mmol) and Lawesson's reagent (4.04 g, 10 mmol) to give the product (0.261 g).

Calculated for C₂₃H₁₉F₃N₂O₂S:

30 C, 62.15; H, 4.31; N, 6.30.

-144-

Found: C, 61.82; H, 4.38; N, 6.27.

Step C: 4-Methoxy-N-phenyl-3-[2-(3-trifluoromethyl-phenyl)-ethylamino]-benzamide

Prepared according to the procedure described for Example 209 using the product from Step C above (0.185 g, 0.42 mmol) and Raney Nickel (5 g) to give the product (0.079 g); m.p. 142-144°C.

Calculated for C23H21F3N2O2:

C, 66.66; H, 5.11; N, 6.76.

Found: C, 66.55; H, 5.03; N, 6.62.

10

15

20

5

EXAMPLE 254

4-Methoxy-3-[3-(3-nitro-phenyl)-thioureido]-N-phenyl-benzamide

The title compound has been made using the procedure of Example 60, but using 3-amino-4-methoxy-N-phenyl benzamide and benzoyl isothiocyanate as starting materials, which are commercially available from Aldrich; m.p. 217-219°C.

EXAMPLE 255

3-[(3,5-Dichlorobenzoyl)amino]-4-methyl-N-phenyl-benzamide

The title compound has been made using the procedure of Example 252, but using 3-amino-4-methoxy-N-phenyl benzamide and 3,5-dichlorobenzoyl chloride as starting materials, which are commercially available from Aldrich; m.p. 202-205°C.

EXAMPLE 256

3-[[(Cyanoimino)[(3,5-dichlorophenyl)amino]methyl]amino]-4-methoxy-N-phenyl-benzamide

25 Step A:

3-[3-(3,5-dichlorophenyl)-thioureido]-4-methoxy-N-phenyl-benzamide from Example 60 (1.83g,4.1 mmol) was stirred with methyl iodide (2 mL, 32 mmol) in tetrahydro-furan (50 mL) for 2 hours then allowed to stand overnight at room temperature. The precipitate was collected, washed with tetrahydrofuran

-145-

and ether and air-dried to give the crude product (2.007 g), suitable for use in the next step.

Step B:

A mixture of the product from Step A (1.87 g, 4.1 mmol) and cyanamide (Aldrich) (0.199 g, 4.7 mmol) was heated at just below reflux in acetonitrile (50 mL) under nitrogen. After about 18 hours additional cyanamide (0.23 g) was added. Two hours later more cyanamide (0.39 g) was added followed by isopropanol (60 mL), and the mixture was heated to reflux. After 18 hours additional cyanamide (0.59 g) was added, and another portion (0.88 g) 18 hours later. About 18 hours after that the mixture was allowed to cool, and the precipitate was filtered off to afford the product (0.361 g); m.p. 225-227°C.

Calculated for C₂₂H₁₇Cl₂N₅O₂:

C, 58.16; H, 3.77; N, 15.42.

Found: C, 57.92; H, 3.84; N, 15.36.

15

20

25

5

10

EXAMPLE 257

3-(2-Hydroxy-2-phenyl-acetylamino)-4-methoxy-N-phenyl-benzamide

1N Sodium hydroxide (3 mL) was added to (2-methoxy-5-phenylcarbamoyl-phenylcarbamoyl)-acetic acid phenylmethyl ester from Example 252 (1.29 g, 3.1 mmol) in methanol (80 mL) and the reaction mixture boiled until most of the solvent was gone. Additional 1N sodium hydroxide (4 mL) and methanol (80 mL) were added and the mixture again concentrated to near dryness. Ethyl acetate (100 mL), water (100 mL), and 1N HCl (10 mL) were added, the layers separated, the organic layer washed with brine (50 mL), dried over magnesium sulfate, and concentrated to an oil. Trituration in hexanes/ethyl acetate (4:1) afforded the product (0.826 g); m.p. 173-175°C.

Calculated for C₂₂H₂₀N₂O₄:

C, 70.20; H, 5.36; N, 7.44.

Found: C, 69.78; H, 5.12; N, 7.15.

PCT/US98/24688

5

10

15

20

25

-146-

EXAMPLE 258

4-Methoxy-3-[(thiophen-2-ylmethyl)-amino]-N-(3,4-difluoro-phenyl)-benzamide

The title compound has been made using the procedure of Example 50, but using the title compound of Example 15 as a starting material; m.p. 172-174°C.

EXAMPLE 259

4-Methoxy-3-[(thiophen-2-ylmethyl)-amino]-N-phenyl-benzamide

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and 2-thiophenecarboxaldehyde as starting materials, which are commercially available from Aldrich; m.p. 195-197°C.

EXAMPLE 260

4-Methoxy-3-[(thiophen-2-ylmethyl)-amino]-N-(4-fluoro-phenyl)-benzamide

The title compound has been made using the procedure of Example 50, but using the title compound of Example 8 as a starting material; m.p. 179-181°C.

EXAMPLE 261

4-Methoxy-3-[(thiophen-2-ylmethyl)-amino]-N-(3,4-dichloro-phenyl)-benzamide

The title compound has been made using the procedure of Example 50, but using the title compound of Example 4 as a starting material; m.p. 178-180°C.

EXAMPLE 262

4-Methoxy-3-[(thiophen-2-ylmethyl)-amino]-N-pyridin-3-yl-benzamide

The title compound has been made using the procedure of Example 50, but using the title compound of Example 5 as a starting material; m.p. 154-155°C.

EXAMPLE 263

3-{4-Methoxy-3-[(thiophen-2-ylmethyl)-amino]-benzoylamino}-benzoic acid ethyl ester

-147-

The title compound has been made using the procedure of Example 50, but using the title compound of Example 148 as a starting material; m.p. 153-155°C.

EXAMPLE 264

${\bf 3,4-Dichloro-N-\{4-methoxy-3-[(thiophen-2-ylmethyl)-amino]-phenyl\}-}$

5 benzamide

The title compound has been made using the procedure of Example 50, but using the title compound of Example 23 as a starting material; m.p. 185-188°C.

EXAMPLE 265

10 benzamide

15

The title compound has been made using the procedure of Example 50, but using the title compound of Example 150 as a starting material; m.p. 187-189°C.

EXAMPLE 266

3-[(Benzo[1,3]dioxol-5-ylmethyl)-amino]-4-methoxy-N-phenyl-benzamide

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and 3,4-methylenedioxybenzaldehyde as starting materials, which can be purchased from Aldrich; m.p. 185-187°C.

EXAMPLE 267

4-Methoxy-3-(3,5-difluoro-benzylamino)-N-phenyl-benzamide

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and 3,5-difluorobenzaldehyde as starting materials, which can be purchased from Aldrich; m.p. 175-177°C.

EXAMPLE 268

25 3-(4-Dimethylamino-benzylamino)-4-methoxy-N-phenyl-benzamide

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and

5

10

20

25

-148-

4-dimethylaminobenzaldehyde as starting materials, which can be purchased from Aldrich; m.p. 195-197°C.

EXAMPLE 269

4-Methoxy-3-(3-trifluoromethyl-benzylamino)-N-phenyl-benzamide

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and 3-trifluoromethylbenzaldehyde as starting materials, which can be purchased from Aldrich; m.p. 167-171°C.

EXAMPLE 270

4-Methoxy-3-(2-fluoro-benzylamino)-N-phenyl-benzamide

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and 2-fluorobenzaldehyde as starting materials, which can be purchased from Aldrich; m.p. 142-144°C.

EXAMPLE 271

N-{3-[(2,3-Dihydro-benzo[1,4]dioxin-6-ylmethyl)-amino]-4-methoxy-phenyl}-benzamide

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and 3,4-ethylenedioxy-benzaldehyde as starting materials, which can be purchased from Aldrich; m.p. 174-175°C.

EXAMPLE 272

3-(4-Hydroxy-benzylamino)-4-methoxy-N-phenyl-benzamide

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and 4-hydroxybenzaldehyde as starting materials, which can be purchased from Aldrich; m.p. 188-190°C.

EXAMPLE 273

4-Methoxy-3-(3-methyl-benzylamino)-N-phenyl-benzamide

-149-

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and 3-methylbenzaldehyde as starting materials, which can be purchased from Aldrich; m.p. 184-185°C.

EXAMPLE 274

5 3-(3,4-Difluoro-benzylamino)-4-methoxy-N-phenyl-benzamide

10

15

20

25

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-N-phenyl benzamide and 3,4-difluorobenzaldehyde as starting materials, which can be purchased from Aldrich; m.p. 150-152°C.

The commercial suppliers of the starting materials used to make compounds of the present invention are shown below in Table A.

EXAMPLE 275

3-[(Pyridin-3-ylmethyl)-amino]-4-methoxy-N-(3,4-difluoro-phenyl)-benzamide

The title compound has been made using the procedure of Example 50, but using the title compound of Example 15 and pyridine-3-carboxaldehyde, which is available from Aldrich, as starting materials; mp 148-149°C.

EXAMPLE 276

3-[(Pyridin-3-ylmethyl)-amino]-4-methoxy-N-(3,4-dichloro-phenyl)-benzamide

The title compound has been made using the procedure of Example 50, but using the title compound of Example 4 and pyridine-3-carboxaldehyde, which is available from Aldrich, as starting materials; mp 145-147°C.

EXAMPLE 277

3-[(Pyridin-3-ylmethyl)-amino]-4-methoxy-N-phenyl-3-benzamide

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-benzanilide and pyridine-3-carboxaldehyde, which are available from Aldrich, as starting materials; mp 178-180°C.

-150-

EXAMPLE 278

4-[(2-Methoxy-5-phenylcarbamoyl-phenylamino)-methyl]-benzoic acid

The title compound has been made using the procedure of Example 50, but using 3-amino-4-methoxy-benzanilide and 4-carboxybenzaldehyde, which are available from Aldrich, as starting materials; mp >240°C.

EXAMPLE 279

3,4-Difluoro-N-{[3-(pyridin-3-ylmethyl)-amino]-4-methoxy-phenyl}-benzamide

5

10

15

The title compound has been made using the procedure of Example 50, but using the title compound of Example 150 and pyridine-3-carboxyaldehyde, which is available from Aldrich, as starting materials; mp 177-179°C.

EXAMPLE 280

3-(3-Acetylamino-phenylamino)-4-methoxy-N-phenyl-benzamide

The title compound has been made using the procedure of Example 154, but using 3-amino-4-methoxy-benzanilide, which is available from Aldrich, and 3-acetamidobenzeneboronic acid, which is available from Lancaster, as starting materials; mp 202-203°C.

ABLEA

Supplier	Aldrich	Aldrich	Aldrich	Aldrich	Aldrich	Aldrich	Aldrich	lit prep	Lancaster	lit prep	lit prep		lit prep		lit prep	
Starting Material	4-fluoroaniline	aniline	ethyl 3-aminobenzoate	methyl 3-aminobenzoate	3,4-difluorobenzoyl chloride	3,4-difluorobenzoyl chloride	3,4-dichlorophenyl isocyanate	tris(4-fluorophenyl)bismuthane	3,5-dichlorbenzeneboronic acid	tris(4-fluorophenyl)bismuthane	tris(3-trifluoromethylphenyl)	bismuthane	tris(3-trifluoromethylphenyl)	bismuthane	tris(3-trifluoromethylphenyl)	bismuthane
Supplier	TCI	TCI	Aldrich	Aldrich		Aldrich		Aldrich								
Starting Material	4-trifluoromethoxybenzoic acid	4-trifluoromethoxybenzoic acid	3-amino-4-methoxybenzoic acid	3-amino-4-methoxybenzoic acid	4	4-fluoro-3-nitroaniline	*	3-amino-4-methoxy-N-phenyl benzamide	*	*	*		¥		¥	
Example	146	147	148	149	150	151	152	153	154	155	156		157		158	

FABLE A

Süpplier	lit prep		Aldrich	TransWorld		TransWorld	Lancaster		TransWorld		Aldrich		TransWorld	TransWorld	TransWorld	TransWorld
Starting Material	tris(3-trifluoromethylphenyl)	bismuthane	3,4-dichlorobenzoyl chloride	3-carbomethoxyphenyl	isothiocyanate	3-carboxyphenyl isothiocyanate	3,5-dichlorophenyl	isothiocyanate	3-trifluoromethylphenyl	isothiocyanate	4-sulfophenyl isothiocyanate	sodium salt	4-carboxyphenyl isothiocyanate	3-carboxyphenyl isothiocyanate	4-carboxyphenyl isothiocyanate	3-carboxyphenyl isothiocyanate
Supplier				Aldrich	•											
Starting Material	*		*	3-amino-4-methoxy-N-phenyl benzamide		*	*		*		*		*	*	*	¥
Example	159		160	161		162	163		164		165		166	167	168	169

-153-

	Supplier	Lancaster	·	Lancaster		Lancaster		TransWorld	Aldrich		Lancaster		Lancaster		Alfa	Lancaster	Lancaster
	Starting Material	3,5-dichlorophenyl	isothiocyanate	3,5-dichlorophenyl	isothiocyanate	3-methoxycarbonylphenyl	isothiocyanate	3-carboxyphenyl isothiocyanate	3,5-bis(trifluoromethyl)phenyl	isothiocyanate	4-chloro-3-nitrophenyl	isothiocyanate	3,5-dichlorophenyl	isothiocyanate	1-dodecanesulfonyl chloride	1-octanesulfonyl chloride	1-decanesulfonyl chloride
TABLE A	Supplier												Aldrich		Aldrich	Aldrich	Aldrich
	Starting Material	*		*		*		*	*		*		4-methoxy-3-nitrobenzoic acid		3-amino-4-methoxy-N-phenyl benzamide	3-amino-4-methoxy-N-phenyl benzamide	3-amino-4-methoxy-N-phenyl benzamide
	Example	170		171		172		173	174		175		176		177	178	179

TABLE A

Evample	Starting Material	Supplier	Starting Material	Supplier
שולווושטק			ò	•
180	*		3-nitrobenzenesulfonyl chloride	Aldrich
181	*		3,5-dichlorobenzenesulfonyl	Lancaster
			chloride	
182	3-amino-4-methoxy-N-phenyl benzamide	Aldrich	isopropylsulfonyl chloride	Aldrich
183	3-amino-4-methoxy-N-phenyl benzamide	Aldrich	4-carboxybenzenesulfonyl	Aldrich
			chloride	
184	3-amino-4-methoxy-N-phenyl benzamide	Aldrich	I-octadecanesulfonyl chloride	Lancaster
185	*		*	
186	*		4-nitrobenzenesulfonyl chloride	Aldrich
187	¥		4-cyanobenzenesulfonyl	Maybridge
			chloride	
188	3-amino-4-methoxy-N-phenyl benzamide	Aldrich	4-nitrobenzenesulfonyl chloride	Aldrich
189	¥		3-cyanobenzenesulfonyl	Maybridge
			chloride	
190			3-nitrobenzenesulfonyl chloride	Aldrich
161	*		4-nitrobenzenesulfonyl chloride	Aldrich

Maybridge Maybridge Maybridge Maybridge Supplier Aldrich Aldrich Aldrich Alfa 4-nitrobenzenesulfonyl chloride chloromethylsulfonyl chloride 1-dodecanesulfonyl chloride 1-dodecanesulfonyl chloride 4-methoxybenzenesulfonyl 4-methylbenzenesulfonyl Starting Material 4-cyanobenzenesulfonyl 4-cyanobenzenesulfonyl 3-cyanobenzenesulfonyl chloride chloride chloride chloride chloride Supplier Aldrich Aldrich 3-amino-4-methoxy-N-phenyl benzamide 3-amino-4-methoxy-N-phenyl benzamide Starting Material Example 192 193 194 195 196 198 197 199 200 202 201

TABLE A

ABLE A

ng Material 3-nitrobenzenesulfonyl chloride 4-cyanobenzenesulfonyl chloride 3-cyanobenzenesulfonyl chloride 2-thienylsulfonyl chloride 2-thienylsulfonyl chloride 3,4-dichlorobenzenesulfonyl chloride 3,4-dichlorobenzenesulfonyl chloride 3,4-dichlorobenzenesulfonyl chloride 3,4-dichlorobenzenesulfonyl chloride 3,4-dichlorobenzenesulfonyl 3,4-dichlorobenzaldehyde 3-hydroxybenzaldehyde 3-hydroxybenzaldehyde 4-diethylaminobenzaldehyde			Cranlier	Starting Material	Supplier
* 4-cyanobenzenesulfonyl chloride 4-cyanobenzenesulfonyl 5-cyanobenzenesulfonyl 6-chloride 7-chienylsulfonyl chloride 7-thienylsulfonyl chloride 8-chienylsulfonyl chloride 8-dichlorobenzenesulfonyl 8-dichlorobenzenesulfonyl 8-dichlorobenzenesulfonyl 8-dichlorobenzenesulfonyl 8-dichlorobenzenesulfonyl 9-dichlorobenzenesulfonyl 8-dichlorobenzaldehyde 9-dichlylaminobenzaldehyde 1-dichlylaminobenzaldehyde 3-amino-4-methoxy-N-phenyl benzamide 4-dichlylaminobenzaldehyde 3-mino-4-methoxy-N-phenyl benzamide 4-dichlylaminobenzaldehyde 3-hydroxybenzaldehyde	ple	Starting Material	anddne	otal tribe in the	J
* 4-cyanobenzenesulfonyl chloride * * chloride 2-thienylsulfonyl chloride 2-thienylsulfonyl chloride 3,4-dichlorobenzenesulfonyl chloride 3,4-dichlorobenzenesulfonyl chloride 3,4-dichlorobenzenesulfonyl chloride 3-amino-4-methoxy-N-phenyl benzamide 3-hydroxybenzaldehyde 3-amino-4-methoxy-N-phenyl benzamide Aldrich Aldrich 3-hydroxybenzaldehyde 3-fluorobenzaldehyde 3-hydroxybenzaldehyde		*		3-nitrobenzenesulfonyl chloride	Aldrich
* chloride * chloride chloride chloride 2-thienylsulfonyl chloride 2-thienylsulfonyl chloride 3,4-dichlorobenzenesulfonyl chloride chloride 3,4-dichlorobenzenesulfonyl chloride 3,4-dichlorobenzenesulfonyl chloride 3,4-dichlorobenzenesulfonyl chloride 3,4-dichlorobenzenesulfonyl chloride 3,4-dichlorobenzenesulfonyl chloride 3,4-dichlorobenzaldehyde 3-hydroxybenzaldehyde 3-inor-4-methoxy-N-phenyl benzamide 4-diethylaminobenzaldehyde 3-mino-4-methoxy-N-phenyl benzamide Aldrich 3-hydroxybenzaldehyde 3-hydroxybenzaldehyde		*		4-cyanobenzenesulfonyl	Maybridge
* chloride the chloride chloride * chloride chloride chloride * * chloride ch				chloride	
* chloride * 2-thienylsulfonyl chloride * * chloride 2-thienylsulfonyl chloride 3,4-dichlorobenzenesulfonyl chloride chloride * chloride 3,4-dichlorobenzenesulfonyl chloride chloride 3,4-dichlorobenzenesulfonyl chloride 4+dichlorobenzenesulfonyl chloride 3-mino-4-methoxy-N-phenyl benzamide Aldrich 3-fluorobenzaldehyde 3-fluorobenzaldehyde 3-fluorobenzaldehyde 3-hydroxybenzaldehyde 3-hydroxybenzaldehyde	T	¥		3-cyanobenzenesulfonyl	Maybridge
* 2-thienylsulfonyl chloride * 3,4-dichlorobenzenesulfonyl chloride * * chloride 3,4-dichlorobenzenesulfonyl 3-hydroxybenzaldehyde 4-diethylaminobenzaldehyde 3-fluorobenzaldehyde 3-hydroxybenzaldehyde				chloride	
* 2-thienylsulfonyl chloride 3,4-dichlorobenzenesulfonyl chloride 4,* 3-amino-4-methoxy-N-phenyl benzamide 3-mino-4-methoxy-N-phenyl benzamide 3-mino-4-methoxy-N-phenyl benzamide 3-mino-4-methoxy-N-phenyl benzamide 3-mino-4-methoxy-N-phenyl benzamide 3-hydroxybenzaldehyde 3-amino-4-methoxy-N-phenyl benzamide 3-hydroxybenzaldehyde 3-mino-4-methoxy-N-phenyl benzamide 3-hydroxybenzaldehyde	9	*		2-thienylsulfonyl chloride	Aldrich
* 3,4-dichlorobenzenesulfonyl chloride * chloride 3,4-dichlorobenzenesulfonyl chloride chloride 3,4-dichlorobenzenesulfonyl chloride 3-amino-4-methoxy-N-phenyl benzamide Aldrich 3-fluorobenzaldehyde 3-fluorobenzaldehyde 3-hydroxybenzaldehyde 3-hydroxybenzaldehyde 3-hydroxybenzaldehyde	120	*		2-thienylsulfonyl chloride	Aldrich
* chloride 3,4-dichlorobenzenesulfonyl chloride * 3-amino-4-methoxy-N-phenyl benzamide 3-fluorobenzaldehyde 3-fluorobenzaldehyde 3-fluorobenzaldehyde 3-fluorobenzaldehyde 3-hydroxybenzaldehyde 3-hydroxybenzaldehyde 3-hydroxybenzaldehyde	8	*		3,4-dichlorobenzenesulfonyl	Lancaster
* 3,4-dichlorobenzenesulfonyl chloride * 3-amino-4-methoxy-N-phenyl benzamide Aldrich 3-amino-4-methoxy-N-phenyl benzamide Aldrich 3-hydroxybenzaldehyde 3-amino-4-methoxy-N-phenyl benzamide Aldrich 3-hydroxybenzaldehyde				chloride	
* 3-amino-4-methoxy-N-phenyl benzamide 3-mino-4-methoxy-N-phenyl benzamide 3-mino-4-methoxy-N-phenyl benzamide Aldrich 3-hydroxybenzaldehyde 3-mino-4-methoxy-N-phenyl benzamide Aldrich 3-hydroxybenzaldehyde	6	*		3,4-dichlorobenzenesulfonyl	Lancaster
* 3-hydroxybenzaldehyde 3-amino-4-methoxy-N-phenyl benzamide * 3-hydroxybenzaldehyde * 3-mino-4-methoxy-N-phenyl benzamide Aldrich 3-hydroxybenzaldehyde				chloride	
3-amino-4-methoxy-N-phenyl benzamide Aldrich 4-diethylaminobenzaldehyde * 3-fluorobenzaldehyde 3-amino-4-methoxy-N-phenyl benzamide Aldrich 3-hydroxybenzaldehyde	0	*		3-hydroxybenzaldehyde	Aldrich
* 3-fluorobenzaldehyde 3-amino-4-methoxy-N-phenyl benzamide Aldrich 3-hydroxybenzaldehyde		3-amino-4-methoxy-N-phenyl benzamide	Aldrich	4-diethylaminobenzaldehyde	Aldrich
3-amino-4-methoxy-N-phenyl benzamide Aldrich 3-hydroxybenzaldehyde	12	*		3-fluorobenzaldehyde	Aldrich
	3	3-amino-4-methoxy-N-phenyl benzamide	Aldrich	3-hydroxybenzaldehyde	Aldrich

FABLE A

Starting Material	Supplier	Starting Material	Supplier
3-amino-4-methoxy-N-phenyl benzamide 3-amino-4-methoxy-N-phenyl benzamide	Aldrich	3-nitrobenzaldehyde	Aldrich
3-amino-4-methoxy-N-phenyl benzamide	Aldrich	4-methoxybenzaldehyde	Aldrich
3-amino-4-methoxy-N-phenyl benzamide	Aldrich	1-naphthaldehyde	Aldrich
3-amino-4-methoxy-N-phenyl benzamide	Aldrich	3,5-dimethylbenzaldehyde	Lancaster
3-amino-4-methoxy-N-phenyl benzamide	Aldrich	2,3-difluorobenzaldehyde	Aldrich
3-amino-4-methoxy-N-phenyl benzamide	Aldrich	4-acetoxybenzaldehyde	Aldrich
3-amino-4-methoxy-N-phenyl benzamide	Aldrich	4-carbomethoxybenzaldehyde	Aldrich
3-amino-4-methoxy-N-phenyl benzamide	Aldrich	2-furaldehyde	Aldrich
3-amino-4-methoxy-N-phenyl benzamide	Aldrich	2-methylbenzaldehyde	Aldrich
3-amino-4-methoxy-N-phenyl benzamide	Aldrich	4-fluorobenzaldehyde	Aldrich
3-amino-4-methoxy-N-phenyl benzamide	Aldrich	3-nitro-4-hydroxybenzaldehyde	Aldrich
		4-diethylaminobenzaldehyde	Aldrich
		benzaldehyde	Aldrich
3-amino-4-methoxy-N-phenyl benzamide	Aldrich	3-hydroxy-4-nitrobenzaldehyde	Aldrich
3-amino-4-methoxy-N-phenyl benzamide	Aldrich	3-cyanobenzaldehyde	Aldrich

TABLE A

Example	Starting Material	Supplier	Starting Material	Supplier
230	*		3-carboxybenzaldehyde	Aldrich
231	3-amino-4-methoxy-N-phenyl benzamide	Aldrich	3-chlorobenzaldehyde	Aldrich
232	3-amino-4-methoxy-N-phenyl benzamide	Aldrich	4-tert-butylbenzaldehyde	Aldrich
233	3-amino-4-methoxy-N-phenyl benzamide	Aldrich	4-cyanobenzaldehyde	Aldrich
234	*		4-carboxybenzaldehyde	Aldrich
235	3-amino-4-methoxy-N-phenyl benzamide	Aldrich	4-n-propoxybenzaldehyde	Aldrich
236	3-amino-4-methoxy-N-phenyl benzamide	Aldrich	4-phenylbenzaldehyde	Aldrich
237	3-amino-4-methoxy-N-phenyl benzamide	Aldrich	4-methylbenzaldehyde	Aldrich
238	3-amino-4-methoxy-N-phenyl benzamide	Aldrich	2-methoxybenzaldehyde	Aldrich
239	3-amino-4-methoxy-N-phenyl benzamide	Aldrich	4-n-butylbenzaldehyde	Aldrich
240	*		3-fluorobenzaldehyde	Aldrich
241	3-amino-4-methoxy-N-phenyl benzamide	Aldrich	3-carboxybenzaldehyde	Aldrich
242	3-amino-4-methoxy-N-phenyl benzamide	Aldrich	3,4-dimethylbenzaldehyde	Maybridge
243	3-amino-4-methoxy-N-phenyl benzamide	Aldrich	4-isopropylbenzaldehyde	Aldrich
244	*		3-fluorobenzaldehyde	Aldrich
245	*		3-hydroxybenzaldehyde	Aldrich

TABLE A

Example	Starting Material	Supplier	Starting Material	Supplier
246	*		3-carboxybenzaldehyde	Aldrich
247	methyl 4-methoxy-3-cyanomethyl	Maybridge	3,5-dichlorophenyl	Lancaster
	benzoate		isothiocyanate	
248	3-amino-4-methoxy-N-phenyl benzamide	Aldrich	3,5-dichlorophenylsulfonyl	Lancaster
-			chloride	
249			3,5-dichlorophenylsulfonyl	Lancaster
			chloride	
250	3-amino-4-methoxy-N-phenyl benzamide	Aldrich	3,5-dichlorobenzylsulfonyl	Lancaster
·····			chloride	
251	3-amino-4-methoxy-N-phenyl benzamide	Aldrich	3,5-dichlorophenylsulfonyl	Lancaster
			chloride	
252	3-amino-4-methoxy-N-phenyl benzamide	Aldrich	O-acetyl mandelic acid chloride	Aldrich
253	3-amino-4-methoxy-N-phenyl benzamide	Aldrich	3-trifluoromethylphenyl acetic	Aldrich
		٠	acid	
254	3-amino-4-methoxy-N-phenyl benzamide	Aldrich	benzoyl isothiocyanate	Aldrich
255	3-amino-4-methoxy-N-phenyl benzamide	Aldrich	3,5-dichlorobenzoyl chloride	Aldrich

ABLE A

Example	Starting Material	Supplier	Starting Material	Supplier
256	*		cyanamide	Aldrich
257	*		*	
258	*		2-thiophenecarboxaldehyde	Aldrich
259	3-amino-4-methoxy-N-phenyl benzamide	Aldrich	2-thiophenecarboxaldehyde	Aldrich
260	*		2-thiophenecarboxaldehyde	Aldrich
261	*		2-thiophenecarboxaldehyde	Aldrich
262	*		2-thiophenecarboxaldehyde	Aldrich
263	*		2-thiophenecarboxaldehyde	Aldrich
264	*		2-thiophenecarboxaldehyde	Aldrich
265	*		2-thiophenecarboxaldehyde	Aldrich
266	3-amino-4-methoxy-N-phenyl benzamide	Aldrich	3,4-	Aldrich
			methylenedioxybenzaldehyde	
267	3-amino-4-methoxy-N-phenyl benzamide	Aldrich	3,5-difluorobenzaldehyde	Aldrich
268	3-amino-4-methoxy-N-phenyl benzamide	Aldrich	4-dimethylaminobenzaldehyde	Aldrich
269	3-amino-4-methoxy-N-phenyl benzamide	Aldrich	3-trifluoromethlybenzaldehyde	Aldrich
270	3-amino-4-methoxy-N-phenyl benzamide	Aldrich	2-fluorobenzaldehyde	Aldrich

⋖
LE
B
⋍

Example	Starting Material	Supplier	Starting Material	Supplier
271	3-amino-4-methoxy-N-phenyl benzamide	Aldrich	3,4-ethylenedioxybenzaldehyde	Aldrich
272	372 3-amino-4-methoxy-N-phenyl benzamide	Aldrich	4-hydroxybenzaldehyde	Aldrich
273	3-amino-4-methoxy-N-phenyl benzamide	Aldrich	3-methylbenzaldehyde	Aldrich
274	3-amino-4-methoxy-N-phenyl benzamide	Aldrich	3,4-difluorobenzaldehyde	Aldrich
	* Synthesis described in the Examples herein			

TCI America 9211 North Harborgate Street Portland, OR 97203 USA

Aldrich Chemical Company Inc 1001 West Saint Paul Avenue Milwaukee, WI 53233 USA Lancaster Synthesis Ltd. Eastgate, White Lund Morecambe Lancashire LA3 3DY UK

Trans World Chemicals, Inc. 14650 Southlawn Lane Rockville, MD 20850 USA Maybridge Chemical Company Ltd. Trevillett Tintagel Cornwall PL34 0HW UK

-162The results of the assays described above are shown below in Tables 1, 2, and 3.

	TABLE 1
Example	h15LO
_	$(IC_{50} \text{ nM})$ or
	% Inhibition at
	10 μM
2	290
4	10
5	38
6	79%
7	67%
8	157
9	38%
10	42%
11	390
12	73
14	68%
15	9
16	79
17	65%
18	2510
19	1100
20	203
21	2130
23	26

WO 99/32433

-163-TABLE 2

Example	h15LO		
25	(IC ₅₀ nM) 6430		
26	1600		
27	48%		
28	39		
29	>3000		
30	10		
31	10		
32	23		
33 .	12		
34	. 29		
35	7		
36	11		
37	2940		
38	>3000		
39	. 50		
40	17		
41	65%		
42	410		
43	73		
44	25		
45	440		
46	20		
47	100		
48	28		
50	846		
51	69%		
52	62%		
53	57%		
54	60%		
55	54%		

-164-TABLE 2

I ABLE 2			
Example h15LO			
	(IC ₅₀ nM)		
56	18		
57	165		
58	80		
59	1460		
60	8.6		
61	11		
62	70		
63	49		
64	41		
65	42		
66	7		
67	10000		
68	42		
69	32		
70	500		
71	526		
72	56		
73	16		
74	14.9		
75	104		
76	48		
77	11		
78	390		
79	127		
80	39		
81	19		
82	124		
83	81		
84	20		
85	20		

-165-TABLE 2

Example	h15LO (IC ₅₀ nM)		
86	260		
87	102		
88	33		
89	35		
90	24		
91	8		
92	17		
93	82		
94	42		
95	11		
96	46		
97	19		
98	1000		
99	11		
100	19		
101	66%		
102	170		
104	13		
105	14		
106	11		
107	9		
108	34		
109	26%		
110	290		
111	79		
112	26		
113	52		
114	120		
115	44		
116	20		

-166-TABLE 2

I ABLE 2				
Example	h15LO (IC ₅₀ nM)			
118	49			
119	90			
120	40			
121	25			
122	187			
123	· 31			
124	48			
125	28			
126	48			
127	167			
128	54			
129	7 9			
130	402			
131	609			
132	115			
133	58			
134	137			
135	63			
136	48			
137	151			
138	28			
139	104			
140	39			
141	582			
142	12			
143	25			
144	1190			
145	180			
146	35.29%			
147	37.05%			

-167-TABLE 2

IABLE 2			
Example	h15LO		
	(IC ₅₀ nM)		
148	613		
149	330		
150	205		
151	82.66%		
152	57.49%		
153	54		
154	97.66%		
155	94.44%		
156	90.33%		
157	78.83%		
158	48.28%		
159	44.58%		
160	119		
161	22		
162	55		
163	629		
164	1590		
165	98.51%		
166	98.11%		
167	96.22%		
168	109		
169	246		
170	99.53%		
171	275		
172	89.03%		
173	55%		
174	53%		
175	52%		
176	800		
177	2		

-168-TABLE 2

I ADLE 2				
Example	h15LO			
(IC ₅₀ nM)				
178	4			
179	7			
180	36			
181	68			
182	232			
183	293			
184	732			
185	99.71%			
186	99.35%			
187	98.38%			
188	97.24%			
189	97.1 7%			
190	97.05%			
191	96.99%			
192	95.56%			
193	94.51%			
194	93.61%			
195	93.07%			
196	33			
197	36			
198	97.77%			
199	97.68%			
200	96.92%			
201	93.97%			
202	93.85%			
203	92.01%			
204	89.54%			
205	86.96%			
206	45.56%			
207	41.59%			

-169-TABLE 2

IADLE 2				
Example	h15LO			
	(IC ₅₀ nM)			
208	98.52%			
209	80.94%			
210	24			
211	69			
212	69			
213	79			
214	89			
215	110			
216	118.2			
217	129			
218	161			
219	166			
220	509			
221	551			
222	591			
223	892			
224	982			
225	97.88%			
226	96.21%			
227	95.74%			
228	92.92%			
229	92.70%			
230	92.57%			
231	224			
232	80.36%			
233	73.46%			
234	71.56%			
235	67.26%			
236	64.09%			
237	64%			

-170-TABLE 2

IABLE 2			
Example	h15LO (IC ₅₀ nM)		
238	60%		
239	58.44%		
240	58.09%		
.241	56.33%		
242	50%		
243	49.19%		
244	86		
245	98.02%		
246	59.75%		
247	40		
248	46		
249	58		
250	63		
251	62.01%		
252	43%		
253	60.56%		
254	51%		
255	47%		
256	45%		
257	61%		
258	35		
259	137		
260	186		
261	98.57%		
262	67.58%		
263	53.51%		
264	37		
265	98.89%		
266	197		
267	198		

-171-TABLE 2

Example	h15LO (IC ₅₀ nM)	
268	213	
269	221	
270	241	
271	302	
272	304	
273	385	
274	391	
275	28	
276	52	
277	93	
278	36%	
279	69	
280	99%	

TABLE 3

Monocyte Recruitment Assay

Example	ED ₅₀ μM	
28	25% @ 30 μΜ	
35	26.3	
51	20	
56	2.6	
60	17.6	
65	22.7	
66	38% @ 30 μΜ	
67	24.1	
68	2.3	
69	13% @ 30 μΜ	

-172-

In Vivo Tests-Methods

Biochemical Methods

5

10

15

20

25

30

The entire descending thoracic aorta was assayed for its cholesteryl ester (CE), free cholesterol, and total phospholipid content. The lipids were extracted in chloroform:methanol (2:1) by the procedure of Folch, et al. (Folch J., Lees M., Sloane-Stanley G.H., A simple method for the isolation and purification of total lipids from animal tissue, J. Biol. Chem., 1957;226:497-509) and 300-500 µL of an internal standard, i.e., 200 mg/ml solution of 4-hydroxy-cholesterol in ethyl acetate:acetone (2:1), was added to the extracts of the thoracic aortic samples. After extraction, the organic phase was dried under nitrogen and redissolved in isooctane/tetrahydrofuran (97:3). The lipid content and composition of the thoracic aorta were measured using an HPLC method.

Cytochemical Methods

For histologic evaluation of the aortic arch lesions and for quantification of aortic arch cross-sectional lesion area, a 1 cm segment of the ascending aorta distal to the aortic valves was fixed in 10% neutral buffered formalin for 24 hours. The vessels were dehydrated, cleared in xylene, and infiltrated with molten paraffin (<60°C) using a Tissue Tek VIP autoprocessor (Miles Scientific, Elkhart, Indiana). The tissue segments were embedded in paraffin and sectioned at 5 µm with a Reichert-Jung microtome (Baxter, McGraw Park, Illinois). In order to obtain a thorough representation of the histologic appearance of the aortic arch lesions, 3 ribbons of 20 sections each were cut. Each ribbon of sections was spaced approximately 100 µm apart. Three pairs of sections, i.e., 1 pair from each ribbon, were affixed to cleaned 3-aminopropyltriethoxy-silane coated glass slides and stored until stained. The general histologic character was evaluated in Verhoeff's elastica stained sections.

Morphometric Methods

The gross extent of atherosclerosis within the aortic arch was measured. In addition, sections of the aortic arch, a site of hypercholesterolemia-induced lesions, stained using the Verhoeff's elastica procedure were used for quantification of lesion cross-sectional. The internal elastic lamina (IEL) was

-173-

identified as a blue-black ring and images of that region were collected using a digital camera. The area within the IEL was quantified using the Image Pro Plus image analysis software. The area of the lumen of the aortic arch was also quantified in a similar fashion. Lesion area was defined as the difference between the area circumscribed by the internal elastic lamina and the lumen area.

5

10

Aortic arch lesion extent was also measured. The area distal to the 1 cm segment taken for histologic evaluation to the first intercostal ostia was removed from the animal, opened longitudinally and images of the surface of the vessel was collected using a digital camera. The lesions were identified as raised, opaque areas and their area was determined using the Image Pro Plus image analysis software. The area of the entire aortic arch was also determined. The percentage of aortic arch covered by atherosclerotic lesions was calculated.

In Vivo Tests - Results

Example No. (10 mg/kg as	Aortic Arch Lesion Extent	Aortic Cholesteryl Ester Content	Aortic Arch Cross- Sectional Lesion Area
diet admix)	(%∆ from Control)	(%Δ from Control)	(%Δ from Control)
75	-49	-28	-90
60	+40	+59	+84
4	+20	-7	-94
91	-12	+50	-11
100	-2	+11	+2
40	+35	+5	-6
119	+46	+46	-50

NOTE: All vascular efficacy changes are observed in the absence of changes in plasma cholesterol levels.

Experimental Design: Rabbits were fed a 0.25% cholesterol, 3% peanut oil, 3% coconut oil diet with or without 10 mg/kg of the compounds noted above for 12 weeks.

What is claimed is:

1. Compounds having the Formula I

$$\begin{array}{c|c}
R^{b} & X - R^{e} \\
R^{a} & 4 & 56 \\
R^{d} & R^{d}
\end{array}$$

$$\begin{array}{c} O & OH \\ \parallel & \parallel \\ -S-N- \end{array}, \text{ or } -CH=CH-C- \\ \parallel & \parallel \\ O & R' \end{array} ;$$

each n is independently 0 to 3;

5

heteroaryl, substituted heteroaryl, -NR'R', or cycloalkyl; each R' is independently hydrogen or C₁-C₆ alkyl;

$$R^{e}$$
 is R^{9} R^{8} , C_{1} - C_{18} alkyl, heteroaryl, substituted

heteroaryl, naphthyl, benzyl, or dansyl;

each of R^1 , R^2 , R^3 , R^4 , R^5 , R^7 , R^8 , R^9 , R^a , R^b , R^c , and R^d are independently hydrogen, $-OC_1-C_6$ alkyl, $-SC_1-C_6$ alkyl, halogen, C_1-C_6 alkyl, -OH, $-CF_3$, $-NO_2$, -CN, $-CO_2H$, $-OCF_3$, $-CO_2C_1-C_6$ alkyl, $-SO_3H$, $-SO_3$ -alkali metal, $-NH_2$, $-NHC_1-C_6$ alkyl,

heteroaryl, substituted heteroaryl, aryl, substituted aryl, cycloalkyl, substituted cycloalkyl, heterocycloalkyl, substituted

20

5

10


15

3.

4.

١

30



A compound of Claim 2 wherein R' is hydrogen or methyl.

A compound of Claim 1 wherein X is -O-.

-178-

- 5. A compound of Claim 1 wherein X is -N-C-N-.

 | | | | |
 R'S R'
- 6. A compound of Claim 5 wherein R' is hydrogen.
- 5 7. A compound of Claim 1 wherein R^c is -OCH₃, hydrogen, -OCH₂CH₃, halogen, -S-methyl, or -OCF₃.
- or -N-C- . | || R'O

- - 10. A compound of Claim 1 wherein Y is -C-N-.
- 11. A compound in accordance with Claim 1 wherein R^c is hydrogen,

 hydroxy, -OC₁-C₆ alkyl, halogen, C₁-C₆ alkyl, -SC₁-C₆ alkyl, -CF₃, or

 -OCF₃.
 - 12. A method of treating or preventing atherosclerosis, the method comprising administering to a patient having atherosclerosis or at risk of having atherosclerosis a therapeutically effective amount of a compound of Formula I

I

wherein X is
$$-N-$$
 , $-O-$, $-S-$, $-N-C-N-$, $\begin{vmatrix} & & & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & & \\$

each n is independently 0 to 3;

10

$$-s - (CH_2)_n - (CH_2)_n - s - , \quad -\overset{O}{C} - o , \quad -o - \overset{O}{C} - ,$$

$$(CH_2)_n$$
 - S - SO_2 - $(CH_2)_n$ - SO_2 - SO_2

$$Q \text{ is } C_1\text{-}C_6 \text{ alkyl}, \\ R^4 \\ R^5 \\ R^5$$

heteroaryl, substituted heteroaryl, -NR'R', or cycloalkyl; each R' is independently hydrogen or C₁-C₆ alkyl;

10

15

20

25

$$R^{e}$$
 is R^{6} R^{8} , C_{1} - C_{18} alkyl, heteroaryl, substituted

heteroaryl, naphthyl, benzyl, or dansyl;

each of R¹, R², R³, R⁴, R⁵, R⁷, R⁸, R⁹, R¹⁰, R^a, R^b, R^c, and R^d are independently hydrogen, -OC₁-C₆ alkyl, -SC₁-C₆ alkyl, halogen, C₁-C₆ alkyl, -OH, -CF₃, -NO₂, -CN, -CO₂H, -OCF₃, -CO₂C₁-C₆ alkyl, -SO₃H, -SO₃-alkali metal, -NH₂, -NHC₁-C₆ alkyl,

O O \parallel \parallel -N(CC₁-C₆ alkyl)₂, -OCC₁-C₆ alkyl, -CO₂C₁-C₆ alkyl, -SO₃H, -SO₃ alkali metal, -CN, -CH₂-halogen, CH₂-CH₂ \parallel \parallel O O

heteroaryl, substituted heteroaryl, aryl, substituted aryl, cycloalkyl, substituted cycloalkyl, heterocycloalkyl, substituted

 $\label{eq:condition} \begin{array}{c} O \\ \| \\ \text{heterocycloalkyl, benzoyl, } CC_1\text{-}C_6 \text{ alkyl,} \end{array}$

O O | | | | | | | -OCH, -OCC₁-C₆ alkyl, -SO₃H, -SO₃NR'R', -CHO, -SO₂NH₂, or -NR'R', or the pharmaceutically acceptable salts thereof.

13. A method of treating or preventing inflammation, the method comprising administering to a patient having inflammation or at risk of having

inflammation a therapeutically effective amount of a compound of Formula I

$$\begin{array}{c|c}
R^{b} & R^{c} \\
\hline
R^{a} & A^{5} & R^{d} \\
\hline
Q & & & & \\
\end{array}$$

$$\begin{array}{c|c} O & OH \\ -S-N- & , or & -CH=CH-C- \\ \parallel & \parallel & \parallel \\ O & R' & H \end{array} ;$$

each n is independently 0 to 3;

5

Y is
$$-N-$$
, $-C-N-$, $-N-C-$, $-CH_2CH_2-$, R' O R' R' O

5

10

$$-s - (CH_2)_n$$
 , $-(CH_2)_n - s -$, $-C-0$, $-0-C-$,

$$-\text{COCH}_2 - \cdot -\text{CH}_2 \text{OC} - \cdot -\text{S} - (\text{CH}_2)_n - \cdot$$

$$(CH_2)_n = S - SO_2 - (CH_2)_n - SO_2 - (CH_2)_n - SO_2 - SO_2$$

heteroaryl, substituted heteroaryl, -NR'R', or cycloalkyl; each R' is independently hydrogen or C₁-C₈ alkyl;

10

15

20

25

$$R^{e}$$
 is R^{6} R^{8} , C_{1} - C_{18} alkyl, heteroaryl, substituted

heteroaryl, naphthyl, benzyl, or dansyl;

each of R¹, R², R³, R⁴, R⁵, R7, R8, R9, R¹0, Ra, Rb, Rc, and Rd are independently hydrogen, -OC₁-C6 alkyl, -SC₁-C6 alkyl, halogen, $C_1\text{-}C_6 \text{ alkyl, -OH, -CF}_3, \text{-NO}_2, \text{-CN, -CO}_2\text{H, -OCF}_3, \text{-CO}_2\text{C}_1\text{-C}_6$ alkyl, -SO₃H, -SO₃-alkali metal, -NH2, -NHC $_1\text{-C}_6$ alkyl,

O O \parallel \parallel -N(CC₁-C₆ alkyl)₂, -OCC₁-C₆ alkyl, -CO₂C₁-C₆ alkyl, -SO₃H, -SO₃ alkali metal, -CN, -CH₂-halogen, CH₂-CH₂ \parallel

heteroaryl, substituted heteroaryl, aryl, substituted aryl, cycloalkyl, substituted cycloalkyl, heterocycloalkyl, substituted

heterocycloalkyl, benzoyl, CC₁-C₆ alkyl,

O O | | | | | | | -OCH, -OCC₁-C₆ alkyl, -SO₃H, -SO₃NR'R', -CHO, -SO₂NH₂, or -NR'R', or the pharmaceutically acceptable salts thereof.

14. A pharmaceutically acceptable composition comprising a compound of Claim 1.

15. A method of inhibiting 15-lipoxygenase, the method comprising administering to a patient in need of 15-lipoxygenase inhibition a 15-lipoxygenase inhibiting amount of a compound of Formula I

$$\begin{array}{c|c}
R^{b} & R^{c} \\
\hline
R^{a} & 3^{2} & 1 \\
\hline
R^{d} & R^{d}
\end{array}$$

$$\begin{array}{c|cccc}
O & OH \\
-S-N- & OF & -CH=CH-C- \\
0 & R' & H
\end{array}$$

each n is independently 0 to 3;

10

$$-N-C-N-C-$$
, $-(CH_2)_{n}^{-N-}$, $-C-N-$, $-N-C-$, $-N-$

$$-s - (CH_2)_n - (CH_2)_n - s - , \quad -COO , -OOCO ,$$

$$(CH_2)_n$$
 $-S$, $-SO_2$ $-(CH_2)_n$, or $-(CH_2)_n$ $-SO_2$ $-S$

heteroaryl, substituted heteroaryl, -NR'R', or cycloalkyl; each R' is independently hydrogen or C₁-C₆ alkyl;

5

10

15

20

$$R^{e}$$
 is R^{6} R^{8} , C_{1} - C_{18} alkyl, heteroaryl, substituted

heteroaryl, naphthyl, benzyl, or dansyl;

each of R¹, R², R³, R⁴, R⁵, R⁶, R⁷, R⁸, R⁹, R¹⁰, R^a, R^b, R^c, and R^d are independently hydrogen, -OC₁-C₆ alkyl, -SC₁-C₆ alkyl, halogen, C₁-C₆ alkyl, -OH, -CF₃, -NO₂, -CN, -CO₂H, -OCF₃, -CO₂C₁-C₆ alkyl,

$$CH_3$$
,

heteroaryl, substituted heteroaryl, aryl, substituted aryl, cycloalkyl, substituted cycloalkyl, heterocycloalkyl, substituted

 $\label{eq:condition} \begin{bmatrix} O \\ \parallel \\ \text{heterocycloalkyl, benzoyl, } CC_1\text{-}C_6 \text{ alkyl,} \end{bmatrix}$

16. A method of inhibiting the chemotaxis of monocytes, the method comprising administering to a patient in need of inhibition of chemotaxis of monocytes, a monocyte chemotaxis inhibiting amount of a compound of Formula I

$$\begin{array}{c}
R^{b} \\
R^{a} \\
Y \\
Q
\end{array}$$

$$-N-(CH_2)_{n}^{-}, -(CH_2)_{n}^{-}N-, -(CH_2)_{n}$$

$$\begin{array}{c} O & OH \\ -S-N- & , or \\ -CH=CH-C- \\ | & | \\ O & R' \end{array} ;$$

each n is independently 0 to 3;

10

heteroaryl, substituted heteroaryl, -NR'R', or cycloalkyl; each R' is independently hydrogen or C₁-C₆ alkyl;

10

15

20

$$R^{e}$$
 is R^{6} R^{7} R^{8} , C_{1} - C_{18} alkyl, heteroaryl, substituted

heteroaryl, naphthyl, benzyl, or dansyl;

each of R¹, R², R³, R⁴, R⁵, R⁷, R⁸, R⁹, R¹⁰, R^a, R^b, R^c, and R^d are independently hydrogen, -OC₁-C₆ alkyl, -SC₁-C₆ alkyl, halogen, C₁-C₆ alkyl, -OH, -CF₃, -NO₂, -CN, -CO₂H, -OCF₃, -CO₂C₁-C₆ alkyl, -SO₃H, -SO₃-alkali metal, -NH₂, -NHC₁-C₆ alkyl,

O O | | -N(CC₁-C₆ alkyl)₂, -OCC₁-C₆ alkyl, -CO₂C₁-C₆ alkyl, -SO₃H, -SO₃ alkali metal, -CN, -CH₂-halogen, CH₂-CH₂ | | O O

$$O$$
 CH_3

heteroaryl, substituted heteroaryl, aryl, substituted aryl, cycloalkyl, substituted cycloalkyl, heterocycloalkyl, substituted

heterocycloalkyl, benzoyl, CC₁-C₆ alkyl,

O O
$$\parallel$$
 \parallel -OCH, -OCC₁-C₆ alkyl, -SO₃H, -SO₃NR'R', -CHO, -SO₂NH₂, or -NR'R', and the pharmaceutically acceptable salts thereof.

17. Compounds having the Formula II

15

IJ

wherein

Re is phenyl, pyridyl, or substituted phenyl having 1 to 5 substituents selected from halogen, C₁-C₆ alkyl, OC₁-C₆ alkyl, -CF₃, or -OH;

B is hydrogen, OC_1 - C_6 alkyl, halogen, C_1 - C_6 alkyl, - SC_1 - C_6 alkyl, - OCF_3 , or -OH;

O O || || || Y is -CNH- or -NHC-;

Q is phenyl, pyridyl, or substituted phenyl having from 1 to 5 substituents selected from halogen, -OC₁-C₆ alkyl, oxazolinyl, -CF₃, NO₂,

O \parallel -COC₁-C₆ alkyl, or -C₁-C₆ alkyl, or the pharmaceutically acceptable salts thereof.

- 18. A compound in accordance with Claim 17 wherein B is -OCH₃ or -OCF₃.
- 19. A compound in accordance with Claim 17 wherein Re is substituted phenyl.
- 20. A compound in accordance with Claim 17 wherein

21. A compound in accordance with Claim 17 wherein B is -OCH3, or


20

-192-

0

-OCF3; Re is substituted phenyl and Y is -CNH-.

22. Compounds having the Formula III



III

wherein

Re is pyridyl, or phenyl that is substituted with from 1 to 5 substituents selected from halogen, -CF₃, -NO₂, benzoyl, -SO₃ alkali metal,

10
$$C_{1}\text{-}C_{6} \text{ alkyl, -}OC_{1}\text{-}C_{6} \text{ alkyl, -}CN, -}COOH, CC_{1}\text{-}C_{6} \text{ alkyl, -}SO_{3}H, \\ O \\ | \\ -OCF_{3}, -COC_{1}\text{-}C_{6} \text{ alkyl, -}SO_{2}NH_{2}, N(C_{1}\text{-}C_{6} \text{ alkyl})_{2}, \text{ or} \\ 15 \\ -SONH_{2};$$

B is OC1-C6 alkyl, hydrogen, halogen, or C1-C6 alkyl;

Q is phenyl, pyridyl, or phenyl substituted with 1 to 5 substituents selected from halogen, -OC₁-C₆ alkyl, halogen, or C₁-C₆ alkyl, or the pharmaceutically acceptable salts thereof.

23. A compound in accordance with Claim 22 wherein R^e is substituted phenyl.

IV

- 24. A compound in accordance with Claim 22 wherein B is -OCH₃ or -OCF₃, or fluorine.
- 25. A compound in accordance with Claim 22 wherein

O O O

Y is -C-NH-, -NHC-, or -COCH₂-.

26. A compound in accordance with Claim 22 wherein Re is substituted

O O phenyl, B is -OCH₃, -OCF₃, and Y is -CNH- or -NHC-.

27. Compounds having the Formula IV

wherein

15

O O O || || || X is -NHCH₂-, -O-, -NHCNHC-, or -OCO-;

B is -OC₁-C₆ alkyl, hydrogen, or -OH;

Re is phenyl, pyridyl, or phenyl substituted with 1 to 5 substituents selected from halogen, -OC₁-C₆ alkyl, -OH, -NH₂, -NHC₁-C₆

O alkyl, $-N(C_1-C_6$ alkyl)₂, $-NO_2$, $-C_1-C_6$ alkyl, naphthyl, $-CF_3$,

V

5

15

-CO₂H, or phenyl;

- Q is phenyl, pyridyl, or substituted phenyl, wherein the substituted phenyl may contain 1 to 5 substituents selected from those listed for Re, or the pharmaceutically acceptable salts thereof.
- 28. A compound in accordance with Claim 27 wherein R^e is substituted phenyl.
- 10 29. A compound in accordance with Claim 27 wherein B is -OCH₃.
 - 30. A compound in accordance with Claim 27 wherein X is -NHCH₂-.
 - 31. A compound in accordance with Claim 27 wherein

32. A compound in accordance with Claim 27 wherein Re is substituted
O
O

phenyl; B is -OCH₃; X is -NHCH₂-; and Y is -CNH- or -NHC-.

20 33. Compounds having the Formula V

B is -OC₁-C₆ alkyl or halogen;

A is phenyl, C_1 - C_{18} alkyl, pyridyl, quinolinyl substituted phenyl, thiazolyl, substituted thiazolyl, substituted pyridyl, substituted

quinolinyl, imidazolyl, substituted imidazolyl, naphthyl, substituted naphthyl, benzyl, thienyl, substituted thienyl, isoxazolyl, or substituted isoxazolyl, wherein the substituents are selected from halogen,

5

O
$$\parallel$$
 . -OC₁-C₆ alkyl, -NO₂, C₁-C₆ alkyl, -CF₃, -NHCCH₃, -CO₂H,

10

O O O S S
$$\| \ \| \ \| \ \| \ \| \ \|$$
 Y is -CNH-, -NHC-, NHCNH, -CNH-, -NHC-, -CH2NH-, or -NH2CH-;

and

15

C is phenyl or substituted phenyl, pyridyl or substituted pyridyl, wherein the substituents are as described for A, or the pharmaceutically acceptable salts thereof.

- A compound in accordance with Claim 33 wherein A is C1-C18 alkyl, 34. substituted phenyl, or thienyl.
- 20
- 35. A compound in accordance with Claim 33 wherein B is -OCH3 or halogen.

 - 36. A compound in accordance with Claim 33 wherein

25

37. A compound in accordance with Claim 33 wherein A is C₁-C₁₈ alkyl, substituted phenyl or thienyl; B is -OCF3 or halogen; and

15

20

38. A method of treating or preventing atherosclerosis, the method comprising administering to a patient having atherosclerosis or at risk of having atherosclerosis a therapeutically effective amount of a compound of Formula VI

$$R^2$$
 NH_2 R^3 VI

wherein Q is

each R⁵ is independently hydrogen or C₁-C₆ alkyl;

R¹, R², R³, and R⁴ are independently hydrogen, -SC₁-C₆ alkyl, -OCF₃,

-OH, halogen, -CF₃, -NO₂, -COOR⁵, -SO₃NR⁵R⁵, -CHO,

-OC₁-C₆ alkyl, -NR⁵R⁵, C₁-C₆ alkyl, heteroaryl, substituted heteroaryl, aryl, substituted aryl, cycloalkyl, substituted cycloalkyl, heterocycloalkyl, substituted heterocycloalkyl, or the pharmaceutically acceptable salts thereof.

A method of treating or preventing inflammation, the method comprising administering to a patient having inflammation or at risk of having inflammation a therapeutically effective amount of a compound of Formula VI

$$R^{1}$$
 Q
 R^{4}
 NH_{2}
 R^{3}
 NH_{2}
 R^{4}

wherein Q is

-5

10

15

20

each \mathbb{R}^5 is independently hydrogen or $\mathbb{C}_1\text{-}\mathbb{C}_6$ alkyl;

- R¹, R², R³, and R⁴ are independently hydrogen, -SC₁-C₆ alkyl, -OH, halogen, -CF₃, -NO₂, -COOR⁵, -SO₃NR⁵R⁵, -CHO, -OCF₃, -OC₁-C₆ alkyl, -NR⁵R⁵, C₁-C₆ alkyl, heteroaryl, substituted heteroaryl, aryl, substituted aryl, cycloalkyl, substituted cycloalkyl, heterocycloalkyl, substituted heterocycloalkyl, or the pharmaceutically acceptable salts thereof.
- 40. A method of inhibiting 15-lipoxygenase, the method comprising administering to a patient in need of 15-lipoxygenase inhibition a 15-lipoxygenase inhibiting amount of a compound of Formula VI

$$R^2$$
 NH_2 R^3 VI

wherein Q is

each R⁵ is independently hydrogen or C₁-C₆ alkyl;

- R¹, R², R³, and R⁴ are independently hydrogen, -SC₁-C₆ alkyl, -OH, halogen, -CF₃, -NO₂, -COOR⁵, -SO₃NR⁵R⁵, -CHO, -OCF₃, -OC₁-C₆ alkyl, -NR⁵R⁵, C₁-C₆ alkyl, heteroaryl, substituted heteroaryl, aryl, substituted aryl, cycloalkyl, substituted cycloalkyl, heterocycloalkyl, substituted heterocycloalkyl, or the pharmaceutically acceptable salts thereof.
- 41. A method of inhibiting the chemotaxis of monocytes, the method comprising administering to a patient in need of inhibition of chemotaxis

of monocytes a chemotaxis inhibiting amount of a compound of Formula VI

$$R^2$$
 R^1
 R^3
 R^4
 R^3

wherein Q is

each \mathbb{R}^5 is independently hydrogen or $\mathbb{C}_1\text{-}\mathbb{C}_6$ alkyl;

R¹, R², R³, and R⁴ are independently hydrogen, -SC₁-C₆ alkyl, -OH,

halogen, -CF₃, -NO₂, -COOR⁵, -SO₃NR⁵R⁵, -CHO, -OCF₃,

-OC₁-C₆ alkyl, -NR⁵R⁵, C₁-C₆ alkyl, heteroaryl, substituted heteroaryl, aryl, substituted aryl, cycloalkyl, substituted cycloalkyl, heterocycloalkyl, substituted heterocycloalkyl, or the pharmaceutically acceptable salts thereof.

15 42. Compounds having the Formula VII

$$X \longrightarrow \mathbb{R}^{\mathbb{Z}}$$
VII

wherein

R^Z is phenyl or phenyl substituted with from 1 to 5 substituents selected from halogen or -CF₃; or

X and R^z are -N(SO₂-3,5-dichlorophenyl)₂, or the pharmaceutically acceptable salts thereof.

10 43. Compounds having the Formula VIII

VIII

wherein

5

15

20

25

 R^z is phenyl, pyridyl, or phenyl substituted with from 1 to 5 substituents wherein the substituents are selected from halogen, pyridyl, or $-CO_2C_1-C_6$ alkyl.

- 44. A method of treating or preventing atherosclerosis, the method comprising administering to a patient having atherosclerosis or at risk of having atherosclerosis a therapeutically effective amount of a compound of Claim 17.
- 45. A method of treating or preventing inflammation, the method comprising administering to a patient having inflammation or at risk of having inflammation a therapeutically effective amount of a compound of Claim 17.

-200-

- 46. A method of inhibiting 15-lipoxygenase, the method comprising administering to a patient in need of 15-lipoxygenase inhibition a 15-lipoxygenase inhibiting amount of a compound of Claim 17.
- A method of inhibiting the chemotaxis of monocytes, the method

 comprising administering to a patient in need of inhibition of chemotaxis

 of monocytes a chemotaxis inhibiting amount of a compound of Claim 17.
 - 48. A pharmaceutically acceptable composition comprising a compound of Claim 17.
- A method of treating or preventing atherosclerosis, the method comprising administering to a patient having atherosclerosis or at risk of having atherosclerosis a therapeutically effective amount of a compound of Claim 22.
- A method of treating or preventing inflammation, the method comprising administering to a patient having inflammation or at risk of having inflammation a therapeutically effective amount of a compound of Claim 22.
 - 51. A method of inhibiting 15-lipoxygenase, the method comprising administering to a patient in need of 15-lipoxygenase inhibition a 15-lipoxygenase inhibiting amount of a compound of Claim 22.
- 20 52. A method of inhibiting the chemotaxis of monocytes, the method comprising administering to a patient in need of inhibition of chemotaxis of monocytes a chemotaxis inhibiting amount of a compound of Claim 22.
 - 53. A pharmaceutically acceptable composition comprising a compound of Claim 22.
- A method of treating or preventing atherosclerosis, the method comprising administering to a patient having atherosclerosis or at risk of having

-201-

atherosclerosis a therapeutically effective amount of a compound of Claim 27.

- 55. A method of treating or preventing inflammation, the method comprising administering to a patient having inflammation or at risk of having inflammation a therapeutically effective amount of a compound of Claim 27.
- 56. A method of inhibiting 15-lipoxygenase, the method comprising administering to a patient in need of 15-lipoxygenase inhibition a 15-lipoxygenase inhibiting amount of a compound of Claim 27.

5

- 10 57. A method of inhibiting the chemotaxis of monocytes, the method comprising administering to a patient in need of inhibition of chemotaxis of monocytes a chemotaxis inhibiting amount of a compound of Claim 27.
 - A pharmaceutically acceptable composition comprising a compound of Claim 27.
- 15 S9. A method of treating or preventing atherosclerosis, the method comprising administering to a patient having atherosclerosis or at risk of having atherosclerosis a therapeutically effective amount of a compound of Claim 33.
- A method of treating or preventing inflammation, the method comprising administering to a patient having inflammation or at risk of having inflammation a therapeutically effective amount of a compound of Claim 33.
 - A method of inhibiting 15-lipoxygenase, the method comprising administering to a patient in need of 15-lipoxygenase inhibition a 15-lipoxygenase inhibiting amount of a compound of Claim 33.

-202-

- 62. A method of inhibiting the chemotaxis of monocytes, the method comprising administering to a patient in need of inhibition of chemotaxis of monocytes a chemotaxis inhibiting amount of a compound of Claim 33.
- 63. A pharmaceutically acceptable composition comprising a compound of Claim 33.

5

- A method of treating or preventing atherosclerosis, the method comprising administering to a patient having atherosclerosis or at risk of having atherosclerosis a therapeutically effective amount of a compound of Claim 42.
- A method of treating or preventing inflammation, the method comprising administering to a patient having inflammation or at risk of having inflammation a therapeutically effective amount of a compound of Claim 42.
- A method of inhibiting 15-lipoxygenase, the method comprising administering to a patient in need of 15-lipoxygenase inhibition a 15-lipoxygenase inhibiting amount of a compound of Claim 42.
 - A method of inhibiting the chemotaxis of monocytes, the method comprising administering to a patient in need of inhibition of chemotaxis of monocytes a chemotaxis inhibiting amount of a compound of Claim 42.
- A pharmaceutically acceptable composition comprising a compound of Claim 42.
 - 69. A method of treating or preventing atherosclerosis, the method comprising administering to a patient having atherosclerosis or at risk of having atherosclerosis a therapeutically effective amount of a compound of Claim 43.

-203-

- 70. A method of treating or preventing inflammation, the method comprising administering to a patient having inflammation or at risk of having inflammation a therapeutically effective amount of a compound of Claim 43.
- 5 71. A method of inhibiting 15-lipoxygenase, the method comprising administering to a patient in need of 15-lipoxygenase inhibition a 15-lipoxygenase inhibiting amount of a compound of Claim 43.
- 72. A method of inhibiting the chemotaxis of monocytes, the method comprising administering to a patient in need of inhibition of chemotaxis of monocytes a chemotaxis inhibiting amount of a compound of Claim 43.
 - A pharmaceutically acceptable composition comprising a compound of Claim 43.
 - 74. The compounds:

15

20

- 3-Amino-4-methoxy-N-(3,4-dichlorophenyl)-benzamide;
- 3-(3-Trifluoromethyl-phenylamino)-4-methoxy-N(4-fluorophenyl)-benzamide;
 - 3-[3-(3,5-Dichlorophenyl)-thioureido]-4-methoxy-N-phenylbenzamide;
 - 4-[3-(2-Methoxy-5-phenylcarbamoyl-phenyl)-thioureido]-benzoic acid;
 - 4-Methoxy-N-phenyl-3-(3-pyridin-3-yl-thioureido)-benzamide; 3-[3-(3,5-Dichlorophenyl)-thioureido]-N-(4-fluorophenyl)-4-methoxy-benzamide;
 - 3-(3,5-Dichloro-benzenesulfonylamino)-4-methoxy-N-phenylbenzamide; or
 - 3-Methanesulfonylamino-4-methoxy-N-(3,4-dichlorophenyl)-benzamide.

PCT/US98/24688

The compounds: **75**. 3-Amino-4-methoxy-N-(4-chlorophenyl)-benzamide; 3-Amino-4-methoxy-N-(3,4-dimethylphenyl)-benzamide; 3-Amino-4-methoxy-N-(4-methylphenyl)-benzamide; 3-Amino-4-methoxy-N-(4-fluorophenyl)-benzamide; 5 3-Amino-4-fluoro-N-phenyl-benzamide; or 3-Amino-4-ethoxy-N-phenyl-benzamide. The compounds: 76. 3-Amino-4-methoxy-N-(3,5-dimethylphenyl)-benzamide; 3-Amino-4-methoxy-N-(3-chloro-4-methylphenyl)-benzamide, 10 3-Amino-4-methoxy-N-(2,4-difluorophenyl)-benzamide; 3-Amino-4-methoxy-N-(3,4-difluorophenyl)-benzamide; 3-Amino-4-methoxy-N-(3-chlorophenyl)-benzamide; 3-Amino-4-ethyl-N-phenyl-benzamide; 3-Amino-4-ethyl-N-(3,4-dichlorophenyl)-benzamide; 15 3-Amino-4-ethyl-N-(3,4-difluorophenyl)-benzamide; or 3-Amino-4-methylsulfanyl-N-phenyl-benzamide. The compounds: 77. N-(3-Amino-4-methoxyphenyl)-benzamide; 3,4-Dichloro-N-(3-amino-4-fluorophenyl)-benzamide; 20 3,4-Dichloro-N-(3-amino-4-methoxy-phenyl)-benzamide; 3-Phenylamino-N-phenyl-benzamide; 3-(3,5-Dichloro-phenylamino)-N-phenyl-benzamide; 3-(2-Methoxy-phenylamino)-N-phenyl-benzamide; 4-Methoxy-3-phenylamino-N-phenyl-benzamide; 25 3-(2-Methoxy-phenylamino)-4-methoxy-N-phenyl-benzamide; or 3-(3-Trifluoromethyl-phenylamino)-4-methoxy-N-phenylbenzamide.

The compounds: **78**.

30

3-(3-Chloro-phenylamino)-4-methoxy-N-phenyl-benzamide;

-205-

		3-(3-Methyl-phenylamino)-4-methoxy-N-phenyl-benzamide;
	•	3-(3-Nitro-phenylamino)-4-methoxy-N-phenyl-benzamide;
		3-(4-Methyl-phenylamino)-4-methoxy-N-phenyl-benzamide;
		3-(3,5-Dichloro-phenylamino)-4-methoxy-N-phenyl-benzamide;
5		3-(3,5-Dimethyl-phenylamino)-4-methoxy-N-phenyl-benzamide;
		3-Phenylamino-4-fluoro-N-phenyl-benzamide;
		3-Phenylamino-4-methyl-N-phenyl-benzamide; or
		3-Phenylamino-4-methoxy-N-(4-fluorophenyl)-benzamide.
	7 9.	The compounds:
10		4-Ethyl-3-(3-trifluoromethyl-phenylamino)-N-phenyl-benzamide;
		4-Ethoxy-3-(3-trifluoromethyl-phenylamino)-N-phenyl-benzamide
		4-Methylsulfanyl-3-(3-trifluoromethyl-phenylamino)-N-phenyl-
		benzamide;
		3-[4-(4,4-Dimethyl-4,5-dihydro-oxazol-2-yl)-phenylamino]-
15		4-methoxy-N-phenyl-benzamide;
		4-Methoxy-3-(3-trifluoromethyl-phenylamino)-N-(3-pyridyl)-
		benzamide;
		4-Methoxy-3-(3,5-dimethyl-phenylamino)-N-(4-fluorophenyl)-
		benzamide;
20		4-Methoxy-3-(3-trifluoromethyl-phenylamino)-N-(3,4-
		dichlorophenyl)-benzamide;
		4-Methoxy-3-(3-trifluoromethyl-phenylamino)-N-(3,4-
		difluorophenyl)-benzamide;
		N-[3-(Phenylamino)-4-methoxy-phenyl]-benzamide; or
25		3-Benzylamino-4-methoxy-N-phenyl-benzamide.
	80.	The compounds:
		3-(3,5-Dichloro-benzylamino)-4-methoxy-N-phenyl-benzamide;
		3-(3,4-Dimethoxy-benzylamino)-4-methoxy-N-phenyl-benzamide;
		3-Phenoxy-N-phenyl-benzamide;
30		3-Phenoxy-4-methoxy-N-phenyl-benzamide,
		3-(Phenylamino)-4-methoxy-benzoic acid, phenyl ester;

		4-Hydroxy-3-(3,5-dichloro-phenylamino)-N-phenyl-benzamide;
		3-(3,5-Dichloro-phenylamino)-4-hydroxy-N-(4-methoxyphenyl)-
		benzamide;
		3-(3,5-Dichloro-phenylamino)-4-hydroxy-N-(4-methylphenyl)-
5		benzamide; or
		3-(3,5-Dichloro-phenylamino)-4-hydroxy-N-(3-hydroxy-
		4-methoxyphenyl)-benzamide.
	81.	The compounds:
		3-[3-(3-Chlorophenyl)-thioureido]-4-methoxy-N-phenyl-
10		benzamide;
		4-Methoxy-N-phenyl-3-(3-phenyl-thioureido)-benzamide;
		4-Methoxy-N-phenyl-3-[3-(4-trifluoromethyl-phenyl)-thioureido]-
		benzamide;
		3-[3-(4-tert-Butyl-phenyl)-thioureido]-4-methoxy-N-phenyl-
15		benzamide;
		3-[3-(4-Chlorophenyl)-thioureido]-4-methoxy-N-phenyl-
		benzamide;
		3-[3-(3-Nitrophenyl)-thioureido]-4-methoxy-N-phenyl-benzamide;
		4-Methoxy-N-phenyl-3-(3-benzoyl-thioureido)-benzamide;
20		4-Methoxy-N-phenyl-3-[3-(2,3,5,6-tetrafluoro-phenyl)-thioureido]-
		benzamide;
		4-Methoxy-N-phenyl-3-(-3-p-tolyl-thioureido)-benzamide; or
		3-[3-(3,5-Dichlorophenyl)-thioureido]-N-phenyl-benzamide.
	82 .	The compounds:
25		3-[3-(3,5-Dichlorophenyl)-thioureido]-4-methyl-N-phenyl-
		benzamide;
		3-[3-(3,4-Dimethoxyphenyl)-thioureido]-4-methoxy-N-phenyl-
		benzamide;
		3-[3-(4-Chloro-3-trifluoromethylphenyl)-thioureido]-4-methoxy-N-
30		phenyl-benzamide;

		3-[3-(3-Cyanophenyl)-thioureido]-4-methoxy-N-phenyl-
		benzamide;
	•	3-[3-(3-Acetyl-phenyl)-thioureido]-4-methoxy-N-phenyl-
		benzamide;
5		3-[3-(4-Chloro-3-nitrophenyl)-thioureido]-4-methoxy-N-phenyl-
		benzamide;
		3-[3-(4-Fluorophenyl)-thioureido]-4-methoxy-N-phenyl-
		benzamide;
		3-[3-(3,5-Dichlorophenyl)-thioureido]-4-methoxy-N-(4-methoxy-
10		phenyl)-benzamide; or
		3-[3-(3,5-Dichlorophenyl)-thioureido]-4-ethoxy-N-phenyl-
		benzamide.
	83.	The compounds:
		4-[3-(2-Methoxy-5-phenylcarbamoyl-phenyl)-thioureido]-
15		benzenesulfonic acid;
		4-Methoxy-3-[3-(4-methoxy-phenyl)-thioureido]-N-phenyl-
		benzamide;
		4-Methoxy-N-phenyl-3-[3-(3-trifluoromethyl-phenyl)-thioureido]
		benzamide;
20		3-[3-(3,4-Dichlorophenyl)-thioureido]-4-methoxy-N-phenyl-
		benzamide;
		1-{3-[3-(3,5-Dichlorophenyl)-thioureido]-4-methoxyphenyl}-
		3-phenyl-urea;
		N-{3-[3-(3,5-Dichlorophenyl)-thioureido]-4-methoxy-phenyl}-
25		benzamide;
		4-Methoxy-3-[3-(4-nitrophenyl)-thioureido]-N-phenyl-benzamide;
		3-[3-(3,5-Bis-trifluoromethylphenyl)-thioureido]-4-methoxy-N-
		phenyl-benzamide; or
		4-Methoxy-N-phenyl-3-[3-(4-sulfamoyl-phenyl)-thioureido]-
30		benzamide.

A

5

10

15

25

30

84. The	compounds:
---------	------------

N-(4-Chlorophenyl)-3-[3-(3,5-dichlorophenyl)-thioureido]-4-methoxy-benzamide;

3-[3-(4-Dimethylaminophenyl)-thioureido]-4-methoxy-N-phenylbenzamide;

3-[3-(3,5-Dichlorophenyl)-thioureido]-4-methoxy-N-p-tolyl-benzamide;

4-Methoxy-N-phenyl-3-(3-m-tolyl-thioureido)-benzamide;

3-[3-(3,5-Dichlorophenyl)-thioureido]-4-fluoro-N-phenyl-

benzamide,

N-(3,4-Dichlorophenyl)-3-[3-(3,5-dichlorophenyl)-thioureido]-4-methoxy-benzamide;

4-Methoxy-N-phenyl-3-(3-o-tolyl-thioureido)-benzamide;

3-[3-(3,5-Dimethylphenyl)-thioureido]-4-methoxy-N-phenyl-

benzamide; or

3-[3-(3,4-Dichlorophenyl)-thioureido]-4-methoxy-N-pyridin-3-ylbenzamide.

85. The compounds:

5-[3-(3,5-Dichlorophenyl)-thioureido]-2-fluoro-N-phenyl-

20 benzamide;

N-(3,4-Dimethylphenyl)-4-methoxy-3-(3-m-tolyl-thioureido)-benzamide;

N-(3,5-Dimethylphenyl)-4-methoxy-3-(3-m-tolyl-thioureido)-benzamide;

N-(3-Chloro-4-methylphenyl)-3-[3-(3,5-dichlorophenyl)-thioureido]-4-methoxy-benzamide;

N-(3,4-Dichlorophenyl)-4-methoxy-3-[3-(4-sulfamoyl-phenyl)-thioureido]-benzamide;

3-[3-(3,5-Dichlorophenyl)-thioureido]-4-methylsulfanyl-N-phenylbenzamide;

3-[3-(3,5-Dichlorophenyl)-thioureido]-N-(3,4-difluoro-phenyl)-4-methoxy-benzamide;

		-209-
		N-(3-Chlorophenyl)-3-[3-(4-fluorophenyl)-thioureido]-4-methoxy
		benzamide;
		3-[3-(3,5-Dichlorophenyl)-thioureido]-4-methoxy-N-phenyl-
		benzenesulfonamide; or
5		4-Ethyl-N-phenyl-3-[3-(3-trifluoromethylphenyl)-thioureido]-
		benzamide.
	86.	The compounds:
		4-Ethyl-N-(3,4-difluorophenyl)-3-[3-(3-trifluoromethyl-phenyl)-
		thioureido]-benzamide;
10		3-{3-[2-Methoxy-5-(pyridin-3-ylcarbamoyl)-phenyl]-thioureido}-
		benzoic acid;
		3-[3-(2-Methoxy-5-phenylcarbamoyl-phenyl)-thioureido]-benzoic
•		acid;
		3,4-Dichloro-N-{4-fluoro-3-[3-(3-trifluoromethylphenyl)-
15		thioureido]-phenyl}-benzamide;
		3,4-Dichloro-N-{3-[3-(3,5-dichlorophenyl)-thioureido]-
		4-methoxyphenyl}-benzamide;
		3-(3,5-Dichloro-benzenesulfonylamino)-4-methoxy-N-
		(3,4-difluorophenyl)-benzamide;
20		3-(3,5-Dichloro-benzenesulfonylamino)-4-methoxy-N-
		(3,4-dichlorophenyl)-benzamide; or
		3-Benzenesulfonylamino-4-methoxy-N-phenyl-benzamide.
	87.	The compounds:
		3-(4-Methoxy-benzenesulfonylamino)-4-methoxy-N-phenyl-
25		benzamide;
		3-(3-Nitro-benzenesulfonylamino)-4-methoxy-N-phenyl-
		benzamide;
		3-(3-Chloro-benzenesulfonylamino)-4-methoxy-N-phenyl-
		benzamide;

3-(4-Methyl-benzenesulfonylamino)-4-methoxy-N-phenyl-

30

benzamide;

		3-(4-Fluoro-benzenesulfonylamino)-4-methoxy-N-phenyl-
		benzamide;
		3-(4,5-Dibromo-thiophene-2-sulfonylamino)-4-methoxy-N-phenyl-
		benzamide;
5		3-(2-Chloro-benzenesulfonylamino)-4-methoxy-N-phenyl-
		benzamide;
		3-(4-Trifluoromethyl-benzenesulfonylamino)-4-methoxy-N-
•		phenyl-benzamide;
		3-(Butane-1-sulfonylamino)-4-methoxy-N-phenyl-benzamide; or
10		3-(Quinoline-8-sulfonylamino)-4-methoxy-N-phenyl-benzamide.
	88.	The compounds:
		3-(2-Acetylamino-4-methyl-thiazole-5-sulfonylamino)-4-methoxy-
		N-phenyl-benzamide;
		3-(2,5-Dichloro-thiophene-3-sulfonylamino)-4-methoxy-N-phenyl-
15		benzamide;
		3-(Naphthalene-1-sulfonylamino)-4-methoxy-N-phenyl-
		benzamide;
		3-Ethanesulfonylamino-4-methoxy-N-phenyl-benzamide;
		3-Phenylmethanesulfonylamino-4-methoxy-N-phenyl-benzamide;
20		3-(3,4-Dichloro-benzenesulfonylamino)-4-methoxy-N-phenyl-
		benzamide;
		3-(2,4-Difluoro-benzenesulfonylamino)-4-methoxy-N-phenyl-
		benzamide;
0.5		3-(Toluene-3-sulfonylamino)-4-methoxy-N-phenyl-benzamide;
25		3-(4-Acetylamino-benzenesulfonylamino)-4-methoxy-N-phenyl-
		benzamide; 3-(Naphthalene-2-sulfonylamino)-4-methoxy-N-phenyl-
		benzamide; 3-(1-Methyl-1H-imidazole-4-sulfonylamino)-4-methoxy-N-phenyl
30		benzamide;
30		3-(Thiophene-2-sulfonylamino)-4-methoxy-N-phenyl-benzamide;
		5-(1 mophene-2-sunonyianimo)-4-memoxy-14-phemyi-benzaninde,

-211-

3-(5-Dimethylamino-naphthalene-1-sulfonylamino)-4-methoxy-N-phenyl-benzamide;

2-Methoxy-5-phenylcarbamoyl-carbonic acid-phenyl ester phenyl ester; or

4-Hydroxy-3-phenylamino-N-phenyl-benzamide.

89. The compounds:

- 3-(3-Amino-4-methoxy-benzoylamino)-benzoic acid ethyl ester;
- 3-(3-Amino-4-methoxy-benzoylamino)-benzoic acid methyl ester;
- 3,4-Difluoro-N-(3-amino-4-methoxy-phenyl)-benzamide;

3,4-Difluoro-N-(3-amino-4-fluoro-phenyl)-benzamide;

- 1-(3-Amino-4-methoxy-phenyl)-3-(3,4-dichloro-phenyl)-urea;
- 3-(4-Fluoro-phenylamino)-4-methoxy-N-phenyl-benzamide; or
- 3-(3,5-Dichloro-phenylamino)-4-methoxy-N-(4-fluoro-phenyl)-benzamide.

15 90. The compounds:

3-(4-Fluoro-phenylamino)-4-methoxy-N-(4-fluoro-phenyl)-benzamide;

3-[4-Methoxy-3-(3-trifluoromethyl-phenylamino)-benzoylamino]-benzoic acid methyl ester;

3-[4-Methoxy-3-(3-trifluoromethyl-phenylamino)-benzoylamino]-benzoic acid ethyl ester;

4-Trifluoromethoxy-3-(3-trifluoromethyl-phenylamino)-N-phenylbenzamide:

4-Trifluoromethoxy-3-(3-trifluoromethyl-phenylamino)-N-(4-fluoro-phenyl)-benzamide;

3,4-Dichloro-N-[4-methoxy-3-(3-trifluoromethyl-phenylamino)-phenyl]-benzamide;

3-[3-(2-Methoxy-5-phenylcarbamoyl-phenyl)-thioureido]-benzoic acid methyl ester;

3-{3-[5-(3,4-Difluoro-phenylcarbamoyl)-2-methoxy-phenyl]-thioureido}-benzoic acid;

5

10

20

30

3-[3-(3,5-Dichloro-phenyl)-thioureido]-4-trifluoromethoxy-N-(4-fluoro-phenyl)-benzamide; or

3-[3-(3-trifluoromethyl-phenyl)-thioureido]-4-trifluoromethoxy-N-(4-fluoro-phenyl)-benzamide.

5 91. The compounds:

4-{3-[5-(3,4-Difluoro-phenylcarbamoyl)-2-methoxy-phenyl]-thioureido}-benzenesulfonic acid;

4-{3-[5-(4-Fluoro-phenylcarbamoyl)-2-methoxy-phenyl]-thioureido}-benzoic acid;

3-{3-[5-(4-Fluoro-phenylcarbamoyl)-2-methoxy-phenyl]-thioureido}-benzoic acid;

4-{3-[5-(3,4-Difluoro-benzoylamino)-2-methoxy-phenyl]-thioureido}-benzoic acid;

3-{3-[5-(3,4-Difluoro-benzoylamino)-2-methoxy-phenyl]-thioureido}-benzoic acid;

N-{3-[3-(3,5-Dichloro-phenyl)-thioureido]-4-fluoro-phenyl}-3,4-difluoro-benzamide;

1-(3,4-Dichloro-phenyl)-3-{3-[3-(3,5-dichloro-phenyl)-thioureido]-4-methoxy-phenyl}-urea;

3-(3-{5-[3-(3,4-Dichloro-phenyl)-ureido]-2-methoxy-phenyl}-thioureido)-benzoic acid methyl ester;

3-(3-{5-[3-(3,4-Dichloro-phenyl)-ureido]-2-methoxy-phenyl}-thioureido)-benzoic acid; or

1-{3-[3-(3,5-Bis-trifluoromethyl-phenyl)-thioureido]-4-methoxy-phenyl}-3-(3,4-dichloro-phenyl)-urea.

92. The compounds:

1-{3-[3-(4-Chloro-3-nitro-phenyl)-thioureido]-4-methoxy-phenyl}-3-(3,4-dichloro-phenyl)-urea;

3-[3-(3,5-Dichloro-phenyl)-thioureido]-4-methoxy-benzoic acid benzyl ester;

3-(Dodecane-1-sulfonylamino)-4-methoxy-N-phenyl-benzamide;

10

15

20

25

- 4-Methoxy-3-(octane-1-sulfonylamino)-N-phenyl-benzamide;
- 3-(Decane-1-sulfonylamino)-4-methoxy-N-phenyl-benzamide;
- 3-(3-Nitro-benzenesufonylamino)-4-methoxy-N-(3,4-difluoro-phenyl)-benzamide;

10

- 3,5-Dichloro-N-{5-[3-(3,4-dichloro-phenyl)-ureido]-2-methoxy-phenyl}-benzenesulfonamide;
- 3-(1-Methylethyl-1-sulfonylamino)-4-methoxy-N-phenyl-benzamide;
- $\hbox{$4$-(2-Methoxy-5-phenylcarbamoyl-phenylsulfamoyl)-benzoic acid;}$ or
 - 3-(Octadecane-1-sulfonylamino)-4-methoxy-N-phenyl-benzamide.

93. The compounds:

3-(3-Amino-benzenesulfonylamino)-4-methoxy-N-(3,4-difluoro-phenyl)-benzamide;

15

- 4-Methoxy-3-(4-nitro-benzenesulfonylamino)-N-(3,4-difluoro-phenyl)-benzamide;
- 3-(4-Cyano-benzenesulfonylamino)-4-methoxy-N-(3,4-difluoro-phenyl)-benzamide;
- 4-Methoxy-3-(4-nitro-benzenesulfonylamino)-N-phenyl-benzamide;

20

- 3-(3-Cyano-benzenesulfonylamino)-4-methoxy-N-(4-fluoro-phenyl)-benzamide;
- 4-Methoxy-3-(3-nitro-benzenesulfonylamino)-N-(4-fluoro-phenyl)-benzamide;

- 4-Methoxy-3-(4-nitro-benzenesulfonylamino)-N-(4-fluoro-phenyl)-benzamide;
- 3-(4-Cyano-benzenesulfonylamino)-4-methoxy-N-phenylbenzamide;
- 3-(4-Cyano-benzenesulfonylamino)-4-methoxy-N-(4-fluorophenyl)-benzamide; or
 - 3-(Dodecane-1-sulfonylamino)-4-methoxy-N-(3,4-dichlorophenyl)-benzamide.

94. T	he com	pounds:
-------	--------	---------

10

15

20

25

30

- 3-(3-Cyano-benzenesulfonylamino)-4-methoxy-N-phenylbenzamide;
- 3,4-Dichloro-N-[4-methoxy-3-(4-methoxy-benzenesulfonylamino)phenyl]-benzamide;
- 3,4-Dichloro-N-[4-methoxy-3-(toluene-4-sulfonylamino)-phenyl]benzamide;
- 3,4-Difluoro-N-[4-methoxy-3-(3-amino-benzenesulfonylamino)phenyl]-benzamide;
- 3,4-Difluoro-N-[4-methoxy-3-(4-amino-benzenesulfonylamino)phenyll-benzamide;
- 3,4-Difluoro-N-[4-methoxy-3-(1-dodecane-sulfonylamino)phenyl]-benzamide;
- 3,4-Difluoro-N-[4-methoxy-3-(chloromethyl-sulfonylamino)phenyl]-benzamide;
- 3,4-Difluoro-N-[4-methoxy-3-(4-nitro-benzenesulfonylamino)phenyl]-benzamide;
- 3,4-Difluoro-N-[4-methoxy-3-(3-nitro-benzenesulfonylamino)phenyl]-benzamide; or
- 3,4-Difluoro-N-[3-(4-cyano-benzenesulfonylamino)-4-methoxyphenyl]-benzamide.

The compounds: 95.

- 3,4-Difluoro-N-[3-(3-cyano-benzenesulfonylamino)-4-methoxyphenyl]-benzamide;
- 3,4-Difluoro-N-[4-fluoro-3-(thiophene-2-sulfonylamino)-phenyl]benzamide;

Thiophene-2-sulfonic acid {5-[3-(3,4-dichloro-phenyl)-ureido]-2methoxy-phenyl}-amide;

- 3-(3,5-Dichloro-benzenesulfonylamino)-4-methoxy-N-phenylthiobenzamide;
- 3,5-Dichloro-N-(2-methoxy-5-phenylaminomethyl-phenyl)benzenesulfonamide;

-215-

		3-(3-Hydroxy-benzylamino)-4-methoxy-N-(3,4-difluoro-phenyl)-
		benzamide;
		3-(4-Diethylamino-benzylamino)-4-methoxy-N-phenyl-benzamide;
		3-(3-Fluoro-benzylamino)-4-methoxy-N-(3,4-difluoro-phenyl)-
5		benzamide;
		3-(3-Hydroxy-benzylamino)-4-methoxy-N-phenyl-benzamide; or
		4-Methoxy-3-(3-fluoro-benzylamino)-N-phenyl-benzamide.
	96.	The compounds:
		4-Methoxy-3-(3-nitro-benzylamino)-N-phenyl-benzamide;
10		4-Methoxy-3-(4-methoxy-benzylamino)-N-phenyl-benzamide;
		4-Methoxy-3-[(naphthalen-1-ylmethyl)-amino]-N-phenyl-
		benzamide;
		4-Methoxy-3-(3,5dimethyl-benzylamino)-N-phenyl-benzamide;
		3-(2,3-Difluoro-benzylamino)-4-methoxy-N-phenyl-benzamide;
15		Acetic acid 4-[(2-methoxy-5-phenylcarbamoyl-phenylamino)-
		methyl]-phenyl ester;
		4-[(2-Methoxy-5-phenylcarbamoyl-phenylamino)-methyl]-benzoic
		acid methyl ester;
		3-[(Furan-3-ylmethyl)-amino]-4-methoxy-N-phenyl-benzamide;
20		4-Methoxy-3-(2-methyl-benzylamino)-N-phenyl-benzamide; or
		4-Methoxy-3-(4-fluoro-benzylamino)-N-phenyl-benzamide.
	97.	The compounds:
		3-(4-Hydroxy-3-nitro-benzylamino)-4-methoxy-N-phenyl-
		benzamide;
25		3-(4-Diethylamino-benzylamino)-4-methoxy-N-(3,4-difluoro-
		phenyl)-benzamide;
		3-Benzylamino-4-methoxy-N-(3,4-difluoro-phenyl)-benzamide;
		3-(3-Hydroxy-4-nitro-benzylamino)-4-methoxy-N-phenyl-
		benzamide;
30		3-(3-Cyano-benzylamino)-4-methoxy-N-phenyl-benzamide;

		3-{[5-(3,4-Difluoro-phenylcarbamoyl)-2-methoxy-phenylamino]-
		methyl}-benzoic acid;
		3-(3-Chloro-benzylamino)-4-methoxy-N-phenyl-benzamide;
		3-(4-tert-Butyl-benzylamino)-4-methoxy-N-phenyl-benzamide;
5		3-(4-Cyano-benzylamino)-4-methoxy-N-phenyl-benzamide; or
		4-{[5-(3,4-Difluoro-phenylcarbamoyl)-2-methoxy-phenylamino]-
		methyl}-benzoic acid.
	98.	The compounds:
		4-Methoxy-3-(4-propoxy-benzylamino)-N-phenyl-benzamide;
10		3-[(Biphenyl-4-ylmethyl)-amino]-4-methoxy-N-phenyl-benzamide;
		4-Methoxy-3-(4-methyl-benzylamino)-N-phenyl-benzamide;
		4-Methoxy-3-(2-methoxy-benzylamino)-N-phenyl-benzamide;
		3-(4-Butyl-benzylamino)-4-methoxy-N-phenyl-benzamide;
		3-(3-Fluoro-benzylamino)-4-methoxy-N-(3,4-dichloro-phenyl)-
15		benzamide;
		3-[(2-Methoxy-5-phenylcarbamoyl-phenylamino)-methyl]-benzoic
		acid;
		3-(3,4-Dimethyl-benzylamino)-4-methoxy-N-phenyl-benzamide;
		3-(4-Isopropyl-benzylamino)-4-methoxy-N-phenyl-benzamide, or
20		3,4-Dichloro-N-[3-(3-fluoro-benzylamino)-4-methoxy-phenyl]-
		benzamide.
	99.	The compounds:
		3,4-Difluoro-N-[3-(3-hydroxy-benzylamino)-4-methoxy-phenyl]-
		benzamide;
25		3-{[5-(3,4-Difluoro-benzoylamino)-2-methoxy-phenylamino]-
		methyl}-benzoic acid;
		3-[3-(3,5-Dichloro-phenyl)-thioureidomethyl]-4-methoxy-N-
		phenyl-benzamide;
		3-(3,5-Dichloro-benzenesulfonylamino)-4-methoxy-N-phenyl-
30		benzamide;

-217-

		3-[(3,5-Dichloro-benzenesulfonylamino)-methyl]-4-methoxy-N-
		phenyl-benzamide;
		4-Methoxy-3-phenylmethanesulfonylamino-N-phenyl-benzamide;
		3-[Bis[(3,5-dichlorophenyl)sulfonyl]amino]-4-methoxy-N-phenyl-
5		benzamide;
		(2-Methoxy-5-phenylcarbamoyl-phenylcarbamoyl)-acetic acid
		phenylmethyl ester;
		4-Methoxy-N-phenyl-3-[2-(3-trifluoromethyl-phenyl)-ethylamino]-
		benzamide; or
10		4-Methoxy-3-[3-(3-nitro-phenyl)-thioureido]-N-phenyl-benzamide.
	100.	The compounds:
		3-[(3,5-Dichlorobenzoyl)amino]-4-methyl-N-phenyl-benzamide;
		3-[[(Cyanoimino)[(3,5-dichlorophenyl)amino]methyl]amino]-4-
		methoxy-N-phenyl-benzamide;
15		3-(2-Hydroxy-2-phenyl-acetylamino)-4-methoxy-N-phenyl-
		benzamide;
		4-Methoxy-3-[(thiophen-2-ylmethyl)-amino]-N-(3,4-difluoro-
	•	phenyl)-benzamide;
		4-Methoxy-3-[(thiophen-2-ylmethyl)-amino]-N-phenyl-benzamide;
20		4-Methoxy-3-[(thiophen-2-ylmethyl)-amino]-N-(4-fluoro-phenyl)-
		benzamide,
		4-Methoxy-3-[(thiophen-2-ylmethyl)-amino]-N-(3,4-dichloro-
		phenyl)-benzamide;
		4-Methoxy-3-[(thiophen-2-ylmethyl)-amino]-N-pyridin-3-yl-
25		benzamide;
		4-{4-Methoxy-3-[(thiophen-2-ylmethyl)-amino]-benzoylamino}-
		benzoic acid ethyl ester;
		3,4-Dichloro-N-{4-methoxy-3-[(thiophen-2-ylmethyl)-amino]-
		phenyl}-benzamide; or
30		3,4-Difluoro-N-{4-methoxy-3-[(thiophen-2-ylmethyl)-amino]-
		phenyl}-benzamide.

PCT/US98/24688

101. The compounds:

3-[(Benzo[1,3]dioxol-5-ylmethyl)-amino]-4-methoxy-N-phenylbenzamide;

4-Methoxy-3-(3,5-difluoro-benzylamino)-N-phenyl-benzamide;

3-(4-Dimethylamino-benzylamino)-4-methoxy-N-phenyl-

benzamide;

5

10

20

25

4-Methoxy-3-(3-trifluoromethyl-benzylamino)-N-phenyl-benzamide;

4-Methoxy-3-(2-fluoro-benzylamino)-N-phenyl-benzamide;

N-{3-[(2,3-Dihydro-benzo[1,4]dioxin-6-ylmethyl)-amino]-4-methoxy-phenyl}-benzamide;

3-(4-Hydroxy-benzylamino)-4-methoxy-N-phenyl-benzamide;

4-Methoxy-3-(3-methyl-benzylamino)-N-phenyl-benzamide; or

3-(3,4-Difluoro-benzylamino)-4-methoxy-N-phenyl-benzamide.

15 102. The compounds:

3-[(Pyridin-3-ylmethyl)-amino]-4-methoxy-N-phenyl-benzamide;

3-[(Pyridin-3-ylmethyl)-amino]-4-methoxy-N-(3,4-difluorophenyl)-benzamide;

3-[(Pyridin-3-ylmethyl)-amino]-4-methoxy-N-(3,4-dichlorophenyl)-benzamide;

4-[(2-Methoxy-5-phenylcarbamoyl-phenylamino)-methyl]-benzoic acid;

3,4-Difluoro-N-{[3-(pyridin-3-ylmethyl)-amino]-4-methoxy-phenyl}-benzamide; or

3-(3-Acetylamino-phenylamino)-4-methoxy-N-phenyl-benzamide.

Im tional Application No PCT/US 98/24688

					PCI/	US 98/24688 .
IPC 6	C07C235/56	C07C311/21 C07C237/40 C07C311/13	C07C255/ C07C311/	58 C07C27! 29 C07C31	5/40	C07C233/80 C07C279/28 C07C311/46
	SEARCHED	Saleator (ii O) or to dotti	Transfer Gassinea	ion and in C		
	cumentation searched (c	lassification system follow A61K	ved by classification	n symbols)		**************************************
Documentat	tion searched other than n	ninimum documentation to	o the extent that su	ch documents are inc	luded in the	ne fields searched
Electronic da	ata base consulted during	the international search	(name of data bas-	e and, where practice	al, search t	erms used)
C. DOCUMI	ENTS CONSIDERED TO					
Category °	Citation of document, wi	ith indication, where appr	ropriate, of the rele	vant passages		Relevant to claim No.
X	Structures p-benzoquin JOURNAL OF vol. 22, no		amine addu de" ISTRY,	cts of		1-3,8,10
[V] Furti	her documents are listed in	o the continuation of box	c	Patent tamih	members	are listed in annex.
الثا			·	X Patent family	, .r.e.iiibels	. S. C. HOLEGE HI GIRICA.
"A" docume consid "E" earlier of filing d "L" docume which citation "O" docume other of the remaining the remainin	ent which may throw doubt is cited to establish the pu in or other special reason (ent referring to an oral disc	ate of the art which is not levance n or after the internationa s on priority claim(s) or bilication date of another as specified) closure, use, exhibition o	t	or priority date as cited to understa invention X* document of partic cannot be consic involve an invent Y* document of partic cannot be consic document is com	nd not in or nd the prin cular releva lered novel ive step wit cular releva lered to invalid in billion billion billion billion billion mith	er the international filing date ordict with the application but ciple or theory underlying the ance; the claimed invention for cannot be considered to hen the document is taken alone ance; the claimed invention rolve an inventive step when the one or more other such document go obvious to a person skilled me patent family
	actual completion of the in	ternational search		Date of mailing o		ational search report
	nailing address of the ISA			VI/U4/		
TOTAL STRUIT	European Patent Otti NL - 2280 HV Rijswij	40, Tx. 31 651 epo nl.	2	Englis		

Int ional Application No PCT/US 98/24688

			10.7	00 30, 2		
PC 6	CATION OF SUBJECT MATTER C07C311/48		C07C335/20 C07D277/36 C07D333/34	C07D213 C07D307 C07D409	/75 /52 /12	
ccording to	International Patent Classification (IPC) or to both national class	Silication and i				
. FIELDS		ti - tiam aventa				
Alnimum dod	cumentation searched (classification system followed by classifi	ncation symbol	5)			
ocumentati	on searched other than minimum documentation to the extent the	that such docu	ments are included in	the fields search	ed	
lectronic da	ata base consulted during the international search (name of data	ita base and, v	vhere practical, search	terms used)		
	CONSIDERED TO DE DEL SVANT					
	ENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the	he relevant pa	ssages		Relevant to claim No.	
Category ?	Change of document, war macanety, more appropriately					
					1-3,7,8,	
X	G. LOCKEMANN, ET AL.: "Über		h = 2	1	10,11	
	Nitrobenzoylverbindungen und V	vorgange	Dei	1	10,11	
	ihrer Reduktion, IV. Mitteil.:	:		l		
	Reduktionsvorgänge bei			1		
	Nitrobenzoylverbindungen von			Į.		
	Benzylidenphenylhydrazinen"					
	BERICHTE DER DEUTSCHEN CHEMISC	CHEN		j		
	GESELLSCHAFT,			l	•	
	vol. 80, no. 6, December 1947,	, pages		ŀ		
	485-493, XP002096175					
	Weinheim, DE			1		
	see page 492, line 33 - line 4	41		.]		
			4000	İ	1 7 0	
X	CH 373 028 A (J.R. GEIGY) 31 [December	1963	İ	1,7,8, 10,11,	
					33-37	
				İ	33-37	
	see page 3, line 76 - page 4,	line 11				
		-/		İ		
X Fu	ther documents are listed in the continuation of box C.	Х	Patent family memb	pers are listed in	annex.	
<u> </u>	estagation of cited decliments			1 - 41 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	etional tilling data	
	categories of cited documents:	^	er document published r priority date and not i	in contuct with th	e application out	
"A" docur	nent defining the general state of the art which is not sidered to be of particular relevance	С	ited to understand the	principle or theo	ry underlying the	
	r document but published on or after the international	"Y" dc	current of particular re	levance; the cla	imed invention	
filing	date	C	annot be considered novolve an inventive ste	ovel or cannot b p when the docu	e considered to iment is taken alone	
which	nent which may throw doubts on priority claim(s) or this cited to establish the publication date of another	*V* dr	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the			
	ion or other special reason (as specified)	,	focument is combined	with one or more	other such docu-	
othe	ment referring to an oral disclosure, use, exhibition or or means	r	nents, such combination the art.	on being obvious	to a person skilled	
"P" docu	ment published prior to the international filing date but than the priority date claimed		ocument member of the	e same patent fa	mily	
	e actual completion of the international search		Date of mailing of the Ir	nternational sear	ch report	
	11 March 1999					
Name an	d mailing address of the ISA	A	Authorized officer			
	European Patent Office, P.B. 5818 Patentlaan 2					
1	NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,	1	English, l	R		
	Fax: (+31-70) 340-3016	1				

Int Ional Application No PCT/US 98/24688

			, 2 1000
A. CLASSII IPC 6	FICATION OF SUBJECT MATTER A61K31/165 A61K31/17 A61K31/	18	
According to	International Patent Classification (IPC) or to both national classific	ation and IPC	
B. FIELDS	SEARCHED		
Minimum do	cumentation searched (classification system followed by classificati	on symbols)	
Documentat	ion searched other than minimum documentation to the extent that s	such documents are included in the fields s	earched
Electronic d	ata base consulted during the international search (name of data ba	se and, where practical, search terms use	d)
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT		
Category *	Relevant to claim No.		
Х	M. OGATA, ET AL.: "Synthesis and antiviral activity of sulphonamidobenzophenone oximes	1,14,33, 34,36	
	sulphonamidobenzamides" JOURNAL OF MEDICINAL CHEMISTRY, vol. 29, no. 3, March 1986, page XP002096176 Washington, DC, US see tables II,III	s 417-423,	
A	US 5 457 122 A (M. KONNO, ET AL. 10 October 1995 see column 1 - column 6; claims 		1-102
Furt	her documents are listed in the continuation of box C.	Patent family members are listed	in annex.
"A" docume consic "E" earlier e filing c "L" docume which criatio "O" docume other "P" docume tater ti	ent which may throw doubts on priority claim(s) or is cited to establish the publication date of another n or other special reason (as specified) ent referring to an oral disclosure, use, exhibition or means ent published prior to the international filing date but han the priority date claimed	" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention of cannot be considered novel or cannot be considered novel or cannot be considered novel or cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone of document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.	
	actual completion of the international search 1 March 1999	Date of mailing of the international se	earch report
Name and i	mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Authorized officer English, R	

ernational application No.

PCT/US 98/24688

Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)					
This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:					
1. X Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely: Although claims 12,13,15,16,38-41,44-47,49-52,54-57,59-62,64-67,69-72 are directed to a method of treatment of the human/animal body, the search has been carried out and based on the alleged effects of the compound/ composition.					
2. X Claims Nos.: because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically: see FURTHER INFORMATION sheet PCT/ISA/210					
3. Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).					
Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)					
This International Searching Authority found multiple inventions in this international application, as follows:					
As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.					
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.					
3. As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:					
4. No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:					
Remark on Protest The additional search fees were accompanied by the applicant's protest. No protest accompanied the payment of additional search fees.					

International Application No. PCT/US 98 24688

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

In view of the extremely broad Markush claims, the search was executed with due regard to the PCT Search Guidelines (PCT/GL/2), C-III, paragraph 2.1, 2.3 read in conjunction with 3.7 and Rule 33.3 PCT, i.e. particular emphasis was put on the inventive concept, as illustrated by the examples and the compounds of claims 74-102.

The international search was, in so far as possible and reasonable, complete in that it covered the entire subject-matter to which the claims are directed.

information on patent family members

Int Jonal Application No PCT/US 98/24688

Patent document cited in search report			Publication date	Patent family member(s)		Publication date
СН	373028	Α		NONE		
US	5457122	 А	10-10-1995	US	5256686 A	26-10-1993
•	0.07.2			US	5795914 A	18-08-1998
				AT	150006 T	15-03-1997
				AT	162181 T	15-01-1998
				CA	2019335 A	27-12-1990
				DE	69030202 D	17-04-1997
				DE	69030202 T	10-07-1997
				DE	69031959 D	19-02-1998
				DE	69031959 T	04-06-1998
				DK	619296 T	05-05-1997
				EP	0405116 A	02-01-1991
			•	EP	0619296 A	12-10-1994
				EP	0652208 A	10-05-1995
				ES	2102097 T	16-07-1997
				ES	2114117 T	16-05-1998
				GR	3018510 T	31-03-1996
				GR	3022801 T	30-06-1997
				GR	3026351 T	30-06-1998
				JP	2014079 C	02-02-1996
				JP	3261752 A	21-11-1991
				JP	7039369 B	01-05-1995
				JP	6072947 A	15-03-1994
	-			JP	8019040 B	28-02-1996
				us	5086065 A	04-02-1992
				US	5155104 A	13-10-1993
				AT	131154 T	15-12-1995
				DE	69023960 D	18-01-1996
				DE	69023960 T	17-10-1996
				DK	405116 T	29-04-1996
				ES	2083396 T	16-04-1996